EPU18N · EPU36N



Dual Outlet, High Quality **UV Clarifiers** Instructions for Operation · Safety · Warranty

3 Year Warranty!

Thank you for purchasing the EasyPro UV Clarifier. Used with care this product should provide years of service. Ultraviolet light is a wavelength of light which inhibits algae growth from reproducing. Ultraviolet light is not designed to kill string algae.

Safety & Electrical Connections

- 1. Always disconnect the electrical supply before handling, maintaining, repairing or installing any pond equipment.
- 2. This product is not submersible and should be placed where it cannot fall into the water or become water logged. However, the design is weather proof, and Easy Pro UV Clarifiers can be safely installed outdoors.
- 3. Direct exposure to Ultra-Violet light can damage eyes and skin. Do not attempt to view the lamp when lit, except through the clear barbed fitting.
- 4. Connect this product only to a receptacle protected by a Ground Fault Circuit Interrupter.
- 5. All electrical work must be performed by a qualified technician. Always follow the National Electrical Code (NEC) or the Canadian Electrical Code as well as all local, state and provincial codes. Code questions should be directed to your local electrical inspector. Failure to follow electrical codes and OSHA safety standards may result in personal injury or equipment damage. Failure to follow manufacturer's installation instructions may result in electrical shock, fire hazard, personal injury or death, damaged equipment, provide

unsatisfactory performance and may void manufacturer's warranty.

Unpacking and Installation

- 1. Before unpacking the UV unit, visually check to see that the product is not damaged in the packaging.
- 2. The UV bulb and the UV sleeve come already installed in the unit.
- 3. Carefully remove the UV unit from the package.







- 4. Remove the small parts bag. Remove the three large o-rings from the parts bag and install inside the nuts for the three barbed fittings. Either opening on the end of the unit can be used for the inlet. (figure 1)
- 5. On the end with two connections, install one black barbed fitting and install the nut with the frosted glass. Then install the second black barb fitting on the end with the single connection. (figure 2)



Figure 2

- 6. The frosted glass fitting is used to visually see if the UV light is working.
- 7. To attach the tubing, find the correct size on the barbed fitting. Cut off what you do not need and attach tubing.
- 8. The UV unit must be installed horizontally on its mounting brackets, on a secure platform. Use the provided screws to attach the mounting brackets. (figure 3)

Bulb Replacement

- 1. Always disconnect the power supply to the UV clarifier and the water pump before servicing.
- 2. Remove the large threaded cap, and carefully pull the UV bulb out of the UV unit. (figure 4)
- 3. Gently pull bulb out of the socket and discard. Using a clean soft cloth remove the new bulb from its package and gently push the bulb into the socket. **Do not touch the UV bulb with your fingers.** (figure 5)



Figure 4




Figure 5

- 4. Make sure you install the clear plastic grommet back on the end of the bulb. (figure 6)
- 5. Carefully slide the bulb back into the unit and screw the threaded cap back on. (figure 7)



Figure 3



Figure 6




Sleeve Replacement & Cleaning

- 1. To replace or clean the sleeve follow steps one through three from bulb replacement section.
- 2. Gently pry up on two sides of the UV sleeve shoulder, carefully pull the sleeve out of the main body. (figure 8)
- 3. Wipe the sleeve with a clean damp cloth to clean the sleeve. (figure 9)
- 4. When replacing the sleeve, make sure the red o-ring is seated properly in its groove in the main body. (figure 10)
- 5. Gently push the UV sleeve back into the main body, slide the UV bulb back into the sleeve and screw the threaded cap back on. (figure 7)



Figure 8






Figure 9



Figure 10

Performance and Specifications for UV Lights

Part #	EPU18N	EPU36N
Maximum Pond Size (gallons)*	4000	7000
UV/Watts	18	36
Inlet/Outlet Sizes	³ /4", 1 ", 1 ¹ /4"	³ /4", 1 ", 1 ¹ /4"
Recommended maximum GPH	2100	3900

*Fish load, amount of sunlight, etc. all affect actual maximum gallons.

Replacement Parts for the UV Clarifier			
Part #	EPU18N	EPU36N	
UV Bulb Part #	EP18BN	EP36BN	
UV Sleeve Part #	EP18SN	EP36SN	
Inlet/Outlet Hose Barb Part #	BARB3	BARB3	

EasyPro Pond Products Limited Warranty

EasyPro Pond Products ("EasyPro") warrants to the purchaser that this product ("Product") will be free from any mechanical or material defects for a period of **three years** from the date of purchase. UV bulbs and sleeves are considered wearable items and are not covered under this limited warranty This warranty only covers properly installed and maintained Products sold by authorized EasyPro Sellers who are subject to and follow EasyPro's quality control standards. Please note that because EasyPro is unable to control the quality of Products sold by unauthorized sellers, unless otherwise prohibited by law, this warranty does not cover Products purchased from unauthorized sellers.

This warranty does not cover normal wear and tear, nor any deterioration suffered through overloading, improper use, negligence, improper installation, acts of God or accident. Similarly, any modification made by the purchaser to the Product will cause the warranty to be null and void. This warranty does not cover any cost associated with the installation or removal of the Product subject to a warranty claim.

All returned items will be inspected to determine cause of failure before a warranty claim is approved. The exclusive remedies provided hereunder shall, upon EasyPro's inspection and option, be either repair or replacement of the Product or parts covered under this warranty.

Making a Claim: A Return Authorization ("RA") number must first be obtained by calling EasyPro at 800-448-3873 or via email at warranty@easypro.com. It is the purchaser's responsibility to pay the return shipping charges. Be sure to include the RA number, original receipt (in the form of an invoice or sales receipt), your name, your return address and your phone number inside of the package. No warranty claims will be honored without the original receipt that shows that your purchase was made from an Authorized EasyPro Seller. Ensure the product is properly packaged and insured for the replacement value. Damage due to improper packaging is the responsibility of the sender.

ALL OTHER EXPRESS OR IMPLIED WARRANTIES INCLUDING MERCHANTABILITY OF FITNESS FOR A PARTICULAR PURPOSE ARE HEREBY LIMITED IN DURATION TO THE DURATION OF THE WARRANTY AS DESCRIBED ABOVE. Some States do not allow limitations on how long an implied warranty lasts, so the above limitations may not apply to you.

EasyPro shall not be held liable for any damages caused by defective components or materials of this Product; or for loss incurred because of the interruption of service; or any consequential/incidental damages and expenses arising from the production, sale, use or misuse of this Product. Some States do not allow the exclusion or limitation of incidental or consequential damages, so the above limitation or exclusion may not apply to you.

EasyPro shall not be held liable for any loss of fish, plants or any other livestock as a result of any failure or defect of this Product. This warranty gives you specific legal rights, and you may also have other rights that vary from State to State.



800-448-3873 • Grant, Michigan www.EasyPro.com