




2018

Lake & Pond Management Catalog



800-448-3873

www.easypro.com



Thank you for your interest in EasyPro Pond Products. We strive to offer the widest selection of pond, fountain and water feature products anywhere. Combine this wide selection with our industry best customer support and it's easy to see why EasyPro continues to grow year after year. In fact, 2017 was the highest sales in our 48 year history!

Loyalty is something that is becoming harder and harder to find. We owe our continued success to the thousands of loyal customers who support us year after year. We truly value and appreciate our relationship and will always strive to take care of you as we would like to be taken care of.

Every business owner will tell you that finding good employees is challenging. We are fortunate here at EasyPro to have a awesome group of employees who put their heart and souls into making this business what it is today. We are very thankful for each and every member of our team for their hard work and dedication. We are also thankful to God for his continued blessing on us in all that we do.

We hope 2017 was a good year for you as well and that 2018 will be even better. Thank you for the opportunity to be your supplier!

Dave & Chris Ouwinga

If we don't take care of our customers, someone else will.

This simple statement is our company motto. We know that you have choices when it comes to buying your supplies. Our focus is to take care of you in a way that we would like to be treated ourselves!

Index

Aeration Kits, Linear.....	23, 51	Compressors & Parts.....	45-51	Membrane Diffuser Assembly.....	42
Aeration Kits, Rocking Piston ...	24-29, 33	Deicers	62	Netting, Plastic	73
Aeration Kits, Rotary Vane	30-33	Diaphragm Compressor.....	49-50	Order Form.....	74
Aeration Kits, Solar	35	Diffusers	42-44	Ordering Information	75
Aeration, Submerged	20-48	Dip Nets	73	Pond Dyes.....	12-13
Aeration, Surface	53-67	Dyes	12-13	Pressure Gauge	48
Air Diffusers.....	42-44	Fish Display Systems.....	73	Pressure Relief Valve.....	48
Airline, Tubing.....	36	Fish Food	71	Rock Covers.....	39
Airstones	44	Fish Shipping Bags	71	Septic & Wastewater Treatment.....	9
Algaecides.....	14-15	Fittings, Tubing.....	38	Solar Aeration Kits	35
Aqua Fountains	54	Floating Fountain Head.....	55	Splitters	38
Aquaculture Supplies.....	73	Fountain Light Kits ..	55, 57, 61, 63, 65, 67	Surface Aeration	53-67
Aquatic Weed Control.....	10-19	Fountains.....	53-67	Surface Skimmer	19
Aquatic Weed Rakes/Cutters.....	19	Game Fish Food.....	71	Tanks, Fish	72-73
Bacteria	5-7	Herbicides	16-19	Thermometer.....	70
Bander & Bands.....	71	Hose Clamps.....	38	Tubing, Airline.....	36
Barley Straw Pellets	9	Identify Aquatic Weeds & Algae.....	10	Tubing, Fittings.....	38
Blowers, Regenerative	52	Koi Medic Salinity Meter	70	Valve Assemblies, Remote Access.....	37
Bubble Tubing	37, 62	Lamotte Test Kit.....	70	Valve Boxes	37
Cabinets	39-41	Landscape Boulders.....	39	Valved Outlet Assemblies	48
Compressors, Linear.....	50	Liner, EasyWeave	68	Water Testing	70
Compressors, Rocking Piston	46-47	Liner, PVC.....	69	Windmills.....	34
Compressors, Rotary Vane.....	45	Liner, Underlayment.....	69	YSI Meters.....	71

Two Specialized Catalogs Pond & Water Features • Lake & Pond Management

We Offer Two Separate Catalogs:

Lake & Pond Management

The catalog you are holding contains our lake and pond management products such as aeration systems, water treatments, fountains and other similar products.

Pond & Water Features

Our second catalog contains items for the pond and water feature market including many pumps, filtration systems, plumbing supplies, underwater lighting, pond kits and similar products.



Many additional products for pumping water and filtration are available in our Pond & Water Feature Catalog. Contact us for your free copy!




- Submersible pumps
- External pumps
- Flexible PVC pipe
- PVC fittings
- Filtration systems
- Skimmers
- Underwater lighting
- And much more!



EasyPro is a leader in the field of lake and pond management. Combined, our sales staff has over 150 years of lake and pond management experience. We can assist you in developing a management plan for nearly any application, from small farm ponds to large lakes.


Pond and Lake Dynamics - The Benefits of Aeration

Stratified without Aeration



- Warm, typically oxygen-rich
- Recurrent surface scum
- Floating weed masses
- Zone of decreasing water temperature
- Zone of decreasing dissolved oxygen
- Zone completely void of oxygen
- Cold water temperature
- Accumulating organic muck
- Weeds prevalent
- Unusable by fish and all aerobic organisms

De-stratified with Aeration



- Uniform temperatures
- Uniform oxygen levels
- Fish can use the entire pond all year long
- Improved water clarity
- Reversed aging effects
- Improved natural pond bacteria populations
- Fewer aquatic weed problems
- Improved fish habitat
- Less organic material accumulation
- Protection from winter and summer fish kills
- An enhanced pond ecosystem
- Reduced surface scum build-up
- A better swimming and recreation area

Aeration (Pages 20 to 46)

Installing aeration to your pond or lake is the single **most** valuable water management and water maintenance strategy a person can implement. The movement of oxygenated water from the bottom up provides a **long** list of benefits to your water. Ponds and lakes age — the older a body of water, the higher the organic muck load and the higher total oxygen demand (TOD). Aeration can stop, and even reverse, the effects of aging. Oxygen is the “fuel for the engine” that drives all biological and chemical processes in your water.

Beneficial Bacteria (Pages 5 to 7)

Supplementing your pond with natural bacteria to help reduce sludge build-up is a widely used practice. Combining aeration with additional bacteria is a proven method of reversing the aging process mentioned above. Adding bacteria on a regular basis will improve water quality and clarity, reduce odors, improve oxygen levels and create a better environment for fish and other aquatic life.

Weed and Algae Controls (Pages 8 to 19)

There are a wide variety of treatment products available to safely control aquatic weeds and algae in lakes and ponds. These tested and approved products are a safe, quick way to gain control of water infested with undesirables or too many plants. The use of these products is a good short term solution to a problem, however, to gain long term control you should look at the overall ecosystem and determine the source of the problem. Often aeration and/or the use of bacteria will greatly improve the system and use of aquatic chemical herbicides can be reduced.

ARCHWAY BIO

Archway Bio is the division of EasyPro Pond Products that handles all the water treatment production. EasyPro is a full line blending, packaging and labeling company offering a wide selection of treatments under our own brand as well as offering private label and bulk treatment options. Our products are widely used in the pond, lake, septic and wastewater fields by customers around the world.

EasyPro offers a wider selection of treatment options under our own brand name as well as bulk products for applicators and those using large quantities of material. In addition, we offer private labeling of water treatments (minimum order quantities apply), concentrates and custom blends for customers wanting unique product offerings. Please call us for more information.

Option 1



Existing EasyPro branded products

An extensive line of products are available under our EasyPro label

Option 2



Private Label

Private custom labeled products are available for high volume distributors

Option 3



Bulk Product

For companies that cannot manufacture, buy in bulk to repackage and label at your facility

Option 4



Concentrates

For manufacturers that have the ability to blend, package and label products at their own facility

Option 5




Customized

For companies wanting unique product appearance and size — choice of liquid/powder, tablets/packets and containers

Beneficial Pond Bacteria

Success in controlling water quality in a pond is subject to several variables. One of the main variables is the amount of nutrients present in the pond. Most pond owners are happy to find that when their pond fills up initially after being dug, the water is clean and inviting. Ponds that are dug in sand, gravel or “clean” soils will generally stay that way for a period of a year or two since there is not a lot of nutrients present. Over time leaves, fish waste, runoff and other nutrients find their way into the pond and start to build up along the pond bottom. These nutrients act as a stimulant, or food source, for excess aquatic weeds, algae and other water quality problems.



The use of beneficial pond bacteria has proven to be one of the best tools (along with aeration) a pond owner can use to maintain water quality. Beneficial bacteria are like mini vacuum cleaners working along the pond's bottom to consume and digest organic materials such as decayed leaves, grass clippings, dead algae/weeds, fish waste, etc. Left in the pond, these materials will contribute to future water quality problems.

All ponds contain natural bacteria. The problem is these are usually anaerobic bacteria (meaning they do not need oxygen to survive) and they digest sediment very slowly. Pond-Vive contains aerobic bacteria which do require oxygen to survive (emphasizing the importance of aeration in ponds) but decompose organic sediment at a much faster rate.

Our Best Seller!



"Pond-Vive is great stuff!" - Jim K.,
Spring Valley Trout Farm, Dexter, MI

"After three years of applying Pond-Vive in my 1 1/2 acre pond, the results are undeniable! I have seen muck reduction of 75% or more overall and the thickness of muck dropping from nearly 36" to less than 6" in most areas." - Marc C., Mt. Bethel, PA

"I purchased a pail of Pond-Vive from a local supplier to help clear up my pond before my grand kids came to visit. After using Pond-Vive just three weeks the pond issues were gone and the swimming was great." - Paul K., Hampton, NY

Pond-Vive

The natural, biological way to revive your pond

This special blend of enzyme producing bacteria is designed to:

- Reduce sludge buildup
- Eliminate pond odors
- Reduce oxygen demand
- Eliminate excess nutrients
- Improve water clarity
- Safe for fish, family and animals

Premium formula includes:

- Concentration level of five billion colony forming units per gram
- Growth nutrient to stimulate bacteria
- Enzymes - four strains which break down waste into an easier digestible form for the bacteria — speeds up the process!
- Cold weather bacteria strain, for results in temperatures as low as 38°F
- Barley straw additive

Available in several sizes from small packets for easy dosing to bulk drums for the service professional



Dosage Rates:

For best results Pond-Vive should be added every two weeks when water temperatures are above 55°F (can be added at colder temperatures but results will be diminished). The amount needed depends on the condition of the pond. Below is a guideline:

Newer ponds with little "muck"
Apply 4 lbs. per surface acre/2 weeks

Older ponds with high levels of "muck"
Apply 6 lbs. per surface acre/2 weeks

For best results the initial application should be doubled to jump start the process.

Example - One 10 lb. Pail Treats:

Pond Size	Newer Pond	Older Pond
1/4 Acre	5 Months	3 Months
1/2 Acre	2.5 Months	1.5 Months
1 Acre	1.25 Months	.75 Months

A 25 lb. bulk pail extends months treated by 2.5 times



Part #	Description	Case Quantity	Stocking Code	Ship Weight	List Price
Water Soluble Packets —					
PB8X	Eight ounce water soluble packets (each)	50	45591	1 lb.	\$7.99
PB10X	20 Eight ounce water soluble packets (10 lbs.)	4	9104992	11 lbs.	\$149.99
PB25X	50 Eight ounce water soluble packets (25 lbs.)	2	6244991	29 lbs.	\$349.99
PBX-50B	100 Eight ounce water soluble packets (50 lbs.)	-	2465499	53 lbs.	\$664.99
Loose Powder —					
PB25XL	25 lb. Bucket (with 8 oz. scoop)	2	2223999	29 lbs.	\$319.99
PB100XL	100 lb. Fiber drum (with 8 oz. scoop)	-	3837898	105 lbs.	\$1196.99



PB100XL





Pond-Vive L

Liquid lake and pond bacteria

A convenient alternative to Pond-Vive in a liquid

- Similar formula to Pond-Vive powder, can be used to treat golf course ponds, farm ponds, municipal areas and similar applications
- Works to remove ammonia, nitrates, phosphates & sludge
- Application rate is one gallon per surface acre weekly for four weeks, then every two to four weeks for maintenance
- Two gallons will treat 1/4 acre pond for 10-16 weeks



Available in 1 gallon, 55 gallon drum or 250 gallon tote for large bodies of water



"We've tried many bacteria products over the years and found great success in Archway Bio's liquid pond bacteria for many of our high profile pond sites. Overall pond clarity and water quality parameters have been beyond our expectations".

Cory J Zickert, Wisconsin Lake & Pond Resource



PB-55G and PB250T ship motor freight

Part #	Description	Case Quantity	Stocking Code	Ship Weight	List Price
PB128	Pond-Vive L, one gallon bottle	4	434999	10 lbs.	\$49.99
PB-55G	Pond-Vive L, 55 gallon drum	-	81539991	490 lbs.	\$2199.99
PB250T	Pond-Vive L, 250 gallon tote	-	54199993	2100 lbs.	\$5999.99



Sludge Remover Pellets & Blocks

Great for spot treating around docks, beaches or partially treating large ponds

This product is a slightly modified version of Pond-Vive. While the Pond-Vive is designed to target several problem areas of water quality, these sludge remover pellets are specifically designed to reduce sludge.

- Pellets are heavy and sink down into muck directly where they are applied
- Best used in conjunction with Pond-Vive for a complete water quality program
- Helps reduce murky water caused by organic wastes
- Reduces problem causing nitrate and phosphates
- Reduces odors caused by stagnant water and decaying material



Order as 3 gram pellets or 1 ounce blocks

Spot Treatment

An ounce of pellets or a one ounce block covers approximately 200 - 250 square feet of shoreline or beach area — apply every two weeks

Full Pond Treatment

3 Gram Pellets: Two 8 ounce scoops per 1/4 acre every two weeks

1 Ounce Blocks: 15 to 20 blocks per 1/4 acre every two weeks



3 Gram Pellets:

Part #	Description	Case Quantity	Stocking Code	Ship Weight	List Price
ABB05X	Sludge Remover pellets, 5 lb. pail	4	362997	6 lbs.	\$89.99
ABB10X	Sludge Remover pellets, 10 lb. pail	4	1104992	11 lbs.	\$149.99
ABB25X	Sludge Remover pellets, 25 lb. pail	2	2244999	29 lbs.	\$349.99
ABB-50B	Sludge Remover pellets, 50 lb. box	-	4454994	53 lbs.	\$649.99



1 Ounce Blocks:

Part #	Description	Case Quantity	Stocking Code	Ship Weight	List Price
ABL05	Sludge Remover blocks, 5 lb. pail	4	262990	6 lbs.	\$89.99
ABL10	Sludge Remover blocks, 10 lb. pail	4	9104991	11 lbs.	\$149.99
ABL25	Sludge Remover blocks, 25 lb. pail	2	3244998	29 lbs.	\$349.99
SBB-50B	Sludge Remover blocks, 50 lb. box	-	5454996	53 lbs.	\$649.99





Oxygen Based Pond Cleaner

Oxygen based pond cleaners have long been used in decorative ponds and water features to clean rocks, waterfalls and streams. This same great formula is also available in larger sizes for use in earthen ponds and lakes.

- Works immediately upon application
- Lifts debris to pond surface where it can be removed
- For spot treating use 2-3 pounds per 1000 square feet, for pond application use 12-15 pounds per acre-foot of water — a double dose can be used for problem situations
- Treat no more than 1/3 of the pond at a time
- Allow 48 hours between consecutive applications



OXY100 Ships Motor Freight



Part #	Description	Case Quantity	Stocking Code	Ship Weight	List Price
OXY25*	Oxy cleaner, 25 lb. pail	2	276128	29 lbs.	\$104.99
OXY100*	Oxy cleaner, 100 lb. drum	-	4262491	110 lbs.	\$349.99

*Must ship as hazardous material with additional charges via UPS or motor freight.



Contact us for pallet pricing on 45 lb. pails

Phosphate Binder

A critical step in effective pond management & maintenance

This all natural powder formulation provides a non-chemical alternative to using aluminum sulphate (ALUM), to bind problem causing phosphate in pond water. It will also buffer pH, provide approximately 70 beneficial trace minerals, provide minor flocculation (settling) of mud and clay particles and aid in reducing ammonia.

- Improve clarity
- Reduce phosphates
- Stimulate biological activity
- Works great with bacteria

Dosage Rate†:

3-5 pounds per acre-foot of water to lower phosphate levels.



Part #	Description	Case Quantity	Stocking Code	Ship Weight	List Price
NPB15	Phosphate binder, 15 lb. pail	4	369993	17 lbs.	\$99.99
NPB45	Phosphate binder, 45 lb. pail	12	5157497	50 lbs.	\$209.99
NPB2200	Phosphate binder, SuperSak	1	15099999	2250 lbs.	\$6799.99

†Always refer to label for exact manufacturer's dosage rates and instructions.

Phosphorus is an important nutrient for aquatic plants. The amount found in water is generally not more than 0.1 ppm unless the water has become polluted from waste water sources or excessive fertilizer runoff. When phosphorus levels exceed what is required for normal pond health, a process called eutrophication or premature aging of a body of water can take place.

If water quality problems are caused by high phosphorus, treatments of EasyPro Phosphate Binder can be added. It works by binding reactive phosphorus at the molecular level and removing it from the water column. This removal helps to improve water quality in ponds and lakes.

Pre-test:

0.374 mg/L

Post-test:

0.019 mg/L

Phosphate Testing
Independent lab testing showed significant phosphate reduction after one application

Super Concentrated Water Clarifier

Helps clear murky, turbid water by attracting suspended particles together, settling them to the bottom

- Works great when used with Pond-Vive, the clarifier settles the organic particles to the bottom where they are consumed by the Pond-Vive
- One gallon treats 250,000 gallons of pond water, ponds with high levels of suspended solids can be treated at double dosage or a second application
- For best results mix recommended amount with pond water and spray evenly over pond surface



Part #	Description	Case Quantity	Stocking Code	Ship Weight	List Price
WC128	Water Clarifier, 1 gallon	4	260891	10 lb.	\$86.99

Barley Pellets

100% natural product from concentrated barley straw

- Safe for use with aquatic life and pets
- Typically apply every six to eight weeks
- Fast acting - steady and extended release

Dosage Rate[†]:

120 pounds per acre



Part #	Description	Stocking Code	Ship Weight	List Price
EBP40	Barley pellets, 40 lb. bag	957992	44 lbs.	\$79.99
EBP2000	SuperSak Bulk barley pellets, 2000 lbs.	62392498	2050 lbs.	\$3299.99

Septic and Drain 2-in-1 Treatment

A natural bacteria product for treating residential septic systems and household drains

- Billions of enzyme producing bacteria work to accelerate the breakdown of common household wastes such as cooking greases, vegetable oils, fruit/vegetable wastes, sugars, starches, proteins, human wastes, toilet tissue and hair
- Helps keep septic systems operating efficiently when used regularly
- Pre-measured dissolvable packets that dissolve in minutes
- No messy powders or liquids
- Helps prevent costly and unpleasant system backups
- One year supply for 1000 gallon septic systems
- Reduces odors in drain lines and garbage disposals

Septic - One ounce water soluble packets:

For a 1000 gallon residential septic system — simply flush one packet per month to maintain a healthy septic system. Dosage can be increased for neglected systems.



Quick & Easy Septic Treatment

Simply drop one (unopened) water soluble packet into toilet. It will dissolve in minutes. Flush toilet to force product into septic tank. Keep remaining product out of the reach of children.



Household Drains

Drop one (unopened) water soluble packet into one gallon of warm water. Stir solution before applying. Keep remaining product out of the reach of children.



Pour one to two cups of solution down each sink, shower and garbage disposal drain. This will simultaneously treat your septic tank and restore slow flowing drains.

One ounce septic treatment



Part #	Description	Case Quantity	Stocking Code	Ship Weight	List Price
SEP12	Septic treatment, one year supply	24	211243	1 lb.	\$14.99

Identifying Aquatic Weeds & Algae

Algae

Filamentous algae is most common, growing in mats and strings. Planktonic algae causes green water, it has millions of cells that cloud together. Chara is weed-like, it grows like a carpet along the bottom.



Cattails & Other Emergent Plants

Emergent plants grow around the perimeter of a pond in shallow water with all or most of their foliage above water. Examples are Cattails, Bulrush, Reeds, Purple Loose Strife, Pennywort and Pickerelwood.



Pond Weeds

The pondweed family has over a dozen varieties with these four being the most common: Sago, Clasping Leaf, Curly Leaf, Large Leaf



Elodea

This plant grows in thick clumps and is usually not a big problem, the leaves are in whorls of three around the stem.


Duckweed and Watermeal

Duckweed is hard to control, it forms a thin layer over the surface in calm ponds. It will not grow well in moving water so use of a surface aerator will help in controlling growth.



Waterlilies

Waterlilies can become a problem in many ponds, they grow off of a large central root system (much like poplar trees). Some growth is great for shade and cover for fish, but when left unchecked they will over populate quickly.



Eurasian Milfoil

Spreads very easy since fragments of plant can re-root and grow. Do not try to remove by raking.

Other Less

Common Weeds:

Include Naiad, Coontail, Bladderwort, Hydrilla, Parrot Feather and Water Hyacinth





Many states restrict the shipment of EPA registered chemicals into the state. At this time most products that are not EPA registered are not restricted. Please look next to each product to see if it is EPA registered. If it is, please consult the information below to see if it can be shipped into your state:

- AK, CA, CT, ID, HI, ME, MA, NH, NJ, NY, RI, VT & WA restrict the shipment of products into their states. Products can be bought from within the state but not shipped in.
- No products can be shipped into Canada. Canadian law requires different labeling and registration. US labeled chemicals cannot ship into Canada.
- GreenClean (GC20, GC50) can be purchased in NY but you must obtain a permit to apply in that state, all other states OK. GreenClean Pro (GC50PRO) is restricted in MA.

The following chart shows which treatments work best on each aquatic plant:

E = Excellent Control • G = Good Control

Chemical	Most Algae	Emergents & Cattails	Water Lillies	Duckweed	Elodea	Pondweed Family	Naiads	Milfoil	Coontail	Bladder Wort	Hydrilla	Parrot Feather	Water Hyacinth
Citrine Plus	E										G		
K-Tea	G												
GreenClean Pro	G												
Sonar			G	E	G	G	G	E	G	G	G	E	
Komeen					E			G	G		G		
Aquathol Super K						E	G	G	G		G	E	
Hydrothol	G				G	E	E	G	G		G		
ShoreClear/AquaNeat		E	E										
Navigate			E					E	E	G			G
Weedtrine-D				G	G	G	G	G	G	G	G		
Reward		G		G	G	G	G	G	G	G	G	G	E
Clipper				E		E	E	E	E		E		
Nautique					E	E	E	E	E		E		E
Renovate			E					E				E	E

General restrictions on use of treated water

Number of Days Restricted (always refer to current product label for specific requirements)

Common Name	Chemical Name	EPA Registered	% of Active Ingredient	Human			Animal	Irrigation		
				Safe to Drink	Safe to Swim	Safe for Fish Consumption	Safe to Drink	Turf	Forage	Food Crops
Citrine®-Plus Liquid	Copper Ethanolamine Complex (9% Copper)	Yes	27.9%	0	0	0	0	0	0	0
Citrine® Ultra	Copper Ethanolamine Complex (9% Copper)	Yes	27.8%	0	0	0	0	0	0	0
Citrine®-Plus Granular	Copper Ethanolamine Complex (3.7% Copper)	Yes	10.7%	0	0	0	0	0	0	0
K-Tea	Copper Triethanolamine Complex (8% Copper)	Yes	26.7%	0	0	0	0	0	0	0
GreenClean Pro	Sodium Carbonate Peroxyhydrate	Yes	85%	+	0	0	0	0	0	0
Nautique	Copper Ethylenediamine Complex (9.1% Copper) Copper Triethanolamine Complex	Yes	13.2% 14.9%	0	0	0	0	0	0	0
Komeen	Copper Ethylenediamine Complex (8% Copper)	Yes	22.9%	0	0	0	0	0	0	0
Navigate	Isooctylester of 2, 4-D	Yes	27.6%	*	1	0	*	*	0	*
Aquashade	Acid Blue 9	Yes	12.6%	+	0	0	0	0	0	0
	Acid Yellow 23	Yes	1.04%	+	0	0	0	0	0	0
Cygnat Select	Acid Blue 9	No	26%	+	0	0	0	0	0	0
EasyPro Liquid Dye-Blue	Acid Blue 9	No	50%	+	0	0	0	0	0	0
Sonar	Fluridone	Yes	41.7%	0	0	0	0	14-30	14-30	14-30
Clipper	Flumioxazin	Yes	51%	0	0	0	0	0-3	5	5
Aquathol Super K	Dipotassium salt of endothall	Yes	63%	*	0	0	0	0*	0*	0*
Aquathol Liquid	Dipotassium salt of endothall	Yes	40.3%	*	0	0	0	0*	0*	0*
Renovate	Triclopyr	Yes	44.4%	*	0	0	*	120	120	120
Hydrothol 191 Granular	Mono (N,N-dimethylalkylamine) salt of endothall	Yes	11.2%	0	0	0	0	0*	0*	0*
Shore Clear/AquaNeat	Isopropylamine salt of glyphosate	Yes	53.8%	*	0	0	0	0	0	0
Weedtrine	Diquat DiBromide	Yes	8.5%	1-3	0	0	1	1-3	1-3	5
Reward	Diquat DiBromide	Yes	37.3%	1-3	0	0	1	1-3	1-3	5
Cygnat Plus	D, Limonene	No	100%	0	0	0	0	0	0	0

In cases where restrictions are not given in above chart, consult your State Conservation Commission or Fish and Game Department for specific restrictions. Chemical manufacturers and manufacturer's representatives can also supply you with specific recommendations based upon water usage. *See label for restriction information + Not for use in potable water

Permits may be required to apply these products. Consult appropriate local agencies for more information.

NOTICE: Copper sulfate is not included in this chart nor is it recommended due to problems with copper buildup in sediments and toxicity to aquatic organisms.



The use of fish safe dye is a common part of an overall pond maintenance program.

Pond dyes may be poured directly into the pond (preferably in several locations). Upon complete dispersal these dyes are non staining and are fish, pet and wildlife safe. No water restrictions associated with the use of pond dye.



Concentrated Pond Dye — Liquid

These concentrated dyes will save you in shipping costs

- One quart is equal to one gallon of other dyes on the market
- This is a nontoxic and harmless pond dye for use in ponds and lakes
- Waters can be used for swimming and irrigation once product is dispersed
- Compatible with most aquatic herbicides and algacides
- Black dye creates a more reflective surface appearance while the blue dye creates “Caribbean” blue water
- Serenity dye is a mix of blue and black

Liquid Dosage Rate:

One quart treats one acre of water 4' deep (approx. one million gallons)



Part #	Description	EPA Registered	Case Quantity	Stocking Code	Ship Weight	List Price Each
ECPD	Blue pond dye, 1 quart	No	12	820296	3 lbs.	\$28.99
ECPDBK	Black pond dye, 1 quart	No	12	221694	3 lbs.	\$30.99
ECPDSB	Serenity pond dye, 1 quart	No	12	320291	3 lbs.	\$28.99

Half and full pallet discounts available - contact us for high volume needs

Concentrated Pond Dye — Powder

- Four ounce water soluble packets, simply toss into pond for easy application
- Safe for use with fish and aquatic life
- Available in three sizes
- Three WSPs (water soluble packet) will treat one acre, 4' deep
- Each WSP is double sealed in water soluble film
- 20 and 80 count dyes contain separate inner poly bags with four WSPs in each for easy use and storage

WSP Dosage Rate:

Each four ounce water soluble packet treats 1/3 acre, 3'-4' deep



Part #	Description	EPA Registered	Case Quantity	Stocking Code	Ship Weight	List Price Each
PD3P	Blue pond dye (dry), 3 WSP jar	No	12	320998	2 lbs.	\$29.99
PD20P	Blue pond dye (dry), 20 WSP pail	No	4	2125999	6 lbs.	\$179.99
PD80P	Blue pond dye (dry), 80 WSP pail	No	2	5489996	22 lbs.	\$699.99
PD3PBK	Black pond dye (dry), 3 WSP jar	No	12	723790	2 lbs.	\$33.99
PD20PBK	Black pond dye (dry), 20 WSP pail	No	4	1146994	6 lbs.	\$209.99
PD80PBK	Black pond dye (dry), 80 WSP pail	No	2	6559993	22 lbs.	\$799.99
PD3PSB	Serenity pond dye (dry), 3 WSP jar	No	12	220998	2 lbs.	\$29.99
PD20PSB	Serenity pond dye (dry), 20 WSP pail	No	4	9125991	6 lbs.	\$179.99
PD80PSB	Serenity pond dye (dry), 80 WSP pail	No	2	2489992	22 lbs.	\$699.99





Aquashade is an E.P.A. registered pond dye that will help reduce aquatic plant growth by restricting sunlight into the pond inhibiting photosynthesis in young bottom growing plants.

Other brands of pond dye are also available which will improve the appearance of surface waters and overall aesthetic appeal of the pond.



Aquashade®

As with all dyes — apply early in season for best results

- Registered with the E.P.A. for weed and algae prevention
- One gallon treats one acre, 4' deep
- Safe for use with fish and aquatic life

Part #	Description	EPA Registered	Case Quantity	Stocking Code	Ship Weight	List Price
AQ10	Aquashade, 1 gallon liquid	Yes	4	346492	12 lbs.	\$61.09

Dosage Rate†:

One gal. treats one acre of water 4' deep (approx. one million gallons)



Aquashadow

- A powder form of Aquashade
- Aquashadow powder comes in a water soluble bag that can be tossed directly into the pond
- Each bag treats 1/4 acre, 4' deep

Part #	Description	EPA Registered	Case Quantity	Stocking Code	Ship Weight	List Price
AQ12	Aquashadow, dry powder	No	16	615697	1 lb.	\$20.59

Dosage Rate†:

Each bag treats 1/4 acre of water 4' deep



Cygnnet Select

- Cygnnet Select comes in one gallon containers — one gallon treats one acre, 4' deep
- Cygnnet Select is not E.P.A. registered and therefore is more economical than Aquashade®
- Customers repeatedly tell us that they do not notice any performance difference between these two products

Part #	Description	EPA Registered	Case Quantity	Stocking Code	Ship Weight	List Price
DPD	Cygnnet Select dye, 1 gallon	No	4	530283	12 lbs.	\$40.59

Dosage Rate†:

One gal. treats one acre of water 4' deep (approx. one million gallons)



†Always refer to label for exact manufacturer's dosage rates and instructions.



Filamentous Algae



Chara Algae



Planktonic Algae

Algaecides

Nearly every pond owner is forced to deal with algae control at some point and time. Typically algae is found in one of three common forms:

Filamentous algae is made up of long strands of algae cells joined end to end. Often referred to as “string algae”, this unsightly nuisance forms large mats on the surface, grows like moss on rocks, logs or other underwater structures and is very prolific.

Chara is a bottom growing algae that resembles a plant like form. Often mistaken for an aquatic plant, Chara grows in dense patches but is not rooted to the bottom. A strong, musky odor and gritty texture is observed when the plant is examined out of the water. Usually found in clear, often spring fed ponds.

Planktonic algae or “pea soup algae” is caused by microscopic algae cells free floating in water. Mild cases may cause pond to have greenish tinge to it while a severe bloom will block visibility into the water.

Fortunately most types of algae are fairly easy to control. The products on these two pages are all fish safe and will provide effective control of algae when used according to the label. Unfortunately algae can be quick to return after a treatment. Ducks, herons and other wildlife can easily transport it between bodies of water. Repeated applications throughout a season may be necessary.



Cutrine Plus Liquid

- A chelated copper algaecide that is safer to use than copper sulfate
- Use for surface or suspended algae
- Apply by sprayer to surface, for best results use with activator on page 16

Dosage Rate[†]:

0.6 to 3 gallons per acre-foot



Part #	Description	EPA Registered	Case Quantity	Stocking Code	Ship Weight	List Price
CPL	Cutrine Liquid, 1 gallon	Yes	4	431767	12 lbs.	\$41.89



Cutrine Ultra Liquid

Ideal for thick walled filamentous algae, colonial planktonic algae and chara

- No water use restrictions
- Dilute and apply by sprayer for best results
- Surfactant/activator mixed in already — no need for additional mixing
- Available in 2.5 gallon containers

Dosage Rate[†]:

0.6 to 3 gallons per acre-foot



Part #	Description	EPA Registered	Case Quantity	Stocking Code	Ship Weight	List Price
CPLU25*	Cutrine Ultra, 2.5 gallons	Yes	2	788906	26 lbs.	\$110.59

*Must ship as hazardous material with additional charges via UPS or motor freight.



Cutrine Plus Granular

- The granular form of Cutrine
- For bottom filamentous algae: 20 to 60 pounds per surface acre
- For chara: 30 to 90 pounds per surface acre

Dosage Rate[†]:

20 to 90 pounds per surface acre



Part #	Description	EPA Registered	Case Quantity	Stocking Code	Ship Weight	List Price
CPG1	Cutrine Granular, 12 lb. jug	Yes	4	834296	14 lbs.	\$45.19
CPG3	Cutrine Granular, 30 lb. bag	Yes	3	573553	32 lbs.	\$95.89

†Always refer to label for exact manufacturer's dosage rates and instructions.



K-Tea Liquid

- Chelated copper, similar to Cutrine, but has an 8% copper base instead of 9% like Cutrine
- Available only in 2.5 gallon jugs

Dosage Rate†:

0.7 to 3.4 gallons per acre-foot



Part #	Description	EPA Registered	Case Quantity	Stocking Code	Ship Weight	List Price
CKT	K-Tea Algaecide, 2.5 gallons	Yes	2	577576	24 lbs.	\$98.99

GreenClean PRO

Granular

- Concentrated - twice the active ingredient as regular GreenClean!
- For use in ponds 1/4 acre or larger due to concentrated formula
- Use approximately 8-25 pounds per acre-foot as a preventative every two to four weeks

Dosage Rate†:

One bag treats up to 34 acre-feet



Part #	Description	EPA Registered	Case Quantity	Stocking Code	Ship Weight	List Price
GC50PRO*	50 lb. Bag GreenClean Pro	Yes	—	5130126	53 lbs.	\$173.49

*Must ship as hazardous material with additional charges via UPS or motor freight.

GreenClean

Granular

- EPA registered, non-copper algaecide
- Works through oxidation to provide fast results even on the toughest algae strains
- No harm to fish or environment when used at recommended rates, no water use restrictions
- Organic certified by OMRI (Organic Materials Review Institute)
- Algae can be killed within 24 - 48 hours of application, starts working in minutes

Fast Acting!




Dosage Rates†:

As Preventative: 16 - 50 lbs. per acre-foot **As Treatment:** 50 - 180 lbs. per acre-foot

Part #	Description	EPA Registered	Case Quantity	Stocking Code	Ship Weight	List Price
GC20	20 lb. Pail - treats up to 7 acre-ft.	Yes	—	463873	24 lbs.	\$88.09
GC50	50 lb. Pail - treats up to 17 acre-ft.	Yes	—	8118757	55 lbs.	\$163.79



GreenClean also available in 2 lb. and 8 lb. containers, please see our Pond & Water Feature catalog.



†Always refer to label for exact manufacturer's dosage rates and instructions.



Activator

- Cygnet Plus is a liquid additive for use along with liquid herbicides and algacides to enhance effectiveness
- The surfactant in these products eliminates beading, providing a uniform spray solution. This ensures maximum contact with the plant's foliage. The low viscosity oil in these products breaks down the waxy coating on leaf surfaces for improved penetration and coverage.

Dosage Rate†:

Mix three ounces per gallon of water in sprayer



Part #	Description	EPA Registered	Case Quantity	Stocking Code	Ship Weight	List Price
CK1	Cygnet Plus, 1 quart	No*	12	411786	2 lbs.	\$17.39
CK2	Cygnet Plus, 1 gallon	No*	4	732808	11 lbs.	\$42.79

*Restricted into CA, ID, WA and Canada



Emergent Weed Control

Works on land and water plants

- Shore-Klear is a nonselective herbicide for control of cattails, brush and weeds that grow out of the water
- Not effective on plants that grow under the water, spray onto the foliage of the plant and it kills the plant and roots
- Must be used with activator, may require a second application
- Effectiveness may be reduced if rain occurs within six hours of treatment, results will begin to show in two to four days but can take as long as two weeks
- Product is Shore-Klear in quarts and AquaNeat in 2.5 gallon size, active ingredient is the same in both

Dosage Rate†:

Coverage area of approx. .25 to .33 acres per quart



Part #	Description	EPA Registered	Case Quantity	Stocking Code	Ship Weight	List Price
RO16	Shore-Klear, quart	Yes	12	224126	3 lbs.	\$35.69
RO25	AquaNeat, 2.5 gallon	Yes	4	6101267	24 lbs.	\$143.99



Aquathol Super K

- Granular herbicide utilizing Culigel® super absorbent polymer technology
- Six times more concentrated than regular Aquathol
- Excellent for spot treatment of hydrilla, pondweed and Eurasian milfoil
- Dosage rate is variable according to plant species and treatment area
- Available in granular form — 10 or 20 pound containers
- Available in liquid form — 1 or 2.5 gallon jugs

Dosage Rate†:

Granular: 3.3-22 lbs. per acre-foot
Liquid: 0.45-3.2 gal. per acre-foot



Part #	Description	EPA Registered	Case Quantity	Stocking Code	Ship Weight	List Price
AQU10	Aquathol granular, Super K 10 lbs.	Yes	4	7299234	12 lbs.	\$351.49
AQU20*	Aquathol granular, Super K 20 lbs.	Yes	2	4486659	23 lbs.	\$578.49
AQUL10	Aquathol liquid, 1 gallon	Yes	4	1112295	12 lbs.	\$140.79
AQUL25*	Aquathol liquid, 2.5 gallon	Yes	2	6231546	25 lbs.	\$290.19

*Must ship as hazardous material with additional charges via UPS or motor freight.

Best Seller!



Hydrothol

- This granular is a fast acting, contact herbicide effective on a variety of aquatic weeds including milfoil, coontail, hydrilla, sago pondweed, leafy pondweed, curly leaf pondweed and others
- Hydrothol should only be used for spot treating
- Use Aquathol early in the season when plants are young and easier to treat
- Slight water restrictions (see chart page 11)

Dosage Rate†:

108-270 pounds per acre-foot



Part #	Description	EPA Registered	Case Quantity	Stocking Code	Ship Weight	List Price
HYD20	Hydrothol granular, 20 lb. bag	Yes	2	684938	22 lbs.	\$116.09
HYD40	Hydrothol granular, 40 lb. box*	Yes	-	3161364	43 lbs.	\$220.59

*40 lb. box contains two 20 lb. bags

†Always refer to label for exact manufacturer's dosage rates and instructions.

Navigate

- A 2, 4-D based herbicide for control of water lilies, coontail, Eurasian milfoil, parrot feather, watershield and bladder wort
- Granular form makes it ideal for spot treating
- Slight water restrictions (see chart page 11)

Dosage Rate†:

28-56 pounds per acre-foot



Part #	Description	EPA Registered	Case Quantity	Stocking Code	Ship Weight	List Price
NV50	Navigate, 50 lb. bag	Yes	-	6178557	52 lbs.	\$226.89

Komeen

- A copper herbicide for use on elodea, hydrilla and other aquatic plants (see chart page 11)
- No restrictions on water usage

Dosage Rate†:

1.7-3.3 gallons per acre-foot



Part #	Description	EPA Registered	Case Quantity	Stocking Code	Ship Weight	List Price
KOM10	Komeen, 1 gallon	Yes	4	253698	12 lbs.	\$69.19
KOM25*	Komeen, 2.5 gallon	Yes	2	795394	24 lbs.	\$122.59

*Must ship as hazardous material with additional charges via UPS or motor freight.

Nautique

- Double chelated copper product
- Controls: Eel grass, water celery, hydrilla, naiads, elodea, sago, American thin leaf pond weed and more!
- 2.5 gallon containers
- Tank mix and apply with sprayer
- No restrictions on water usage

Dosage Rate†:

1.5-3 gallons per acre-foot



Part #	Description	EPA Registered	Case Quantity	Stocking Code	Ship Weight	List Price
NAU10	Nautique herbicide, 1 gallon	Yes	4	761634	12 lbs.	\$70.29
NAU25*	Nautique herbicide, 2.5 gallon	Yes	2	1116800	24 lbs.	\$132.69

*Must ship as hazardous material with additional charges via UPS or motor freight.

Renovate 3

- Controls: milfoil, pond weed family of plants, naiad, purple loosestrife and other aquatic plants
- Also controls ground plants such as poison ivy, burdocks and many woody plant species
- 2.5 gallon containers
- Tank mix and apply with sprayer

Dosage Rate†:

0.7-2.3 gallons per acre-foot for aquatics



Part #	Description	EPA Registered	Case Quantity	Stocking Code	Ship Weight	List Price
REN25	Renovate herbicide, 2.5 gallon	Yes	2	9320482	24 lbs.	\$354.99

Applicators and pond management companies — contact us for volume pricing on all aquatic treatment products!

†Always refer to label for exact manufacturer's dosage rates and instructions.



Weedtrine-D

Fast acting, broad range weed control

This 8.53% diquat dibromide product is a non-volatile herbicide for use in controlling submersed and floating aquatic weeds. Absorption and herbicidal action of Weedtrine-D is usually quite rapid.

- Broad range herbicide that controls duckweed, coontail, elodea, naiad, pondweed and milfoil
- Applied with common sprayers, use with activator on page 16
- Results often begin to show in as little as three days, five day water restriction

Dosage Rate†:

Per Acre: Duckweed 5-7 gallons, submersed weeds 5-10 gallons



Part #	Description	EPA Registered	Case Quantity	Stocking Code	Ship Weight	List Price
WTD	Weedtrine-D, 1 gallon	Yes	4	858042	12 lbs.	\$76.59



Reward Concentrated

Broad range weed control

A fast acting 37.3% diquat dibromide herbicide that desiccates plant tissue on contact. Reward stops plant photosynthesis within minutes depending on conditions. Effective on a wide variety of submersed, emergent and floating aquatic plants.

- This liquid herbicide is applied by sprayer and should not be applied to turbid waters
- There is very little risk of environmental damage since Reward's concentration rapidly decreases as it is absorbed into the aquatic vegetation
- Should be used with activator (page 16) for best results

Dosage Rate†:

One to two gallons per acre



Part #	Description	EPA Registered	Case Quantity	Stocking Code	Ship Weight	List Price
REW10	Reward, 1 gallon	Yes	4	6121088	12 lbs.	\$165.19
REW25*	Reward, 2.5 gallons	Yes	2	5270951	26 lbs.	\$369.69

*Must ship as hazardous material with additional charges via UPS or motor freight.



Clipper

The newest chemistry in aquatic control — ideal alternative to Sonar resistant plants

The newest chemistry to the aquatic market, this 51% Flumioxazin product is very versatile and has been showing excellent results in aquatic environments on a variety of plants. This product is fast, effective, and breaks down quickly in the water to leave no accumulation in the sediment — making it less of an environmental concern than other, more persistent herbicides.

- Intended to provide aquatic plant managers with new treatment options at a time when herbicide resistance, variable response and environmental concern issues loom large
- Ideal for duckweed, watermeal, Eurasian milfoil, water lettuce and several types of submersed weeds
- Non corrosive, dry powder - mix with water to apply
- *5% case discount for CLIP1 only

Dosage Rate†:

Use 1.1 lbs. per acre-foot for duckweed/watermeal control



Part #	Description	EPA Registered	Case Quantity	Stocking Code	Ship Weight	List Price
CLIP1*	Clipper Broad Spectrum, 1 lb.	Yes	6	5175652	2 lbs.	\$196.49
CLIP5	Clipper Broad Spectrum, 5 lbs.	Yes	—	9794464	6 lbs.	\$942.49

†Always refer to label for exact manufacturer's dosage rates and instructions.





Sonar A.S.

A specialty herbicide that controls a broad range of aquatic weeds

This 41.7% fluridone product is excellent for whole pond and lake treatments. A selective systemic aquatic herbicide for management of aquatic vegetation in fresh water ponds, lakes, reservoirs, drainage and irrigation canals. It is important to maintain the recommended concentration in contact with the target plants for a minimum of 45 days.

- Sonar should be applied early in the season, prior to or just after plant growth begins
- Very effective on duckweed and milfoil
- Treatments last for several seasons in many cases, depending on plants
- Absorbed by the plants and inhibits the weed's ability to make food, causing it to die
- Complete kill can take 30 to 90 days

Dosage Rate†:

32 ounces treats up to one acre



Part #	Description	EPA Registered	Case Quantity	Stocking Code	Ship Weight	List Price
SO8	Sonar - treats up to 1/4 acre, 8 oz.	Yes	6	5281193	1 lb.	\$354.09
SOP	Sonar - treats up to 1/2 acre, 16 oz.	Yes	6	6458779	2 lbs.	\$563.99
SOQ	Sonar - treats up to one acre, 32 oz.	Yes	6	4859708	4 lbs.	\$1030.89
SOG	Sonar - treats up to four acres, 1 gal.	Yes	4	72232552	12 lbs.	\$2576.19



†Always refer to label for exact manufacturer's dosage rates and instructions.

Deluxe Aquatic Lake Rake

This 36" wide aluminum rake comes with a two piece, 11', rustproof, powder coated aluminum handle; detachable polyethylene float and 20' length of 5/16" nylon rope. Use to skim floating vegetation and algae from the pond surface or remove float to use on pond bottom.




- Strong and lightweight aluminum construction
- Two 5 1/2' heavy duty, well constructed aluminum powder coated handles with permanent 5" vinyl grip
- 36" aluminum head with 4" teeth
- 30" removable styrene float for shoreline cleanup



Part #	Description	Stocking Code	Ship Weight	List Price
LR36	36" Deluxe lake rake	6103388	10 lbs.	\$133.39

Aquatic Weed Rake

No need to worry which side lands up when you throw this rake out into the pond as there are teeth on both sides



The 32" wide rake features:

- 17 - 3" long teeth on each side of the rake and a baked on, powder coat finish with 25' of rope



Part #	Description	Stocking Code	Ship Weight	List Price
EPR	32" Weed rake	787528	6 lbs.	\$116.69

Aquatic Weed Cutter

• 28" wide aquatic weed cutter makes short work of cleaning up weed infested beaches and shorelines



- The reversible, double sided, serrated blade quickly cuts through even the thickest weeds
- The 11' long, two piece handle disassembles for easy storage
- Rust proof aluminum construction



Part #	Description	Stocking Code	Ship Weight	List Price
AWE	28" Aquatic weed cutter	3107872	7 lbs.	\$139.19

Surface Skimmer

The industrial parachute skimmer cleans a 5' wide swath of your pond or lake surface with every pass.



- Ideal for removing leaves, duckweed, watermeal, weed fragments, etc., a great tool for pond and lakefront property owners
- 5' wide x 2 1/2' deep PVC coated debris net - comes complete with closed cell foam float and 24' nylon throw rope



- Can be thrown from shore or used from a boat



Part #	Description	Stocking Code	Ship Weight	List Price
LPS60	60" Surface skimmer	8119994	8 lbs.	\$149.99

EasyPro is a major manufacturer of pond and lake aeration systems. Thousands of aeration systems have been sold ranging from small backyard systems to large lake systems. Whatever your needs, we have the products and decades of experience to help you achieve your goals.

For years aeration was thought of as something you only needed if you had high fish loads in a pond. Through years of working closely with pond owners it has been proven that aeration does far more than just keep fish alive. In fact, we consider aeration to be the single most important step in maintaining a healthy pond. Without oxygen nothing will decompose. All the fish waste, dead algae/plant material, leaves, etc. that fall to the pond bottom will only continue to build up unless there is good oxygen levels to help it decompose. Shallow ponds where the sunlight reaches the bottom and wind action helps stir the water can have adequate oxygen to the bottom in some cases but deeper ponds will seldom have good oxygen all the way to the bottom. A bottom mounted air diffuser can make a huge difference in a pond's health by bringing oxygen and circulation down where it's needed the most - along the pond's bottom.



Project Profile

Lake Templene is a 1050 acre lake located in southern Michigan. The lake consists of many bays and shallow water areas with excessive muck build up. EasyPro Pond Products was selected to be a part of a multi-year test project using aeration and bio-augmentation to reduce the sediment in these bays. Sediment reduction in the treated bays is being evaluated with the intention to expand the aeration and bacteria treatment program to more of the lake.

The first year a total of 60 acres were addressed with aeration with results beyond the lake board's expectations. Additional treatment areas of the lake have been added each year with continued excellent reduction of muck in the lake.

In conjunction with the aeration program EasyPro also developed a bacteria treatment program for Lake Templene. Initial sonar testing showed 30" - 36" of sediment in many areas of the lake. EasyPro had soil analysis done and determined that the sediment contained high amounts of fibrous peat which is very difficult to break down. A special bacteria treatment program was tailored to address this situation and over 7,000 lbs of treatments are applied annually. The results continue to impress the lake board and EasyPro has secured treatments through the 2022 season at which time the lake bottom should be cleaned up of nearly 3' of hard to treat sediment!



Let our decades of experience help you land your next project!

Total of 27 compressors, 135 air diffusers and nearly nine miles of weighted airline have been installed with great results!




As one of the country's largest manufacturers of diffused aeration systems, EasyPro has the products and the experience to help you with nearly any aeration project. From oil fracking ponds to wastewater lagoons to backyard recreational ponds, we have solutions for a huge range of applications.



Not only does EasyPro build our aeration systems here in the USA, we source all major components of our systems from USA made products! From our aeration cabinets — to our weighted airline — to our new, self sinking diffuser bases, we strive to use "Made in the USA" parts whenever possible!



Let us help you select the proper system



Google Earth™ Designs


On the following pages are numerous complete aeration systems for a wide range of ponds. If you are unsure which one is best for you or if you have unique requirements please send us your information and we will do a Google Earth layout for you. We need from you:

1. Physical address - please note, newer ponds may not yet show up on Google
2. Depth of pond - important for determining diffuser locations
3. Where power is available and what type of power (115v/230v)

Please send this information to: aeration@easypro.com and we will be happy to design a system for you!

Custom Systems

Custom systems are our specialty! When one of our many standard systems doesn't fit your application, we can build a custom system to meet your exact needs. The type of compressor, number of diffusers, size/length of tubing and cabinet options are all able to be adjusted based on your needs. We welcome the opportunity to create systems for unique and challenging applications!




Pond Aeration Systems

The amount of surface area an aeration system will effectively cover is greatly dependent on two factors - depth and shape.

Depth

The diagram below shows how much surface area is effectively aerated per air diffuser at various depths:




Example:
Our PA34 pond aerator would aerate only 1/8 of an acre if operated in 4' deep water, while aerating up to 1 1/2 acres if operating in 16' - 20' of water.

Ponds that are irregular or odd shaped will also reduce size of aeration area — call our technical assistance department for additional help.

Shape

Pond shape affects the amount of diffusers needed. Irregular shaped ponds require multiple diffusers to adequately aerate entire water column.



A unique shaped pond or lake will require more diffusers to cover the same surface area

The deeper an air diffuser is located, the more boiling action it will create and a larger area will be aerated.


Rocking Piston Systems:

Base Part #	Horse Power	Diffusers Included	5' - 8' Deep	8' - 12' Deep	12' - 16' Deep
PA34 [†]	1/4 hp	1 or 2	up to 1/4 acre	up to 1/2 acre	up to 1 acre
PA66	1/2 hp	3	up to 3/4 acre	up to 1 1/2 acres	up to 3 acres
PA86	3/4 hp	4	up to 1 acre	up to 2 acres	up to 4 acres
Rotary Vane Systems:					
PA50	1/4 hp	2	up to 1/2 acre	up to 1 acre	up to 2 acres
PA75	3/4 hp	4	up to 1 acre	up to 2 acres	up to 4 acres
PA100	1 hp	6	up to 1 1/2 acres	up to 3 acres	up to 6 acres

[†]PA34-2 will aerate larger ponds - call for details

Aeration Brochure

The perfect hand-out for helping customers choosing their next system. Explains the where, why and when of basic aeration. Sold in packs of 25.



Part #: PAF
Stocking Code: 26549
List Price: \$7.69



Visit our website to view and download promotional pieces, manuals and SDS sheets

Selecting EasyPro Diffused Aeration Systems

On the following pages you will find EasyPro diffused aeration systems in complete kits. From basic kits to deluxe kits to custom kits, we have a wide range of aeration options.

Basic Systems:

Basic aeration kits provide all the necessary components to aerate a pond. A compressor, tubing, diffuser(s) and fittings are sized to work together for a working aeration system in these basic kits. These kits will require additional weather protection for the compressor, but the kit as a whole provides a complete system.

Deluxe Systems:

Deluxe aeration kits provide all the components of the basic kits and include the mounting of the compressor in a deluxe cabinet. These systems are known as Sentinel Deluxe Aeration Systems. Sentinel systems are designed for convenience and reliability.

Customized Systems:

The ability to customize a Basic or Deluxe version is also available if tubing or diffuser types need to be adjusted. Kits designed to be customized are designated in the part number by "A" or "LD". "A" kits are systems without tubing*. "LD" kits are systems without diffusers. Custom tubing lengths or choosing a preferred diffuser type can be done by starting with one of these kits and making appropriate adjustments.

*PA34-2 kits do not have tubing either



Aeration Kits for Shallow Ponds

For ponds 7' deep or less these linear powered aeration systems are a great choice

- Extremely energy efficient
- Very quiet operation
- Long lasting, oil free design
- Weather resistant enclosures - can be used outdoors, for maximum longevity use additional protection from elements
- **Now with self weighted diffusers for easier installation**
- Three year warranty on compressors, five years on tubing/diffusers

Choose from either single or double diffuser system. Single diffuser is ideal for round or regular shaped ponds. Use the dual diffuser system for long and narrow or irregular shaped ponds. Both kits include Quick Sink tubing for easy installation.



PA8SW



PA6SW

Part #	Description	1/2" Quick Sink Tubing	Stocking Code	Ship Weight	List Price
PA6SWN	Single diffuser system with KLC60 compressor	50'	3314998	22, 27 lbs.	\$449.99
PA8SWN	Double diffuser system with KLC80 compressor	100'	7489994	28, 60 lbs.	\$699.99



Shallow water diaphragm repair kits:

KLC68DK	Diaphragm repair kit for KLC60/KLC80 compressors	—	534217	1 lb.	\$47.19
KLC468F	Filter replacement for KLC60/KLC80 compressors	—	43699	1 lb.	\$5.09

Aeration Kits for 1/4 Acre or Smaller Ponds

1/20 hp Diaphragm Air Compressor Kit

This continuous duty pump is ideal for aeration of smaller, shallower ponds. Will operate to a depth of 12', motor draws 1.5 amps and pumps .7 cfm of air.

- **Now with self weighted diffusers for easier installation**
- PA10W includes air compressor, 50' 3/8" Quick Sink tubing, two rubber membrane air diffusers with check valve and underlay, fittings and clamps
- PA10WK kit includes above items and an SC25 weatherproof cabinet

Part #	Description	Stocking Code	Ship Weight	List Price
PA10W	1/20 hp kit with Quick Sink tubing	7371244	22 lbs.	\$494.99
PA10WK	1/20 hp kit with Weatherproof Cabinet	3495179	44 lbs.	\$660.29



Now with self weighted diffusers

Kits available with cabinet included!



SC25

1/8 hp Diaphragm Air Compressor Kit

- Ideal for ponds 12' or deeper where the PA10 (above) will not work
- Will operate up to 30' deep, motor draws 4.2 amps and pumps 1.1 cfm of air
- **Now with self weighted diffusers for easier installation**
- PA12W includes compressor, 50' 3/8" Quick Sink tubing, two rubber membrane air diffusers with check valve and underlay, fittings and hose clamps
- PA12WK kit includes above items and an SC25 weatherproof cabinet

Part #	Description	Stocking Code	Ship Weight	List Price
PA12W	1/8 hp kit with Quick Sink tubing	2449997	32 lbs.	\$599.99
PA12WK	1/8 hp kit with Weatherproof Cabinet	4569999	54 lbs.	\$759.99



AERATE UP TO 1 ACRE

PA34 system aerates up to:

1/4 acre at 5'-8' deep

1/2 acre at 8'-12' deep

1 acre at 12'-16' deep

PA34 Rocking Piston Aeration Systems

Designed for ponds up to 50' deep



Two year warranty on Stratus SRC series compressor, five year warranty on tubing, diffusers and cabinets. Available as basic and Sentinel deluxe systems.

Best Seller!



PA34W



PA34 Basic Systems Feature:

- 1/4 hp Stratus SRC Gen 2 compressor with two year warranty
- Outlet assembly with pressure relief
- Choice of 100' of 3/8" Quick Sink tubing or 100' of 3/8" poly tubing
- One QS1 rubber membrane diffuser assembly or no diffuser for custom system, see pages 42 and 43 for diffuser options
- Approximately 2.3 cfm air flow per diffuser
- Typical operation cost of \$0.40 per 24 hours at .09¢ per kWh, actual cost may vary

Now with self weighted diffusers

Customize Your System

Tubing



Diffusers



Cabinets & Enclosures



Part #	Compressor	Diffuser	Tubing Type	Tubing Length	Cabinet	Stocking Code	Ship Weight	List Price
PA34	SRC25	(1) QS1	3/8" Poly	100'	—	8515994	35 lbs.	\$687.99
PA34W	SRC25	(1) QS1	3/8" Quick Sink	100'	—	1569999	52 lbs.	\$759.99
PA34WLD	SRC25	—	3/8" Quick Sink	100'	—	7475241	38 lbs.	\$633.69

All kits 115v, add "2" behind part number for 230v motor



PA34D



No electricity near your pond?
See our remote valve upgrade on page 37!



Sentinel

Sentinel deluxe systems include lockable steel cabinet with compressor, airlines, plumbing, pressure gauge, cooling fan and electrical outlet installed.

PA34 Deluxe Systems Feature:

- 1/4 hp Stratus SRC Gen 2 compressor with two year warranty
- 18" ground/post mount or 22" ground cabinet
- Outlet assembly with pressure relief and pressure gauge
- 100' of 3/8" Quick Sink tubing
- One QS1 rubber membrane diffuser assembly or no diffuser for custom system, see pages 42 and 43 for diffuser options
- Approximately 2.3 cfm air flow per diffuser
- Typical operation cost of \$0.40 per 24 hours at .09¢ per kWh, actual cost may vary

Now with self weighted diffusers

Part #	Compressor	Diffuser	Tubing Type	Tubing Length	Cabinet	Stocking Code	Ship Weight	List Price
PA34DP	SRC25	(1) QS1	3/8" Quick Sink	100'	SC18	4872406	38, 34 lbs.	\$1159.89
SC18SU	Sound proofing upgrade (installed)		—	—	—	248749	—	\$64.99
PA34D	SRC25	(1) QS1	3/8" Quick Sink	100'	SC22	5999910	63, 34 lbs.	\$1329.89
PA34DLD	SRC25	—	3/8" Quick Sink	100'	SC22	2905157	60, 20 lbs.	\$1203.59
SC22SU	Sound proofing for SC22 cabinet (installed)		—	—	—	274998	—	\$99.99

All kits 115v, add "2" behind part number for 230v motor



PA34-2 Rocking Piston Aeration Systems

Designed for ponds up to 50' deep



Two year warranty on Stratus SRC series compressor, five year warranty on tubing, diffusers and cabinets. Available as basic and Sentinel deluxe systems.

AERATE UP TO 2 ACRES

PA34-2 system aerates up to:

1/2 acre at 5'-8' deep

1 acre at 8'-12' deep

2 acres at 12'-16' deep

Customize Your System

Tubing



Diffusers



Cabinets & Enclosures



PA34-2 Basic Systems Feature:

- 1/4 hp Stratus SRC Gen 2 compressor with two year warranty
- Two valve manifold with pressure relief
- No tubing included for custom lengths as needed, set up for 3/8" tubing — see page 36
- Two QS1 rubber membrane diffuser assemblies or no diffusers for custom system, see pages 42 and 43 for diffuser options
- Approximately 1.1 cfm air flow per diffuser
- Typical operation cost of \$0.40 per 24 hours at .09¢ per kWh, actual cost may vary



PA34-2

Now with self weighted diffusers

Part #	Compressor	Diffuser	Tubing Type	Tubing Length	Cabinet	Stocking Code	Ship Weight	List Price
PA34-2	SRC25	(2) QS1	—	—	—	2629994	16, 22 lbs.	\$839.99
PA34-2LD	SRC25	—	—	—	—	8440483	16 lbs.	\$587.39

All kits 115v, add "2" behind part number for 230v motor

Sentinel

Sentinel deluxe systems include lockable steel cabinet with compressor, airlines, plumbing, pressure gauge, cooling fan and electrical outlet installed.

PA34-2 Deluxe Systems Feature:

- 1/4 hp Stratus SRC Gen 2 compressor with two year warranty
- 18" ground/post mount or 22" ground cabinet
- Two valve manifold with pressure relief and pressure gauge
- No tubing included for custom lengths as needed, set up for 3/8" tubing — see page 36
- Two QS1 rubber membrane diffuser assemblies or no diffusers for custom system, see pages 42 and 43 for diffuser options
- Approximately 1.1 cfm air flow per diffuser
- Typical operation cost of \$0.40 per 24 hours at .09¢ per kWh, actual cost may vary



No electricity near your pond?
See our remote valve upgrade on page 37!



PA34-2D

Now with self weighted diffusers

Part #	Compressor	Diffuser	Tubing Type	Tubing Length	Cabinet	Stocking Code	Ship Weight	List Price
PA34-2DP	SRC25	(2) QS1	—	—	SC18	4917856	38, 22 lbs.	\$1220.49
SC18SU	Sound proofing upgrade (installed)		—	—	—	848745	—	\$64.99
PA34-2D	SRC25	(2) QS1	—	—	SC22	31057890	63, 22 lbs.	\$1407.19
PA34-2DLD	SRC25	—	—	—	SC22	9868372	63 lbs.	\$1154.59
SC22SU	Sound proofing for SC22 cabinet (installed)		—	—	—	474998	—	\$99.99

All kits 115v, add "2" behind part number for 230v motor

AERATE UP TO 2 ACRES

PA65 system aerates up to:

1/2 acre at 5'-8' deep

1 acre at 8'-12' deep

2 acres at 12'-16' deep

PA65 Rocking Piston Aeration Systems

Designed for ponds up to 50' deep



Two year warranty on Stratus SRC series compressor, five year warranty on tubing, diffusers and cabinets. Available as basic and Sentinel deluxe systems.



PA65 Basic Systems Feature:

- 1/2 hp Stratus SRC Gen 2 compressor with two year warranty
- Two valve manifold with pressure relief
- Choice of 200' of 3/8" Quick Sink tubing or no tubing, see page 36 for tubing options
- Two QS2 rubber membrane diffuser assemblies or no diffusers for custom system, see pages 42 and 43 for diffuser options
- Approximately 2.2 cfm air flow per diffuser
- Typical operation cost of \$0.86 per 24 hours at .09¢ per kWh, actual cost may vary

Now with self weighted diffusers

Customize Your System

Tubing



Diffusers



Cabinets & Enclosures



Part #	Compressor	Diffuser	Tubing Type	Tubing Length	Cabinet	Stocking Code	Ship Weight	List Price
PA65W	SRC50	(2) QS2	3/8" Quick Sink	200'	—	1986249	25, 25, 44 lbs.	\$1314.99
PA65A	SRC50	(2) QS2	—	—	—	8820494	25, 25 lbs.	\$1093.99
PA65WLD	SRC50	—	3/8" Quick Sink	200'	—	7720211	44, 25 lbs.	\$960.29
PA65ALD	SRC50	—	—	—	—	5554460	25 lbs.	\$739.29

All kits 115v, add "2" behind part number for 230v motor



No electricity near your pond?
See our remote valve upgrade on page 37!



Sentinel

Sentinel deluxe systems include lockable steel cabinet with compressor, airlines, plumbing, pressure gauge, cooling fan and electrical outlet installed.

PA65 Deluxe Systems Feature:

- 1/2 hp Stratus SRC Gen 2 compressor with two year warranty
- 18" ground/post mount or 22" ground cabinet
- Two valve manifold with pressure relief and pressure gauge
- Choice of 200' of 3/8" Quick Sink tubing or no tubing, see page 36 for tubing options
- Two QS2 rubber membrane diffuser assemblies or no diffusers for custom system, see pages 42 and 43 for diffuser options
- Approximately 2.2 cfm air flow per diffuser
- Typical operation cost of \$0.86 per 24 hours at .09¢ per kWh, actual cost may vary

Now with self weighted diffusers


Part #	Compressor	Diffuser	Tubing Type	Tubing Length	Cabinet	Stocking Code	Ship Weight	List Price
PA65DP	SRC50	(2) QS2	3/8" Quick Sink	200'	SC18	41286636	44, 44, 25 lbs.	\$1712.19
PA65ADP	SRC50	(2) QS2	—	—	SC18	31120882	44, 25 lbs.	\$1491.19
PA65DPLD	SRC50	—	3/8" Quick Sink	200'	SC18	71020597	44, 44 lbs.	\$1357.49
PA65ADPLD	SRC50	—	—	—	SC18	8854849	44 lbs.	\$1136.49
SC18SU	Sound proofing upgrade (installed)			—	—	248749	—	\$64.99
PA65D	SRC50	(2) QS2	3/8" Quick Sink	200'	SC22	51414140	69, 25, 44 lbs.	\$1882.19
PA65AD	SRC50	(2) QS2	—	—	SC22	11248394	69, 25 lbs.	\$1661.19
PA65DLD	SRC50	—	3/8" Quick Sink	200'	SC22	21148107	69, 44 lbs.	\$1527.49
PA65ADLD	SRC50	—	—	—	SC22	9982358	69 lbs.	\$1306.49
SC22SU	Sound proofing for SC22 cabinet (installed)			—	—	274998	—	\$99.99

All kits 115v, add "2" behind part number for 230v motor



PA66 Rocking Piston Aeration Systems

Designed for ponds up to 50' deep



Two year warranty on Stratus SRC series compressor, five year warranty on tubing, diffusers and cabinets. Available as basic and Sentinel deluxe systems.

AERATE UP TO 3 ACRES

PA66 system aerates up to:

3/4 acre at 5'-8' deep

1 1/2 acres at 8'-12' deep

3 acres at 12'-16' deep

Customize Your System

Tubing



Diffusers



Cabinets & Enclosures



PA66 Basic Systems Feature:

- 1/2 hp Stratus SRC Gen 2 compressor with two year warranty
- Three valve manifold with pressure relief
- Choice of 300' of 3/8" Quick Sink tubing or no tubing, see page 36 for tubing options
- Three QS2 rubber membrane diffuser assemblies or no diffusers for custom system, see pages 42 and 43 for diffuser options
- Approximately 1.5 cfm air flow per diffuser
- Typical operation cost of \$0.86 per 24 hours at .09¢ per kWh, actual cost may vary



Now with self weighted diffusers

Part #	Compressor	Diffuser	Tubing Type	Tubing Length	Cabinet	Stocking Code	Ship Weight	List Price
PA66W	SRC50	(3) QS2	3/8" Quick Sink	300'	—	31199998	38, 25, 69 lbs.	\$1599.99
PA66A	SRC50	(3) QS2	—	—	—	7967494	38, 25 lbs.	\$1289.99
PA66WLD	SRC50	—	3/8" Quick Sink	300'	—	2800946	25, 69 lbs.	\$1067.99
PA66ALD	SRC50	—	—	—	—	5568441	25 lbs.	\$757.99

All kits 115v, add "2" behind part number for 230v motor

Sentinel

Sentinel deluxe systems include lockable steel cabinet with compressor, airlines, plumbing, pressure gauge, cooling fan and electrical outlet installed.

PA66 Deluxe Systems Feature:

- 1/2 hp Stratus SRC Gen 2 compressor with two year warranty
- 18" ground/post mount or 22" ground cabinet
- Three valve manifold with pressure relief and pressure gauge
- Choice of 300' of 3/8" Quick Sink tubing or no tubing, see page 36 for tubing options
- Three QS2 rubber membrane diffuser assemblies or no diffusers for custom system, see pages 42 and 43 for diffuser options
- Approximately 1.5 cfm air flow per diffuser
- Typical operation cost of \$0.86 per 24 hours at .09¢ per kWh, actual cost may vary

Now with self weighted diffusers

Part #	Compressor	Diffuser	Tubing Type	Tubing Length	Cabinet	Stocking Code	Ship Weight	List Price
PA66DP	SRC50	(3) QS2	3/8" Quick Sink	300'	SC18	41507356	44, 38, 69 lbs.	\$2006.49
PA66ADP	SRC50	(3) QS2	—	—	SC18	31274852	44, 38 lbs.	\$1696.49
PA66DPLD	SRC50	—	3/8" Quick Sink	300'	SC18	71108307	44, 69 lbs.	\$1474.49
PA66ADPLD	SRC50	—	—	—	SC18	8875809	44 lbs.	\$1164.49
SC18SU	Sound proofing upgrade (installed)	—	—	—	—	248749	—	\$64.99
PA66D	SRC50	(3) QS2	3/8" Quick Sink	300'	SC22	51634860	69, 38, 69 lbs.	\$2176.49
PA66AD	SRC50	(3) QS2	—	—	SC22	11402364	69, 38 lbs.	\$1866.49
PA66DL	SRC50	—	3/8" Quick Sink	300'	SC22	21235817	69, 69 lbs.	\$1644.49
PA66ADLD	SRC50	—	—	—	SC22	91003318	69 lbs.	\$1334.49
SC22SU	Sound proofing for SC22 cabinet (installed)	—	—	—	—	274998	—	\$99.99

All kits 115v, add "2" behind part number for 230v motor



No electricity near your pond?
See our remote valve upgrade on page 37!




AERATE UP TO 3 ACRES

PA83 system aerates up to:
 3/4 acre at 5'-8' deep
 1 1/2 acres at 8'-12' deep
 3 acres at 12'-16' deep

PA83 Rocking Piston Aeration Systems

Designed for ponds up to 50' deep



Two year warranty on Stratus SRC series compressor, five year warranty on tubing, diffusers and cabinets. Available as basic and Sentinel deluxe systems.



PA83W



PA83 Basic Systems Feature:

- 3/4 hp Stratus SRC Gen 2 compressor with two year warranty
- Three valve manifold with pressure relief
- Choice of 300' of 3/8" Quick Sink tubing or no tubing, see page 36 for tubing options
- Three QS2 rubber membrane diffuser assemblies or no diffusers for custom system, see pages 42 and 43 for diffuser options
- Approximately 2.1 cfm air flow per diffuser
- Typical operation cost of \$1.10 per 24 hours at .09¢ per kWh, actual cost may vary

Now with self weighted diffusers

Customize Your System

Tubing



Diffusers



Cabinets & Enclosures



Part #	Compressor	Diffuser	Tubing Type	Tubing Length	Cabinet	Stocking Code	Ship Weight	List Price
PA83W	SRC75	(3) QS2	3/8" Quick Sink	300'	—	11409999	26, 69, 38 lbs.	\$1879.99
PA83A	SRC75	(3) QS2	—	—	—	81124994	26, 38 lbs.	\$1499.99
PA83WLD	SRC75	—	3/8" Quick Sink	300'	—	71010941	69, 26 lbs.	\$1347.99
PA83ALD	SRC75	—	—	—	—	5725940	26 lbs.	\$967.99

All kits 115v, add "2" behind part number for 230v motor



No electricity near your pond?
 See our remote valve upgrade on page 37!



PA83D



SC22 cabinet with sound proofing installed

Sentinel

Sentinel deluxe systems include lockable steel cabinet with compressor, airlines, plumbing, pressure gauge, cooling fan and electrical outlet installed.

PA83 Deluxe Systems Feature:

- 3/4 hp Stratus SRC Gen 2 compressor with two year warranty
- 22" ground cabinet
- Three valve manifold with pressure relief and pressure gauge
- Choice of 300' of 3/8" Quick Sink tubing or no tubing, see page 36 for tubing options
- Three QS2 rubber membrane diffuser assemblies or no diffusers for custom system, see pages 42 and 43 for diffuser options
- Approximately 2.1 cfm air flow per diffuser
- Typical operation cost of \$1.10 per 24 hours at .09¢ per kWh, actual cost may vary

Now with self weighted diffusers

Part #	Compressor	Diffuser	Tubing Type	Tubing Length	Cabinet	Stocking Code	Ship Weight	List Price
PA83D	SRC75	(3) QS2	3/8" Quick Sink	300'	SC22	11844865	70, 69, 38 lbs.	\$2456.49
PA83AD	SRC75	(3) QS2	—	—	SC22	71559862	70, 38 lbs.	\$2076.49
PA83DLD	SRC75	—	3/8" Quick Sink	300'	SC22	21445817	70, 69 lbs.	\$1924.49
PA83ADLD	SRC75	—	—	—	SC22	91160816	70 lbs.	\$1544.49
SC22SU	Sound proofing for SC22 cabinet (installed)			—	—	474998	—	\$99.99

All kits 115v, add "2" behind part number for 230v motor



PA86 Rocking Piston Aeration Systems

Designed for ponds up to 50' deep



Two year warranty on Stratus SRC series compressor, five year warranty on tubing, diffusers and cabinets. Available as basic and Sentinel deluxe systems.

AERATE UP TO 4 ACRES

PA86 system aerates up to:

- 1 acre at 5'-8' deep
- 2 acres at 8'-12' deep
- 4 acres at 12'-16' deep

Customize Your System

Tubing



Diffusers



Cabinets & Enclosures



PA86 Basic Systems Feature:

- 3/4 hp Stratus SRC Gen 2 compressor with two year warranty
- Four valve manifold with pressure relief
- Choice of 600' of 3/8" Quick Sink tubing or no tubing, see page 36 for tubing options
- Four QS2 rubber membrane diffuser assemblies or no diffusers for custom system, see pages 42 and 43 for diffuser options
- Approximately 1.6 cfm air flow per diffuser
- Typical operation cost of \$1.10 per 24 hours at .09¢ per kWh, actual cost may vary



Now with self weighted diffusers

Part #	Compressor	Diffuser	Tubing Type	Tubing Length	Cabinet	Stocking Code	Ship Weight	List Price
PA86W	SRC75	(4) QS2	3/8" Quick Sink	600'	—	21807494	33, 52, 69, 69 lbs.	\$2409.99
PA86A	SRC75	(4) QS2	—	—	—	71284298	33, 52 lbs.	\$1712.39
PA86WLD	SRC75	—	3/8" Quick Sink	600'	—	31275431	33, 69, 69 lbs.	\$1700.59
PA86ALD	SRC75	—	—	—	—	5752230	33 lbs.	\$1002.99

All kits 115v, add "2" behind part number for 230v motor

Sentinel

Sentinel deluxe systems include lockable steel cabinet with compressor, airlines, plumbing, pressure gauge, cooling fan and electrical outlet installed.

PA86 Deluxe Systems Feature:

- 3/4 hp Stratus SRC Gen 2 compressor with two year warranty
- 22" ground cabinet
- Four valve manifold with pressure relief and pressure gauge
- Choice of 600' of 3/8" Quick Sink tubing or no tubing, see page 36 for tubing options
- Four QS2 rubber membrane diffuser assemblies or no diffusers for custom system, see pages 42 and 43 for diffuser options
- Approximately 1.6 cfm air flow per diffuser
- Typical operation cost of \$1.10 per 24 hours at .09¢ per kWh, actual cost may vary

Now with self weighted diffusers



No electricity near your pond?
See our remote valve upgrade on page 37!



SC22 cabinet with sound proofing installed



PA86D

Part #	Compressor	Diffuser	Tubing Type	Tubing Length	Cabinet	Stocking Code	Ship Weight	List Price
PA86D	SRC75	(4) QS2	3/8" Quick Sink	600'	SC22	82238847	70, 52, 69, 69 lbs.	\$2981.79
PA86AD	SRC75	(4) QS2	—	—	SC22	11715645	70, 52 lbs.	\$2284.19
PA86DLD	SRC75	—	3/8" Quick Sink	600'	SC22	41706777	70, 69, 69 lbs.	\$2272.39
PA86ADLD	SRC75	—	—	—	SC22	91183576	70 lbs.	\$1574.79
SC22SU	Sound proofing for SC22 cabinet (installed)	—	—	—	—	774993	—	\$99.99

All kits 115v, add "2" behind part number for 230v motor

AERATE UP TO 2 ACRES

PA50 system aerates up to:

1/2 acre at 5'-8' deep

1 acre at 8'-12' deep

2 acres at 12'-16' deep

PA50 Rotary Vane Aeration Systems

Designed for ponds up to 18' deep



One year warranty on compressor, five year warranty on tubing, diffusers and cabinets. Available as basic and Sentinel deluxe systems.



PA50W

PA50 Basic Systems Feature:

- 1/4 hp Stratus rotary vane compressor with one year warranty
- Two valve manifold with pressure relief
- Choice of 200' of 1/2" Quick Sink tubing, 200' 1/2" poly tubing or no tubing, see page 36 for tubing options
- Two QS2 rubber membrane diffuser assemblies or no diffusers for custom system, see pages 42 and 43 for diffuser options
- Approximately 2.2 cfm air flow per diffuser
- Typical operation cost of \$1.31 per 24 hours (at .09¢ per kWh, actual cost may vary)

Now with self weighted diffusers

Customize Your System

Tubing



Diffusers



Cabinets & Enclosures



Part #	Compressor	Diffuser	Tubing Type	Tubing Length	Cabinet	Stocking Code	Ship Weight	List Price
PA50	RV33	(2) QS2	1/2" Poly	200'	—	5944991	40, 25 lbs.	\$1259.99
PA50W	RV33	(2) QS2	1/2" Quick Sink	200'	—	21154998	38, 25, 46, 46 lbs.	\$1539.99
PA50A	RV33	(2) QS2	—	—	—	7899990	40, 25 lbs.	\$1199.99
PA50WLD	RV33	—	1/2" Quick Sink	200'	—	6888963	38, 46, 46 lbs.	\$1185.29

All kits 115v, add "2" behind part number for 230v motor, 230v motors ship with bare leads (no plug)



No electricity near your pond?
See our remote valve upgrade on page 37!



PA50D



SC22 cabinet with sound proofing installed

Sentinel

Sentinel deluxe systems include lockable steel cabinet with compressor, airlines, plumbing, pressure gauge, cooling fan and electrical outlet installed.

PA50 Deluxe Systems Feature:

- 1/4 hp Stratus rotary vane compressor with one year warranty
- 22" ground cabinet
- Two valve manifold with pressure relief and pressure gauge
- Choice of 200' of 1/2" Quick Sink tubing or no tubing, see page 36 for tubing options
- Two QS2 rubber membrane diffuser assemblies or no diffusers for custom system, see pages 42 and 43 for diffuser options
- Approximately 2.2 cfm air flow per diffuser
- Typical operation cost of \$1.31 per 24 hours (at .09¢ per kWh, actual cost may vary)

Now with self weighted diffusers


Part #	Compressor	Diffuser	Tubing Type	Tubing Length	Cabinet	Stocking Code	Ship Weight	List Price
PA50D	RV33	(2) QS2	1/2" Quick Sink	200'	SC22	21587996	84, 25, 46, 46 lbs.	\$2113.99
PA50AD	RV33	(2) QS2	—	—	SC22	51332990	84, 25 lbs.	\$1773.99
PA50DL	RV33	—	1/2" Quick Sink	200'	SC22	11321958	84, 46, 46 lbs.	\$1759.29
PA50ADLD	RV33	—	—	—	SC22	91066954	84 lbs.	\$1419.29
SC22SU	Sound proofing for SC22 cabinet (installed)			—	—	774993	—	\$99.99

All kits 115v, add "2" behind part number for 230v motor



PA75 Rotary Vane Aeration Systems

Designed for ponds up to 18' deep



One year warranty on compressor, five year warranty on tubing, diffusers and cabinets. Available as basic and Sentinel deluxe systems.

AERATE UP TO 4 ACRES

PA75 system aerates up to:

- 1 acre at 5'-8' deep
- 2 acres at 8'-12' deep
- 4 acres at 12'-16' deep

Customize Your System

Tubing



Diffusers



Cabinets & Enclosures



PA75 Basic Systems Feature:

- 3/4 hp Stratus rotary vane compressor with one year warranty
- Four valve manifold with pressure relief
- Choice of 600' of 1/2" Quick Sink tubing or no tubing, see page 36 for tubing options
- Four QS2 rubber membrane diffuser assemblies or no diffusers for custom system, see pages 42 and 43 for diffuser options
- Approximately 2.4 cfm air flow per diffuser
- Typical operation cost of \$2.98 per 24 hours (at .09¢ per kWh, actual cost may vary)

Now with self weighted diffusers



Part #	Compressor	Diffuser	Tubing Type	Tubing Length	Cabinet	Stocking Code	Ship Weight	List Price
PA75W	RV75	(4) QS2	1/2" Quick Sink	600'	—	82197494	6@44, 2@25, 63 lbs.	\$2929.99
PA75A	RV75	(4) QS2	—	—	—	21439992	73, 50 lbs.	\$1919.99
PA75WLD	RV75	—	1/2" Quick Sink	600'	—	41665436	6@44, 63 lbs.	\$2220.59

All kits 115v, add "2" behind part number for 230v motor, 230v motors ship with bare leads (no plug)

Sentinel

Sentinel deluxe systems include lockable steel cabinet with compressor, airlines, plumbing, pressure gauge, cooling fan and electrical outlet installed.

PA75 Deluxe Systems Feature:

- 3/4 hp Stratus rotary vane compressor with one year warranty
- 22" ground cabinet
- Four valve manifold with pressure relief and pressure gauge
- Choice of 600' of 1/2" Quick Sink tubing or no tubing, see page 36 for tubing options
- Four QS2 rubber membrane diffuser assemblies or no diffusers for custom system, see pages 42 and 43 for diffuser options
- Approximately 2.4 cfm air flow per diffuser
- Typical operation cost of \$2.98 per 24 hours (at .09¢ per kWh, actual cost may vary)

Now with self weighted diffusers



No electricity near your pond?
See our remote valve upgrade on page 37!



SC22 cabinet with sound proofing installed



Part #	Compressor	Diffuser	Tubing Type	Tubing Length	Cabinet	Stocking Code	Ship Weight	List Price
PA75D	RV75	(4) QS2	1/2" Quick Sink	600'	SC22	42631240	441 lbs.	\$3504.99
PA75AD	RV75	(4) QS2	—	—	SC22	61873741	152 lbs.	\$2494.99
PA75DLD	RV75	—	1/2" Quick Sink	600'	SC22	52099175	402 lbs.	\$2795.59
PA75ADLD	RV75	—	—	—	SC22	81341672	105 lbs.	\$1785.59
SC22SU	Sound proofing for SC22 cabinet (installed)	—	—	—	—	774993	—	\$99.99

All kits 115v, add "2" behind part number for 230v motor



AERATE UP TO 6 ACRES

PA100 system aerates up to:

- 1½ acres at 5'-8' deep
- 3 acres at 8'-12' deep
- 6 acres at 12'-16' deep

PA100 Rotary Vane Aeration Systems

Designed for ponds up to 18' deep



One year warranty on compressor, five year warranty on tubing, diffusers and cabinets. Available as basic and Sentinel deluxe systems.




PA100W

PA100 Basic Systems Feature:

- 1 hp Stratus rotary vane compressor with one year warranty
- Six valve manifold with pressure relief
- Choice of 800' of ½" Quick Sink tubing or no tubing, see page 36 for tubing options
- Six QS2 rubber membrane diffuser assemblies or no diffusers for custom system, see pages 42 and 43 for diffuser options
- Approximately 2.2 cfm air flow per diffuser
- Typical operation cost of \$3.47 per 24 hours (at .09¢ per kWh, actual cost may vary)

Now with self weighted diffusers

Customize Your System



Part #	Compressor	Diffuser	Tubing Type	Tubing Length	Cabinet	Stocking Code	Ship Weight (lbs.)	List Price
PA100W	RV100	(6) QS2	½" Quick Sink	800'	—	82999991	8@44, 2@38, 68 lbs.	\$3999.99
PA100A	RV100	(6) QS2	—	—	—	52002496	68, 2@38 lbs.	\$2669.99
PA100WLD	RV100	—	½" Quick Sink	800'	—	92201899	8@44, 68	\$2935.89

All kits 115v, add "2" behind part number for 230v motor, 230v motors ship with bare leads (no plug)

Sentinel

Sentinel deluxe systems include lockable steel cabinet with compressor, airlines, plumbing, pressure gauge, cooling fan and electrical outlet installed.

PA100 Deluxe Systems Feature:

- 1 hp Stratus rotary vane compressor with one year warranty
- 22" ground cabinet
- Six valve manifold with pressure relief and pressure gauge
- Choice of 800' of ½" Quick Sink tubing or no tubing, see page 36 for tubing options
- Six QS2 rubber membrane diffuser assemblies or no diffusers for custom system, see pages 42 and 43 for diffuser options
- Approximately 2.2 cfm air flow per diffuser
- Typical operation cost of \$3.47 per 24 hours (at .09¢ per kWh, actual cost may vary)

Now with self weighted diffusers



No electricity near your pond? See our remote valve upgrade on page 37!



SC22 cabinet with sound proofing installed



PA100D



Part #	Compressor	Diffuser	Tubing Type	Tubing Length	Cabinet	Stocking Code	Ship Weight	List Price
PA100D	RV100	(6) QS2	½" Quick Sink	800'	SC22	43431492	560 lbs.	\$4571.99
PA100AD	RV100	(6) QS2	—	—	SC22	62433997	223 lbs.	\$3241.99
PA100DLD	RV100	—	½" Quick Sink	800'	SC22	32633398	489 lbs.	\$3507.89
PA100ADLD	RV100	—	—	—	SC22	11635890	112 lbs.	\$2177.89
SC22SU	Sound proofing for SC22 cabinet (installed)				—	774993	—	\$99.99

All kits 115v, add "2" behind part number for 230v motor

These double compressor systems are designed for large ponds and lakes where high volumes of air are needed. Both compressors mount into the SC28 large cabinet (page 41) allowing up to twelve air lines from a single location.

Since the amount of tubing needed can vary widely in larger projects, these systems are designed with everything you need for a complete system less the tubing. Order as needed per project from page 36. All systems on this page are setup for 1/2" Quick Sink tubing, other outlet sizes available.

Rocking Piston Systems

- Choose from 1/2 or 3/4 hp compressors, see chart below for number of QS2 self weighted diffusers per system
- Cabinets are mounted on equipment base and come complete with compressors, valve assemblies, pressure gauge, pressure relief valves, high volume cooling fans and electrical box
- Setup for 1/2" Quick Sink tubing, purchase separately on page 36

Part #	Compressors	Voltage	Qty. Diffusers/ Air Outlets	Total cfm	Stocking Code	Ship Weight	List Price
DCS64AD	(2) 1/2 hp, SRC50	115	4	9	22542060	185 lbs.	\$3375.89
DCS64AD2	(2) 1/2 hp, SRC502	230	4	9	82563894	185 lbs.	\$3404.99
DCS66AD	(2) 1/2 hp, SRC50	115	6	9	32861719	209 lbs.	\$3802.09
DCS66AD2	(2) 1/2 hp, SRC502	230	6	9	62883545	209 lbs.	\$3831.19
DCS86AD	(2) 3/4 hp, SRC75	115	6	13	73123617	227 lbs.	\$4151.29
DCS86AD2	(2) 3/4 hp, SRC752	230	6	13	13145448	227 lbs.	\$4180.39
DCS88AD	(2) 3/4 hp, SRC75	115	8	13	93446172	250 lbs.	\$4581.39
DCS88AD2	(2) 3/4 hp, SRC752	230	8	13	43468003	250 lbs.	\$4610.49



Now with self weighted diffusers

Rotary Vane Systems

- Available in 1/4, 3/4 and 1 hp dual compressor systems or custom order with mixed hp sizes in same cabinet
- Cabinets are mounted on equipment base and come complete with compressors, valve assemblies, pressure gauge, pressure relief valves, high volume cooling fans and electrical box
- Setup for 1/2" Quick Sink tubing, purchase separately on page 36

Part #	Compressors	Voltage	Qty. Diffusers/ Air Outlets	Total cfm	Stocking Code	Ship Weight	List Price
DCS54AD	(2) 1/4 hp, RV33	115	4	9	92585712	217 lbs.	\$3434.09
DCS54AD2	(2) 1/4 hp, RV33	230	4	9	42607548	217 lbs.	\$3463.19
DCS78AD	(2) 3/4 hp, RV75	115	8	20	33629509	304 lbs.	\$4825.89
DCS78AD2	(2) 3/4 hp, RV75	230	8	20	53651336	304 lbs.	\$4854.99
DCS112AD	(2) 1 hp, RV100	115	12	26	84804241	371 lbs.	\$6392.19
DCS112AD2	(2) 1 hp, RV100	230	12	26	74826064	371 lbs.	\$6421.29



Installed by homeowner, Joseph Pesek (IN)





Three Legged Windmill



Four Legged Windmill

Wind Driven Aerators

Let Mother Nature aerate your pond

Wind driven windmills can save \$30-\$50 per month in electric costs. In a few short years these windmills will pay for themselves. Ideal for aerating remote ponds that do not have electricity nearby

- Available in three or four leg designs
- Will operate in winds as low as five miles per hour
- 6' diameter head with 12 blades
- Over speed protection — tail section will turn head in high winds preventing over spinning
- Can effectively aerate ponds up to two acres depending on shape and depth

Windmills can sit up to 1000' away from pond's edge — use poly tubing on page 36.

Five Year Limited Warranty

Price includes 100' of tubing and EPMD2 diffuser
(Additional tubing on page 36)

Custom colors available - contact us for details



Part # Description

Three Leg:

Part #	Description	Overall Height	Stocking Code	Ship Weight (lbs.)	List Price
WM12P	12' Three leg windmill with poly tubing & diffuser	15'	21351077	45, 44, 14, 7, 52, 28, 17	\$1589.49
WM12W	12' Three leg windmill with Quick Sink tubing & diffuser	15'	91424591	45, 44, 14, 7, 52, 28, 12, 48	\$1675.99
WM16P	16' Three leg windmill with poly tubing & diffuser	19'	31436158	45, 44, 14, 7, 52, 28, 32, 17	\$1689.59
WM16W	16' Three leg windmill with Quick Sink tubing & diffuser	19'	61510364	45, 44, 14, 7, 52, 28, 32, 12, 48	\$1776.89
WM20P	20' Three leg windmill with poly tubing & diffuser	23'	51521155	45, 44, 14, 7, 52, 28, 32, 37, 17	\$1789.59
WM20W	20' Three leg windmill with Quick Sink tubing & diffuser	23'	11596040	45, 44, 14, 7, 52, 28, 32, 37, 12, 48	\$1877.69
WM24P	24' Three leg windmill with poly tubing & diffuser	27'	81606242	45, 44, 14, 7, 52, 28, 32, 37, 37, 17	\$1889.69
WM24W	24' Three leg windmill with Quick Sink tubing & diffuser	27'	31681807	45, 44, 14, 7, 52, 28, 32, 37, 37, 12, 48	\$1978.59
DRK	Three leg windmill diaphragm kit 2007 and newer	—	179041	4 lbs.	\$92.99
WMHS	Windmill hinge set, for easy tower maintenance	—	746740	4 lbs.	\$54.99


Four Leg:

FLW12P	12' Four leg windmill with poly tubing & diffuser	15'	41328975	13, 58, 55, 57, 45, 17	\$1595.59
FLW12W	12' Four leg windmill with Quick Sink tubing & diffuser	15'	91435499	13, 58, 55, 57, 45, 12, 48	\$1739.99
FLW16P	16' Four leg windmill with poly tubing & diffuser	19'	81411471	13, 58, 53, 57, 45, 43, 17	\$1695.59
FLW16W	16' Four leg windmill with Quick Sink tubing & diffuser	19'	21517996	13, 58, 53, 57, 45, 43, 12, 48	\$1839.99
FLW20P	20' Four leg windmill with poly tubing & diffuser	23'	51493973	13, 58, 53, 57, 45, 43, 47, 17	\$1795.59
FLW20W	20' Four leg windmill with Quick Sink tubing & diffuser	23'	61600492	13, 58, 53, 57, 45, 43, 47, 12, 48	\$1939.99
FLWK	Four leg windmill diaphragm kit	—	379194	3 lbs.	\$95.99
WMHS	Windmill hinge set, for easy tower maintenance	—	746740	4 lbs.	\$54.99

Windmill Freeze Control

- Recommended whenever the windmill is located away from the pond's edge
- If the line starts to freeze, the control valve opens and feeds ethanol alcohol (or rubbing alcohol) into the line to melt the ice, the valve then closes and normal operation resumes

Part #	Stocking Code	Ship Weight	List Price
WMFC	7114740	6 lbs.	\$134.99



'SAS' Solar Aeration Systems

These "Direct Sunlight" systems operate when bright or sunny conditions exist

- Complete kits are easy to install, quiet and dependable
- Designed for ponds up to three acres
- Each kit comes with powder coated, lockable steel cabinet, cooling fan, pressure gauge and all necessary fittings
- DC solar air compressors rated for 2.8 cfm air flow, will operate down to 15' deep water
- Battery Free System - eliminates the expense of rechargeable batteries and controllers making these systems much more affordable
- 5' galvanized steel mounting pole included
- Warranty — Five years on panels, airline and diffusers; two year on all components and compressors

These solar aeration systems feature a compressor that offers the best mix of airflow, pressure and low power consumption that allow these systems to operate over a wide range of conditions.

'SAS' Systems Include:

- Solar panels with mounting bracket
- Compressor
- Cooling fan
- Adjustable manifold
- Diffusers*
- Cabinet
- Tubing*
- Mounting pole



Part #	Description	Compressors Included	Diffusers Included	100' Roll 1/2" Weighted Tubing	Solar Panels Included	Stocking Code	Ship Weight	Price Each
SAS75	Solar aeration kit, up to 3/4 acre	1	1	1	2	82116497	200 lbs.	\$2489.99
SAS150	Solar aeration kit, up to 1.5 acres	1	2	2	2	52294996	250 lbs.	\$2699.99
SAS300	Solar aeration kit, up to 3 acres	2	4	4	4	13595490	470 lbs.	\$4229.99

**Tubing and diffusers ship separately from other items*



'SPA' Solar Aeration Systems

These solar powered, battery backup aeration systems are great for remote or off the grid applications. The energy efficient design allows them to be deployed anywhere and provide all of the benefits of a standard aeration system without the need for power. SPA kits feature a sound reduction package making them extremely quiet.

The battery back up enables the system to run at night or during extended periods of poor weather. Designed to operate 20 hours per day and has enough battery capacity to run the system up to three days without any solar input.

Systems Include:

- Solar panels with pole mounting bracket
- Specially designed, energy efficient compressor
- High volume cooling fan
- Fully adjustable aluminum manifold
- Diffusers
- 100% recycled plastic cabinet
- Batteries
- Order "Quick Sink" tubing and equipment pad separately (not included in kit)



Solar Aeration Systems:

Part #	Description	Stocking Code	Ship Weight	List Price
SPA-1B	Solar aeration kit, up to one acre (tubing and equipment pad not included)	15308259	450 lbs.	\$6245.00
SPA-2B	Solar aeration kit, up to two acres (tubing and equipment pad not included)	55435752	500 lbs.	\$6395.00
SPA-3B	Solar aeration kit, up to three acres (tubing and equipment pad not included)	410578256	850 lbs.	\$12445.00
SPA-4B	Solar aeration kit, up to four acres (tubing and equipment pad not included)	910705754	935 lbs.	\$12595.00
L5PVC1*	1/2" Quick Sink Tubing, 100' box (ships separately)	6134996	44 lbs.	\$179.99
L5PVC1R*	1/2" Quick Sink Tubing, 500' reel (ships separately)	1655945	245 lbs.	\$874.59

**Tubing and Equipment Pad not included in kit, please order separately*



'SPA' Aeration System Components:

Part #	Description	Batteries Included	Compressors Included	Diffusers Included	Solar Panels Included	Suggested Tubing (not included)	Suggested Pad (not included)
SPA-1B	Solar aeration kit, up to one acre	2	1	1	1	L5PVC1 (100')	SPA-MP
SPA-2B	Solar aeration kit, up to two acres	2	1	2	1	L5PVC1 (200')	SPA-MP
SPA-3B	Solar aeration kit, up to three acres	4	2	3	2	L5PVC1 (300')	SPA-LP
SPA-4B	Solar aeration kit, up to four acres	4	2	4	2	L5PVC1 (400')	SPA-LP



“Quick Sink” Weighted PVC Airline



- Thick wall PVC hose is guaranteed not to crack or split
- Works in all temperatures for easy installation even in cold weather
- Five year warranty

EasyPro sold over 635,000 lineal feet of Quick Sink tubing in 2017 — that’s over 120 miles of tubing in a single year!

Part #	Length	Stocking Code	Ship Weight	List Price
3/8" Quick Sink Airline (1.12" O.D.)				
L3PVC	Cut any length	11014	20 lbs./100'	\$1.35/foot
L3PVC5	50' Roll-boxed	344397	10 lbs.	\$59.19
L3PVC1	100' Roll-boxed	785272	20 lbs.	\$113.69
L3PVCR	500' Roll	6384671	115 lbs.	\$512.89
1/2" Quick Sink Airline (1" O.D.)				
L5PVC	Cut any length	31584	44 lbs./100'	\$2.10/foot
L5PVC1	100' Roll-boxed	4134993	44 lbs.	\$179.99
L5PVCR	500' Roll	7655941	245 lbs.	\$874.59
5/8" Quick Sink Airline (1.12" O.D.)				
L6PVC	Cut any length	31801	53 lbs./100'	\$2.40/foot
L6PVC1	100' Roll-boxed	6149624	53 lbs.	\$199.49
L6PVCR	500' Roll	2748429	290 lbs.	\$997.89
3/4" Quick Sink Airline (1.36" O.D.)				
L7PVC	Cut any length	22147	77 lbs./100'	\$2.85/foot
L7PVCR	300' Roll	3614774	260 lbs.	\$819.69

Pallet discounts available - call for details!

Five Year Warranty!

Large rolls ship motor freight



Fittings for both weighted and non-weighted airline on page 38.

Polyethylene Airline — Non-Weighted



- Durable tubing used between compressor and weighted tubing when compressor is located away from pond’s edge
- Can be buried or left exposed
- Available in a variety of roll lengths to minimize fittings



Part #	Size (I.D.)	Roll Length	Stocking Code	Ship Weight	List Price
PT035	3/8"	50'	514711	3 lbs.	\$18.39
PT031	3/8"	100'	225279	5 lbs.	\$31.59
PT032	3/8"	200'	850713	8 lbs.	\$63.39
PT051	1/2"	100'	428477	5 lbs.	\$35.59
PT052	1/2"	200'	654716	10 lbs.	\$68.39
PT054	1/2"	400'	185432	19 lbs.	\$106.79
PT062	5/8"	200'	764716	11 lbs.	\$80.89
PT064	5/8"	400'	9124478	22 lbs.	\$155.59



Bubble Tubing®

Bubble Tubing® is a lead free, self sinking, fine bubble diffuser tubing used for aeration in waste water, aquaculture and recreational pond aeration. Ideal for aerating long narrow bodies of water!

- Can be installed in up to 200' lengths
- Self sinking design makes it easy to install
- .5" ID x .7" OD black PVC material

Air flow per foot (in cfm):


	Minimum	Maximum
Aeration	0.023	0.045
Deicing	0.045	0.09

Air flow per 100' (in cfm):

	Minimum	Maximum
Aeration	2.25	4.5
Deicing	4.5	9.0



Due to back pressure created, use with rocking piston compressors for best results, see pages 46 and 47



Part #	Description	Stocking Code	Ship Weight	List Price
BUB12F	1/2" Bubble Tubing®, priced per foot	55777	—	\$6.79
BUB12	1/2" Bubble Tubing®, 100' roll	2552491	60 lbs.	\$649.99
BUB12P	1/2" End plug for Bubble Tubing®	91165	1 lb.	\$1.79

Complete Bubble Tubing® kits available on page 62

Remote Access Valve Assemblies

- In some situations it is easier to locate a compressor near an existing power supply that is far away from the pond and extend the tubing rather than run power to pond's edge.
- Typically a single, larger diameter, poly tubing will carry all the air from the compressor down to the edge of the pond where the valve assembly will be located. This prevents having to run multiple smaller lines between compressor and shore.
- These assemblies are simply an "adder" to the kit cost. A single line set up coming off the compressor is included along with a modified valve assembly for installation by the pond.

Simply order correct remote valve part number shown below along with your desired aeration kit, add the cost shown below to the kit cost for total package price.



Rocking Piston Systems*

Single valve systems (PA34) do not need modification for remote operation

RPA62 - price adder for two or three valve outlets, set up for 5/8" line
Stocking Code: 724991 List Price Adder: \$34.99

RPA75 - price adder for four to six valve outlets, set up for 3/4" line
Stocking Code: 324996 List Price Adder: \$34.99

Rotary Vane Systems*

RVA10 - price adder for two valve (PA50) outlets, set up for 1" line
Stocking Code: 132997 List Price Adder: \$45.99

RVA12 - price adder for four to six valve outlets, set up for 1 1/4" line
Stocking Code: 632993 List Price Adder: \$45.99

***For dual compressor systems use quantity of two for remote valve assembly price adder**

Valve Boxes

- Use these handy boxes to conceal the valve underground and yet have easy access
- Box is black in color, lids are green

Part #	Size	Stocking Code	Ship Weight	List Price
VB10	10" diameter x 10" deep	316644	2 lbs.	\$22.19
VB14	14" x 19" x 12" deep	633448	15 lbs.	\$44.59



Tubing Fittings Tubing available on page 36

Couplings



Part #	Size	Stocking Code	List Price
IC1212	5/8" x 5/8"	31101	\$1.69
IC1234	5/8" x 3/4"	81624	\$2.49
IC3434	3/4" x 3/4"	21367	\$2.09

Male Adapters



PMA12	1/2" mpt x 5/8" barb	31291	\$1.99
PMA34	3/4" mpt x 3/4" barb	61554	\$2.39
PMA3412	3/4" mpt x 5/8" barb	61754	\$2.69

Brass Male Adapters



BA37	1/4" mpt x 3/8" barb	92166	\$3.09
BA50	1/4" mpt x 1/2" barb	22935	\$4.19

Couplings



Part #	Size	Stocking Code	List Price
TC3838	3/8" x 3/8"	1833	\$1.19
TC1212	1/2" x 1/2"	7902	\$1.29
TC1238	1/2" x 3/8"	51048	\$1.49

Male Adapters



TA1238	1/2" mpt x 3/8" barb	41049	\$1.49
TA1212	1/2" mpt x 1/2" barb	51040	\$1.49
TA3438	3/4" mpt x 3/8" barb	61188	\$1.69
TA3412	3/4" mpt x 1/2" barb	31182	\$1.69

Two Way Splitters



2WAY2



2WAY1

- Divide air from a single incoming line into two outgoing lines
- Brass valves control air flow between each line
- Available in 3/8" or 1/2" sizes
- Valve boxes available on page 37

Part #	Size	Stocking Code	Case Quantity	List Price
2WAY1	3/8" x 3/8"	336675	2 lbs.	\$48.89
2WAY2	1/2" x 1/2"	734270	3 lbs.	\$45.69



Inline Check Valve

This all plastic check valve is commonly used in long airline runs to prevent water from filling the tubing. 3/4" fpt threads in both ends, use with PMA or TA fittings above.



Part #	Stocking Code	Ship Weight	List Price
LC75	111242	1 lb.	\$14.99

Stainless Steel Hose Clamps




These clamps have hundreds of uses! Keep plenty on hand for all your air and water plumbing projects!



Part #	Size	Stocking Code	Case Quantity	List Price
HC1	1/4" - 5/8"	7978	100	\$1.29
HC2	5/16" - 7/8"	2973	100	\$1.29
HC3	7/16" - 1"	41191	100	\$1.59
HC34	1/2" - 1 1/4"	91191	100	\$1.59
HC4	3/4" - 1 3/4"	91276	50	\$1.69
HC5	1 7/8" - 3 3/4"	51877	50	\$2.49

Don't see the fittings you need? The EasyPro Water Feature catalog has a huge selection of plumbing fittings and accessories, request a copy on our website www.easypro.com or call us toll free at 800-448-3873



Aeration Accessory Kit

This kit has 140 of the most commonly used fittings for installing aeration systems including connectors, adapters, stainless clamps and more. Each kit also has a nut driver, tubing cutter and Teflon tape all in a convenient storage case.

Part #	Description	Stocking Code	Ship Weight	List Price
PATK	Aeration accessory kit	3143370	8 lbs.	\$201.19



EasyPro offers a variety of weatherproof enclosures to protect aeration compressors from the elements. Without protection the life of any air system will be greatly reduced.

RealRock™ Landscape Boulders


Ideal for concealing air pumps, water pumps, pond filters, UVs, lighting transformers and other equipment

- Color and texture is part of material, not painted on
- Will not fade or crack, made from recycled material
- All rocks come standard with one vent, additional vents can be ordered if needed

DMBR Measures 19" long x 14" wide x 12" high, includes one 3" vent

DLB1 Measures 30" long x 23" wide x 18" high, includes one 3" vent

DLB2 Measures 56" long x 42" wide x 30" high, includes one 4" vent



Part #	Color	Recommended For	Case Quantity	Stocking Code	Ship Weight	List Price
DMBR	Brown	Linear compressors, MC6-ML80	10	863292	4 lbs.	\$84.39
DLB1F	Gray	Compressors up to PA66, small pond filters	6	397271	6 lbs.	\$129.69
DLB1R	Brown	Compressors up to PA66, small pond filters	6	797274	6 lbs.	\$129.69
DLB2F	Gray	PA75+ or multiple compressors	4	6274498	28 lbs.	\$365.99
DLB2R	Brown	PA75+ or multiple compressors	4	9274493	28 lbs.	\$365.99
DLB3S	—	Additional 3" louvered vent installed	-	311546	1 lb.	\$15.39
DLB4S	—	Additional 4" screened vent installed	-	219345	1 lb.	\$25.79



DLB2 Rocks
Ship Motor
Freight

Roto-Molded Cabinets

This polyethylene cabinet is an economical alternative to the steel cabinets

Designed to hold air compressors up to the RV33 (1/4 hp rotary vane) in size. The small foot print makes it easy to hide!

- Ideal for housing all linear compressors, DC22 (PA10), DC12 (PA12), SRC25 (PA34), SRC50 (PA66) and RV33 (PA50)



- Roto-molded in a tan color which blends well into existing landscape
- Built in louvers allow fresh air into cabinet, an optional cooling fan is recommended for large compressors or in hot locations, fan comes installed in opposite hole with louver



Part #	Description	Stocking Code	Ship Weight	List Price
SC25	Cabinet, 15"w x 25"l x 15"h	2149992	22 lbs.	\$199.99
SC25F1	Cabinet with 115v fan installed	3187497	24 lbs.	\$249.99
SC25F2	Cabinet with 230v fan installed	9194998	24 lbs.	\$259.99





SC18



SC18G

Post Mounted Lockable Cabinets

Top and front wall open for easy access and service

- 11¹/₂"w x 18"l x 11¹/₂"t - will hold all linear compressors and the DC12, DC22, SRC25, SRC50 compressors
- 18 gauge galvanized steel with powder coat finish
- Three 1¹/₄" knock outs for airlines plus one for power source
- All cabinets come complete with mounting bracket and cooling fan
- Also available with a raised base for use on the ground when pole mounting is not an option



Sound proofing option available — high quality acoustical foam reduces motor sound considerably

Part #	Description	Stocking Code	Ship Weight	List Price
SC18	Pole mount cabinet with 115v fan	8247492	19 lbs.	\$329.99
SC182	Pole mount cabinet with 230v fan	6254994	19 lbs.	\$339.99
SC18G	Ground mount cabinet with 115v fan	9254991	22 lbs.	\$339.99
SC18G2	Ground mount cabinet with 230v fan	3262495	22 lbs.	\$349.99
SC18SU*	Sound proofing upgrade (installed)	248749	-	\$64.99

*Not eligible for expedited (rush) orders

Lockable Steel Cabinets

Standard Cabinet

- 16¹/₂"w x 22"l x 19"t - will hold all compressors up to RV100 or multiple smaller units with stainless steel lock to protect against vandalism
- Includes compressor mounting base to keep compressor up off floor
- 14 gauge galvanized steel with powder coat paint finish



SC22



New Locking Hinge!

SC22D1



SC22D1 with optional SC22SU sound proofing

- Tapered lid - makes front wall shorter allowing easier access to compressor
- Has six 1¹/₄" knockouts for airlines and one knockout for incoming power
- Optional fans recommended on any compressors operating in hot climates and on 3/4 hp and larger in all climates

Deluxe Cabinet

- Above cabinet with cooling fan and electrical box installed
- Cooling fan kits include fan, guard, power cord and hardware
- Electrical box has 1/2" conduit plumbed through floor for easy wiring

Part #	Description	Stocking Code	Ship Weight	List Price
SC22	Standard locking cabinet	7299694	50 lbs.	\$399.59
SC22D1	Deluxe cabinet with electric & 115v fan installed	6389992	53 lbs.	\$519.99
SC22D2	Deluxe cabinet with electric & 230v fan installed	3397493	53 lbs.	\$529.99
SC22SU*	Sound proofing for SC22 cabinet (installed)	274998	-	\$99.99

*Not eligible for expedited (rush) orders





Aeration Cabinets

Large Lockable Steel Cabinets



Features:

These larger cabinets are ideal for lake aeration projects where multiple compressors are used or for applications needing one compressor and a liquid dosing pump.

- 16 gauge galvanized steel with powder coat finish
- 24" w x 28" l x 20" t, includes two motor mounting plates
- Deluxe cabinets include electrical box and high volume cooling fan installed in cabinet
- New locking hinge holds lid open during service and maintenance
- Order external equipment pad for dusty applications (bottom air intake on cabinets) or soft/mucky sites to support the weight of the cabinet



SC28

Part #	Description	Stocking Code	Ship Weight	List Price
SC28	Large locking cabinet	4524697	85 lbs.	\$699.59
SC28D1	Deluxe large cabinet with electric & 115v fan installed	2727496	94 lbs.	\$969.99
SC28D2	Deluxe large cabinet with electric & 230v fan installed	9749993	94 lbs.	\$999.99
SC28SU*	Sound proofing for SC28 cabinet (installed)	189998	2 lbs.	\$119.99
SMBASE33	Equipment pad, 32" x 32" x 3" thick	867659	18 lbs.	\$79.59

*Not eligible for expedited (rush) orders



Large Cabinets Ship Motor Freight

Lockable Steel Cabinet Accessories

Part #	Description	Stocking Code	Ship Weight	List Price
SCFK1	Cooling fan kit* for SC22 cabinet, 115v	146498	2 lbs.	\$61.99
SCFK2	Cooling fan kit* for SC22 cabinet, 230v	748742	2 lbs.	\$64.99
<i>*Fan kits above include fan, guard, power cord and mounting hardware for SC22 cabinet</i>				
SCELK1	Electrical component kit† for SC22, 115v	517999	1 lb.	\$23.99
SCELK2	Electrical component kit† for SC22, 230v	922493	1 lb.	\$29.99
SCFAN1	Replacement fan for SC18, SC22 & SC25, 115v	526690	2 lbs.	\$35.59
SCFAN2	Replacement fan for SC18, SC22 & SC25, 230v	829691	2 lbs.	\$39.59
SCFANG	Replacement fan guard for SC18, SC22 & SC25	24796	1 lb.	\$6.39
SC28FK1	Cooling fan kit** for SC28 cabinet, 115v	8137692	5 lbs.	\$183.59
SC28FK2	Cooling fan kit** for SC28 cabinet, 230v	2145197	5 lbs.	\$193.59
<i>**Fan kits above include fan, power cord and mounting hardware for SC28 cabinet</i>				
SC28ELK1	Electrical component kit† for SC28, 115v	940945	2 lbs.	\$54.59
SC28ELK2	Electrical component kit† for SC28, 230v	369299	2 lbs.	\$92.39
SCCF1	Replacement fan for SC28, 115v (no cord)	5130870	5 lbs.	\$174.49
SCCF2	Replacement fan for SC28, 230v (no cord)	5134990	5 lbs.	\$179.99

†All electrical kits include outlet, pvc and mounting hardware



Electrical Outlet



SCFAN1 Replacement Fan Only



SCFANG Replacement Fan Guard



SCCF1 Replacement Fan

Quick Sink Self Weighted Diffusers

Same great membrane diffuser performance now in a self sinking design

- Self weighted base with powder coated finish
- Sch. 80 PVC air manifold check valve
- Includes inlet air fittings for $\frac{3}{8}$ ", $\frac{1}{2}$ " or $\frac{5}{8}$ " tubing; tubing clamps and strain relief

**Five Year
Warranty!**



NEW



Self weighted design eliminates need for gravel, reduces installation time

Shown assembled with strain relief included for durability



Part #	Description	Recommended Airflow (cfm)	Stocking Code	Ship Weight	List Price
QS1	Self weighted single diffuser	.8 - 3	999749	9 lbs.	\$132.99
QS2	Self weighted dual diffuser	1.6 - 6	1140022	11 lbs.	\$186.99

Membrane Diffuser Assemblies



View assembly and installation video at our website www.easyprow.com

- Molded base allows for strain relief clamp to secure tubing onto base
- Built in check valve prevents backflow of water up air line
- Inlet air fitting (included) accepts $\frac{3}{8}$ ", $\frac{1}{2}$ " or $\frac{5}{8}$ " tubing
- Membrane air diffuser assembly features a hollow base that can be filled with sand or gravel
- Eliminates the need for bricks and straps to get the diffuser to sink
- Available in single, dual or quad head assemblies


**5%
CASE DISCOUNT**

Part #	Description	Recommended Airflow (cfm)	Case Quantity	Stocking Code	Ship Weight	List Price
EPMD1	Single diffuser	.8 - 3	4	792098	6 lbs.	\$122.79
EPMD2	Dual diffuser	1.6 - 6	4	4125025	8 lbs.	\$166.69
EPMD4*	Quad diffuser	3.2 - 12	—	9187340	10 lbs.	\$249.79



*No case discount on EPMD4

Air Diffuser Manifolds

- Polyethylene underlay keeps diffuser from settling into pond bottom
- Available with self-weighted RAD650W diffusers or AS650 alumina air diffusers
- Includes check valve to prevent water from filling air line when not in use, strain relief barb fitting for tubing connection, underlay and clamp



NEW



Manifolds with Membrane Diffusers

Part #	Number of Diffusers	Recommended Airflow (cfm)	Tubing Connection	Size of Underlay	Stocking Code	Ship Weight	List Price
DM2	2	.8 - 3.4	3/8" & 1/2"	11 1/4" x 20"	363376	9 lbs.	\$84.49
DM4	4	1.6 - 6.8	3/8" & 1/2"	22 1/2" x 22 1/2"	7102598	11 lbs.	\$136.79
DM6	6	2.4 - 10.2	3/8", 1/2" & 5/8"	22 1/2" x 22 1/2"	8132594	14 lbs.	\$176.79



Manifolds with Alumina Air Diffusers

DM2S	2	1.0 - 1.4	3/8" & 1/2"	11 1/4" x 20"	867491	8 lbs.	\$89.99
DM4S	4	2.0 - 2.8	3/8" & 1/2"	22 1/2" x 22 1/2"	5112425	9 lbs.	\$149.89
DM6S	6	3.0 - 4.2	3/8", 1/2" & 5/8"	22 1/2" x 22 1/2"	4146327	10 lbs.	\$195.09



Membrane Diffusers

A great alternative to air stones in many aeration applications

- Hundreds of "I" slots that open as air pressure builds inside of the diffuser
- Center of the membrane does not have slots and acts as a check valve when air flow stops
- Diffusers have a 3/4" male thread inlet and are 10 1/2" in diameter
- Uniform bubble distribution with up to 3 cfm air flow



Part #	Case Quantity	Stocking Code	Ship Weight	List Price
MD3	20	535698	2 lbs.	\$47.59



Tubular Diffusers

- Diffusers are 24" long, 2 1/2" in diameter and have over 8000 bubble producing slots
- Self weighted – unique open ended design allows diffuser to be self weighted
- Incredibly durable – will provide years of service
- 3/4" female threaded connection, built-in check valve



Part #	Recommended Airflow (cfm)	Case Quantity	Stocking Code	Ship Weight	List Price
TMD24	3.5 - 7	6	251677	6 lbs.	\$68.89





Rubber Membrane Air Diffusers

These EPDM rubber air diffusers are incredibly strong and are ideal for pond aeration, circulation and destratisfying applications

- Unlike air stones these diffusers are easy to clean
- In testing they produce a slightly larger air bubble than air stones which translates into less oxygen transfer into the water, so for fish holding tanks, raceways, fish production ponds, etc. we recommend staying with the air stones below
- Barbed inlets have multiple size barbs, simply cut to fit the size tubing you are using
- An excellent choice for pond and water garden aeration since they actually produce more circulation and water movement



New 6" weighted diffuser available, part #RAD650W

Part #	Length	Inlet Air Fitting	Recommend Airflow (cfm)	Maximum Cfm Airflow	Case Quantity	Stocking Code	Ship Weight	List Price
RAD4	4"	1/4" - 3/8"	.2	1.1	12	68847	1 lb.	\$11.79
RAD6	6"	1/4" - 3/8"	.4	1.7	12	511624	1 lb.	\$15.49
RAD650	6"	1/2" mpt	.4	1.7	12	811622	1 lb.	\$15.49
RAD650W	6"	1/2" mpt weighted	.4	1.7	12	114990	2 lbs.	\$19.99
RAD8	8"	3/8" - 1/2"	.7	2.5	12	613425	1 lb.	\$17.89
RAD850	8"	1/2" mpt	.7	2.5	12	713424	1 lb.	\$17.89
RAD12	12"	3/8" - 1/2"	.9	3.5	6	420996	2 lbs.	\$27.99
RAD1250	12"	1/2" mpt	.9	3.5	6	220998	2 lbs.	\$27.99
RAD2475	24"	3/4" mpt	1.8	5.4	4	544999	4 lbs.	\$59.99



Best Choice for Aquaculture Applications!



Pro-Glass Alumina Air Stones

Alumina Air Stones – three times stronger than white silica air stones!

- Creates finer bubbles for increased aeration efficiency with no increase in pressure
- Inlet fittings are set into the body of the diffuser, making them much less likely to break or twist loose
- Higher density means self weighting
- Cleanable with muriatic acid or chlorine
- More resistant to ozone



Manufactured for EasyPro in the USA

Contact us for volume pricing

Part #	Dimensions	Fitting Size	Recommended Airflow (cfm)	Stocking Code	Ship Weight	List Price
AS15	1 1/2" x 1 1/2" x 1 1/2"	3/16" barb	.20	46082	1 lb.	\$8.39
AS325	1 1/2" x 1 1/2" x 3"	1/4" barb	.30	69351	1 lb.	\$12.89
AS337	1 1/2" x 1 1/2" x 3"	3/8" barb	.30	99493	2 lbs.	\$13.09
AS625	1 1/2" x 1 1/2" x 6"	1/4" barb	.5	511168	2 lbs.	\$15.39
AS637	1 1/2" x 1 1/2" x 6"	3/8" barb	.5	811524	2 lbs.	\$15.89
AS650	1 1/2" x 1 1/2" x 6"	1/2" npt	.5	711596	2 lbs.	\$15.99
AS937	1 1/2" x 1 1/2" x 9"	3/8" barb	.75	220955	2 lbs.	\$28.89
AS950	1 1/2" x 1 1/2" x 9"	1/2" npt	.75	621747	2 lbs.	\$29.99
AS1237	1 1/2" x 1 1/2" x 12"	3/8" barb	1.0	322989	3 lbs.	\$31.69
AS1250	1 1/2" x 1 1/2" x 12"	1/2" npt	1.0	525442	3 lbs.	\$35.09



One Year Warranty!



Rotary Vane Compressors



- Long lasting, continuous duty compressors offer less depth capabilities than the diaphragm or rocking piston compressors but produce considerably more air per hp
- Medium pressure, oil free compressors are excellent for pond and lake aeration or de-icing
- Carbon vanes self adjust to maintain maximum efficiency and are easily replaced when worn out
- All models have an 18' maximum operating depth, they come with air filter and 6' power cord
- Air outlet assemblies are available (see page 48) with two to six valves, allowing one pump to supply up to six air manifolds
- Units available in 115 or 230 volt



Part #	Description	Volts	Amps	Cfm Air Flow @ Water Depth of:				Stocking Code	Ship Weight	List Price
				0'	6'	12'	18'			
RV33	1/4 hp Stratus rotary vane	115	5	4.5	4.3	4.0	3.6	6524999	34 lbs.	\$699.99
RV332	1/4 hp Stratus rotary vane	230	2.5	4.5	4.3	4.0	3.6	8524995	34 lbs.	\$699.99
RV75	3/4 hp Stratus rotary vane	115	12	10.0	9.6	9.2	9.0	3731993	53 lbs.	\$975.99
RV752	3/4 hp Stratus rotary vane	230	6	10.0	9.6	9.2	9.0	1731997	53 lbs.	\$975.99
RV100	1 hp Stratus rotary vane	115	14	13.5	12.4	11.7	10.4	81012490	58 lbs.	\$1349.99
RV1002	1 hp Stratus rotary vane	230	7	13.5	12.4	11.7	10.4	21012496	58 lbs.	\$1349.99

230v motors ship with bare leads (no plug)

Rotary Vane Compressor Parts & Accessories



Vane Kits for RV33 - 100 Compressors

Rotary vane compressors each have four self-wearing vanes, when worn they no longer catch air resulting in reduction of air flow.

- Kits include four vanes, gasket and two black, internal air filters
- Ship weight - 2 lbs.

Both the RV75 and RV75HP compressors use the RV75V repair kits

Part #	Description	Stocking Code	List Price
RV33V	RV33 repair kit	776794	\$102.39
RV75V	RV75 repair kit	399296	\$132.39
RV100V	RV100 repair kit	6177142	\$236.19

Internal Air Filters

Rotary vane compressors have two internal air filters. Air filter elements are included in repair kits or can be purchased separately. Black plug that holds filter does not come in repair kit. All models use the same plugs and filters.



Part #	Description	Stocking Code	List Price
RVBF	Internal filter	34946	\$6.59
RVBP	Black plug	76974	\$9.29
RVBO	O-ring	93295	\$4.39

Check Valve for RV Compressors

Installs on the inlet side of the rotary vane compressors

- Installs between compressor and air filter (air filter not included)
- Prevents back flow of water in air lines
- Ship weight 1 lb.



Part #	Fits	Stocking Code	List Price
RVC	RV33	424441	\$32.59
RVC2	RV75, RV100	722493	\$29.99

Air Filters & Filter Elements


Fits rotary vane compressors above

AC432 filter has 3/8" female threaded inlet

Ship weight - 1 lb. each.



Part #	Description	Stocking Code	List Price
AC432	3/8" fpt complete filter	629241	\$38.99
AC393	Replacement filter element	511094	\$14.79



Replacement elements for previous model IAF filters

IAF25F	Replacement filter element	114840	\$19.79
IAF38F	Replacement filter element	716197	\$21.59



Two Year Warranty!

Rocking Piston Compressors

Stratus SRC series "Gen 2" rocking piston compressors are specifically designed for the demanding job of 24 hour operation. The oil-less design makes it ideal for pond aeration systems. Available in 1/4, 1/2 and 3/4 hp models the Stratus SRC series compressors are assembled in the USA. Units include air inlet filter, rubber feet and 5' power cord.

Features:

- Quieter operation than similar compressors
- Universal dual voltage motor
- Oil-less operation
- Permanently lubricated bearings
- Includes **Stratus Smart-Start** technology to start under load
- Superior quality, flexible cup material for increased reliability
- Die-cast body components for overall strength
- Single or double cylinder design
- Maximum 30 psi

Part #	hp	Amps* /Volts	Cost per 24 Hours**	Cfm Air Flow @ Water Depth of:						Stocking Code	Ship Weight	List Price
				0'	10'	20'	30'	40'	50'			
SRC25	1/4	1.7/115	\$0.40	2.3	2.2	2.0	1.9	1.8	1.7	7382491	17 lbs.	\$509.99
SRC252	1/4	0.9/230	\$0.40	2.3	2.2	2.0	1.9	1.8	1.7	4382499	17 lbs.	\$509.99
SRC50	1/2	3.6/115	\$0.86	4.5	4.3	4.2	4.0	3.8	3.6	5502496	22 lbs.	\$669.99
SRC502	1/2	1.8/230	\$0.86	4.5	4.3	4.2	4.0	3.8	3.6	9502490	22 lbs.	\$669.99
SRC75	3/4	4.5/115	\$1.10	6.5	6.0	5.5	5.2	5.0	4.7	3637498	26 lbs.	\$849.99
SRC752	3/4	2.3/230	\$1.10	6.5	6.0	5.5	5.2	5.0	4.7	2637492	26 lbs.	\$849.99

*Amps measured at 10' operating depth

**Cost figured at .09¢ per kwh, 24/7 operation, 10' operating depth. Actual electrical data will depend on operating conditions.



SRC Compressor Parts & Accessories

SRC Compressor Rebuild Kits



- Kits include piston cup, cylinders, O-rings and cup retainer screws
- SRC75K includes valve plates with leaf valves installed

SRC50K

Part #	Stocking Code	Ship Weight	List Price
SRC25K	654291	1 lb.	\$72.39
SRC50K	9101840	1 lb.	\$135.79
SRC75K	2134327	1 lb.	\$179.09



SRC25VP



SRC50VP

- SRC25VP and SRC50VP are complete valve plates with leaf valves installed

SRC25VP	547992	1 lb.	\$63.99
SRC50VP	3103723	2 lbs.	\$138.29

See page 48 for valved outlets, pressure gauges and relief valves

SRC Air Filters & Element

GAF2 filters are standard for SRC rocking piston compressors

GAFE replacement filter elements for all SRC models



GAFE

GAF2

Part #	Description	Stocking Code	List Price
GAF2	Complete filter - 1/4" mpt	327296	\$36.39
GAFE	Replacement element	64194	\$5.59



Shock Mount Foot

- Use when installing SRC compressors into steel cabinets to securely hold in place
- Four per compressor, all SRC models use same feet
- 1/4-20 threads

Part #	Stocking Code	List Price
SRCSM	23299	\$4.39 each

Rocking Piston Compressors

The Stratus ERP Series rocking piston air compressors are designed specifically for the demanding job of 24/7 operation. They are ideal for pond aeration systems. The oil-less design safely aerates ponds with no electricity in the water. Compressors are available in 115v or 230v.

- Inlet air filter, rubber foot pads and 6' power cord included

Features:

- Oil-less operation
- Light weight die-cast aluminum components
- Hard coated cylinder for wear resistance
- Permanently lubricated bearings and easily replaceable piston seal



Two Year Warranty!

Part #	hp	Amps* /Volts	Cost per 24 Hours**	Cfm Air Flow @ Water Depth of:						Stocking Code	Ship Weight	List Price
				0'	10'	20'	30'	40'	50'			
ERP25	1/4	1.8/115	.37¢	2.5	2.1	2.0	1.9	1.8	1.6	2382497	16 lbs.	\$509.99
ERP252	1/4	0.9/230	.37¢	2.5	2.1	2.0	1.9	1.8	1.6	5382491	16 lbs.	\$509.99
ERP50	1/2	4.0/115	\$1.00	5.2	4.7	4.5	4.3	4.1	3.8	4502348	19 lbs.	\$669.79
ERP502	1/2	2.0/230	\$1.00	5.2	4.7	4.5	4.3	4.1	3.8	9502340	19 lbs.	\$669.79
ERP75	3/4	5.7/115	\$1.38	7.5	7.1	6.8	6.6	6.4	6.1	3749326	26 lbs.	\$999.09
ERP752	3/4	2.9/230	\$1.38	7.5	7.1	6.8	6.6	6.4	6.1	7749324	26 lbs.	\$999.09

*Amps measured at 10' operating depth

**Cost figured at .09¢ per kwh, 24/7 operation, 10' operating depth. Actual electrical data will depend on operating conditions.

ERP Compressor Parts & Accessories

ERP Compressor Rebuild Kits

- Step by step video available for rebuilding ERP compressors, check it out online at: easypro.com/videos


- Kits include piston ring, gaskets, seals and leaf valves



Part #	Stocking Code	Ship Weight	List Price
ERP25K	143496	1 lb.	\$57.99
ERP50K	586990	1 lb.	\$115.99
ERP75K	8100049	1 lb.	\$133.39

Shock Mount Foot

- Use when installing ERP compressors into steel cabinets to securely hold in place
- Four per compressor, all ERP models use same feet
- Includes 10mm locknut, washer and hex nut



Part #	Stocking Code	List Price
ERPSM	84873	\$6.49 each

ERP Air Filters & Element



ERPF1 & ERPF2 Filter Features

- Good for sound reductions of 2 to 4 dB
- For compressor units up to 7.5 cfm
- Provide excellent filtration in areas of fine dust
- Connections: 1/4" mpt on ERPF1 and 3/8" mpt on ERPF2

Part #	Description	Stocking Code	List Price
ERPA	Air filter	77122	\$9.49
ERPAH	Brass adapter	34493	\$5.99
ERPF1	Filter - 1/4 & 1/2 hp for ERP25/50	618741	\$24.99
ERPF2	Filter - 3/4 hp for ERP75	918744	\$24.99
ERPF12E	Filter element for F1/F2	17128	\$9.49

See page 48 for valved outlets, pressure gauges and relief valves

Valved Outlet Air Assemblies

- Use when operating two or more pond diffusers from single pump
- Built-in pressure relief valve protects the pump if airlines become kinked, plugged or frozen
- Union coupling allows for quick and easy removal of the pump
- Air flow to each diffuser is controlled by adjustable ball valve
- 2' piece of flexible hose included on each line to dissipate heat and allow for easy tubing connection
- See remote valve assemblies on page 37 for applications where compressor is away from pond's edge



Rocking Piston Air Outlet Assemblies

- Includes pressure relief valve and swivel union for easy removal from compressor
- 1/4" threaded air inlets - fits all rocking piston compressors



Part #	Outlets	Stocking Code	Ship Weight	List Price
ERP1V*	1	123244	2 lbs.	\$30.99
ERP2V	2	773497	3 lbs.	\$97.99
ERP3V	3	989992	5 lbs.	\$119.99
ERP4V	4	3116248	7 lbs.	\$154.99
ERP5V	5	5138741	9 lbs.	\$184.99
ERP6V	6	6149990	10 lbs.	\$199.99

*Control valve not included with ERP1V



Rotary Vane Air Outlet Assemblies

- 1/4" threaded air inlets - for RV33 compressors
- 3/8" threaded air inlets - for RV75/RV100 compressors



Part #	Outlets	Stocking Code	Ship Weight	List Price
VO2N	2	792243	4 lbs.	\$122.99
VO4N	4	6142498	6 lbs.	\$189.99
VO6N	6	5189742	8 lbs.	\$252.99



Liquid Filled Pressure Gauges

- Fits easily onto rocking piston valves or rotary vane outlets
- 1/4 mpt connection
- Use on aeration systems to monitor operating pressure and ensure compressor is not overloaded



Part #	Range	Stocking Code	Ship Weight	List Price
G30L	0-30 psi	415372	1 lb.	\$20.49
G50L	0-50 psi	816497	1 lb.	\$21.99

Pressure Relief Valves

- Protects your air compressor from excessive back pressure from frozen or kinked airlines, operating too deep, etc.
- 1/4" mpt

Available in:

10 psi - Rotary vane compressors

25 psi - Stratus SRC and Gast rocking piston compressors

40 psi - Stratus ERP rocking piston compressor



Part #	Psi	Stocking Code	Ship Weight	List Price
PR10	10	611993	1 lb.	\$15.99
PR25	25	211997	1 lb.	\$15.99
PR40	40	911990	1 lb.	\$15.99



Diaphragm Compressors

Both the DC22 and DC12 come with a one year warranty
Brass barbed adapters included on both models for easy connection to 3/8" tubing

DC22

- Small, continuous duty diaphragm compressor is surprisingly powerful
- The 1/20 hp motor draws only one amp electric but operates up to 12' deep and produces .7 cfm air flow
- Permanently lubricated ball bearing motors designed for years of trouble free service

DC12

- Oil-less compressor works well for continuous pond aeration
- Higher pressure allows for aeration in ponds up to 35' deep
- Compressor comes with 6' power cord and inlet air filter



DC22



DC12

Part #	Description	hp	Cfm	Voltage	Amps	Stocking Code	Ship Weight	List Price
DC22	1/20th hp compressor	1/20	.7	115	1	6228443	7 lbs.	\$304.59
DC12	1/8th hp compressor	1/8	1.1	115	4.2	8329541	12 lbs.	\$439.39



DC Diaphragm Compressor Parts & Accessories

DC22, DC12, Repair Kits

- If your air compressor runs but does not pump air after a couple years of service, chances are the diaphragm has cracked
- Kits include the diaphragm, head gasket and parts needed to rebuild compressor to "like new" performance
- Ship weight - 2 lbs.



Part #	Description	Stocking Code	List Price
RK22	DC22 (1/20 hp) repair kit	651147	\$68.19
DC12RK	DC12 (1/8 hp) repair kit	454746	\$72.99

Air Filters & Elements

For Rotary/Rocking Compressors

Can also be used on a variety of other units as replacement air filters. Ship weight - 1 lb. each.

DC22F Air filter is one piece, no replaceable element available

GAF2 is available as complete filter or element only (GAFE)



Part #	Description	Stocking Code	List Price
DC22F	Replacement filter	113646	\$18.19
GAF2	Complete filter - 1/4" mpt	327296	\$36.39
GAFE	Replacement element	64194	\$5.59



High Volume Air Compressors

For large air applications like lake aeration, oil fracking ponds, etc. these high volume compressors are ideal.

- 2.75 hp to 11.5 hp models, all three phase power only
- Air flow from 35 to 235 cfm
- Maximum depth capability from 20' up to 34' deep depending on model

A wide range of models are available. Let us help you select the correct model for your application base of operating pressure, cfm air flow needed and electrical availability.



STRATUS KLC SERIES



KLC25



KLC40, KLC60 & KLC80



KLC100 & KLC120

Linear Diaphragm Air Compressors

These compressors combine outstanding performance with great value!

- Ultra quiet operation with very low energy usage
- Long life, even in continuous applications with minimal maintenance
- Three year warranty
- cUL and UL listed for outdoor use
- Operation at deeper than recommended depths will require more frequent replacement of diaphragms

KLC Diaphragm Repair Kits

Part #	Stocking Code	List Price
KLC25DK	523415	\$32.29
KLC40DK	628632	\$39.49
KLC68DK	134210	\$47.19
KLC100DK*	451323	\$70.79

*For KLC100 & KLC120

Part #	Watts	Compressor Outlet Size (Nominal)	cfm Air Flow @ Water Depth of:								Stocking Code	Ship Weight	List Price
			0'	2'	4'	6'	8'	10'	12'	14'			
KLC25	23	5/8"	1.3	1	0.8	0.6	0.4	0.1	—	—	6137381	7 lbs.	\$189.49
KLC40	36	5/8"	2.1	1.9	1.6	1.3	0.9	0.6	0.2	—	3165665	13 lbs.	\$228.49
KLC60	60	5/8"	3.1	2.8	2.4	2.0	1.6	1.2	0.7	0.3	2197850	15 lbs.	\$272.89
KLC80	70	5/8"	3.7	3.4	3.1	2.8	2.4	2.0	1.5	0.9	9224388	15 lbs.	\$309.49
KLC100	112	5/8"	4.2	4.1	4.0	3.6	3.1	2.5	2.0	1.2	7309864	21 lbs.	\$427.39
KLC120	130	1"	4.9	4.8	4.6	4.3	4.0	3.5	3.0	2.9	1413242	21 lbs.	\$569.99

Recommended operation in shaded area



Linear Piston Compressors



ML28

ML45

ML60/ML80

ML100/ML120

ML200

ML Diaphragm Repair Kits

Part #	Stocking Code	List Price
ML28RK	150450	\$69.59
ML45RK	361629	\$84.99
ML60RK	7102802	\$141.79
ML80RK	9112734	\$155.49
ML120RK*	4173996	\$239.99
ML200RK	5332127	\$458.09

*for ML100 & ML120

- Quiet, energy efficient, weather resistant and durable
- These compressors utilize a small piston instead of a diaphragm to pump air
- UL listed for outdoor use — ideal for pond aeration
- It is not at all uncommon for these motors to operate continuously for seven to nine years — a perfect choice for summer and winter aeration needs
- 5' power cord with 115 volt plug included
- A rubber elbow is included for outlet connection

Three Year Warranty!

Part #	Watts	Compressor Outlet Size	Cfm Air Flow @ Water Depth of:					Max. Depth	Max. PSI	Stocking Code	Ship Weight	List Price
			0'	2'	4'	6'	8'					
ML28	26	5/8"	1.3	1.2	0.8	0.5	-	6'	2.6	6209881	8 lbs.	\$289.49
ML45	45	3/4"	1.8	1.7	1.5	1.1	-	6'	2.6	5245337	8 lbs.	\$338.39
ML60	60	3/4"	2.5	2.5	2.3	1.4	0.5	8'	3.5	3314060	13 lbs.	\$433.19
ML80	86	3/4"	3.0	2.9	2.8	2.1	1.2	8'	3.5	2331108	14 lbs.	\$456.69
ML100	95	1"	4.6	4.5	4.2	3.7	1.8	9'	4.0	9497715	22 lbs.	\$686.49
ML120	118	1"	5.2	5.1	4.8	4.5	2.6	9'	4.0	4521496	22 lbs.	\$719.29
ML200	215	1"	9.9	9.1	8.4	7.3	6.0	10'	4.4	7845202	28 lbs.	\$1165.79

Recommended operation in shaded area

The small aeration kits on this page are ideal for decorative ponds, fish holding tanks and other portable aeration needs.

New aeration kits provide some **Koi Loving Care** for your pond



Features:

- Ensure adequate oxygen levels and circulation during hot summer months and de-icing capability during freezing months
- Kits available for wide range of water garden and koi ponds up to 30,000 gallons
- Quiet, energy efficient compressors with cUL and UL listing for outdoor use
- 3 year warranty
- All kits include compressor with 6' power cord, rubber membrane diffuser(s), connectors and 3/8" Quick Sink tubing



STRATUS
KLC
SERIES

Kit Part #	LA1	LA2	LA3	LA4
Pond Size (Gallons)	1,000-7,500	2,000-15,000	3,000-22,500	4,000-30,000
Number of 8" diffusers (RAD8)	One	Two	Three	Four
Length of tubing included	25'	50'	75'	100'
Air Flow (cfm)	1.3*	2.1	3.1	3.7
Max. depth recommended	6'	6'	7'	8'
Watts	23	36	60	70
Estimated monthly cost of operation**	\$1.51	\$2.37	\$3.94	\$4.60

*25% more air than previous model **Based on 24/7 operation at \$.09 per kWh. Actual cost will vary with operating conditions
Fish load, filtration capacity and other factors affect actual maximum pond size



Part #	Compressor Part Number	Air Diffusers Output	Aerates Ponds	Stocking Code	Ship Weight	List Price
LA1	KLC25	1	1000-7500 gallons	2160990	15 lbs.	\$229.99
LA2	KLC40	2	2000-15000 gallons	3244996	29 lbs.	\$349.99
LA3	KLC60	3	3000-22500 gallons	8314999	37 lbs.	\$449.99
LA4	KLC80	4	4000-30000 gallons	8384999	45 lbs.	\$549.99

See previous page for more information on compressors



Deluxe Linear Aeration Kits

3 Year Warranty

- Extra Quiet — you can barely hear them from only 5' away
- Energy Efficient — operates for only pennies per day
- Very Reliable — motors can often run constant for 5 - 8 years

- Oil-less Design — provides clean, dry air with minimal maintenance
- UL listed — for outdoor use
- Each kit includes compressor, 15' of weighted airline and air diffuser

LA5W

Includes ML28 compressor, 15' of QuickSink weighted tubing and RAD6 air diffuser



LA10W

Includes ML45 compressor, 15' of QuickSink weighted tubing and RAD12 air diffuser

LA15W

Includes ML80 compressor, 15' of QuickSink weighted tubing and two RAD1250 air diffusers connected together



Part #	Compressor Part Number	cfm Air Output	Aerates Ponds Up To	Electrical Usage	Warranty	Stocking Code	Ship Weight	List Price
LA5W	ML28	1.0	3,000 gallons	25 watts	3 years	3228549	13 lbs.	\$314.09
LA10W	ML45	1.6	7,500 gallons	45 watts	3 years	7279705	18 lbs.	\$383.89
LA15W	ML80	2.8	20,000 gallons	80 watts	3 years	9383594	24 lbs.	\$526.69

See previous page for more information on compressors





Two Year Warranty!



Regenerative Blowers

- The industry choice when high oxygen, low energy consumption and reliable service is needed
- Blowers have only one moving part – the impeller – and since the impeller touches nothing, there is no wear, no seals, no vibrations and no lubrication to be done
- 50 and 60 Hz operation, automatic thermal overload protection, UL approved and CSA certified, can be mounted in any position, lightweight, durable and compact
- Includes inlet air filter and outlet bleed valve
- 6' power cord on all blowers 1 hp and smaller

Larger and three phase blowers are available – please inquire!

Part #	hp	Volts	Amps @ 115v	Cfm Airflow at a Water Depth of:					Max. Depth	Outlet Pipe Size	Stocking Code	Ship Weight	List Price
				20"	30"	40"	50"	60"					
GB11	1/8	115/230	2.0	14	–	–	–	–	29"	1 1/2"	4499721	24 lbs.	\$666.29
GB21	1/3	115/230	3.8	28	19	–	–	–	39"	1 1/2"	7573374	28 lbs.	\$764.49
GB31	1/2	115/230	5.6	35	27	19	11	–	52"	1 1/2"	6609673	37 lbs.	\$812.89
GB41	1	115/230	9.8	73	64	52	28	–	58"	2"	5729075	45 lbs.	\$972.09
GB415	1.5	115/230	20.7	110	102	88	78	64	63"	2"	81027949	65 lbs.	\$1370.59
GB51	2.5	115/230	23.6	135	125	111	100	82	65"	2"	41113526	83 lbs.	\$1484.69
GB61	3.5	230/460-3*	19 @ 230 Volt	188	178	167	157	147	80"	2"	31352092	90 lbs.	\$1802.79
GB63	5	230/460-3*	6 @ 460 Volt	188	178	167	157	147	105"	2"	71579498	115 lbs.	\$2105.99

*3.5 hp and 5 hp are three phase motors - specify 230 or 460v. All other blowers are also available in three phase.

Please specify 115 or 230 volt when ordering. Blower will be wired 115v if not specified!



Blower Only

Gast blowers are also available as blower only, no inlet air filter or bleed valve. Ideal for replacement applications where filter and bleed valve already exist. 6' power cord included on 1 hp and smaller units.

Part #	Description	Stocking Code	Ship Weight	List Price
GB11B	1/8 hp blower, no filter or bleed valve	8453294	21 lbs.	\$604.39
GB21B	1/3 hp blower, no filter or bleed valve	1538122	25 lbs.	\$717.49
GB31B	1/2 hp blower, no filter or bleed valve	3575773	32 lbs.	\$767.69
GB41B	1 hp blower, no filter or bleed valve	5681590	38 lbs.	\$908.79
GB415B	1.5 hp blower, no filter or bleed valve	9949426	57 lbs.	\$1265.89
GB51B	2.5 hp blower, no filter or bleed valve	71015941	75 lbs.	\$1354.59
GB61B*	3.5 hp blower, no filter or bleed valve	21165345	79 lbs.	\$1553.79
GB63B*	5 hp blower, no filter or bleed valve	41392747	104 lbs.	\$1856.99

*3 Phase only - specify 230 or 460v



Replacement Air Filters for 1/8 to 5 hp Blowers



Use these high volume air filters as replacements on our Gast blowers (above) or any application requiring high volumes of prefiltered air

Complete Filter

Part #	Mpt Connection	Fits Blower hp	Stocking Code	Ship Weight	List Price
SOL3	1 1/4"	1/8, 1/3, 1/2	737236	2 lbs.	\$53.19
SOL5	2"	1	352428	3 lbs.	\$74.89
SOL7	2"	1.5, 2.5, 3.5*, 5*	593444	4 lbs.	\$133.49

*3.5 and 5 hp blowers each have two filters



Replacement Filter Cartridge

Includes canister and foam prefilter

Part #	Stocking Code	Ship Weight	List Price
SOL31	416796	1 lb.	\$23.99
SOL51	724848	1 lb.	\$35.49
SOL71	638284	2 lbs.	\$54.69



Surface Aeration

EasyPro offers a wide variety of fountains and surface aerators. Our volume allows us to sell the best fountains at the lowest prices. A variety of patterns, sizes (ranging from 1/4 to 25 hp) and light packages for night time displays, assures we have a fountain for most every application. Shop and compare – we offer the best selection and lowest prices in the industry.

Surface fountains are a popular choice when decorative looks are desired. Golf courses, parks, office buildings and housing developments are all common places you see fountains used. Many different spray patterns are available

creating aesthetically pleasing looks while creating circulation and aeration. Since fountains float on the surface, circulation does not reach all the way to the bottom in deep applications which reduces their effectiveness.

Fountains create good water movement at the pond's surface and are helpful in keeping pollen, duckweed, watermeal and other surface debris under control.



Surface aeration is available in several styles ranging from high volume to highly decorative. Since water is heavy, the more decorative the spray pattern is the less volume of water is pumped. Following is a brief look at each style of surface aeration:



High Volume

These units focus on moving the maximum amount of water and not on decorative looks. Fish farms, waste water treatment ponds, retention ponds and other applications requiring maximum water movement with high oxygen transfer will benefit the most from this design. While not the prettiest to look at, these units are by far the best bang for the dollar when water quality management is needed.



Medium Volume

A modified version of the high volume units above, these type of fountains use a nozzle to guide the water into a "V" shaped display. Some volume is sacrificed to achieve the higher spray but overall still decent water movement is produced; a good compromise between the units above and the decorative ones below. These units are a good choice for ponds requiring water quality improvement but also a visually attractive display.



Decorative

Ponds requiring maximum visual appeal typically choose these type of units. Instead of a high volume propeller, decorative fountains use an impeller to build pressure and then force the water out through various nozzles to create a tall, visually appealing fountain. These units pump minimal water and create minimal circulation so they should be viewed as mostly decorative. Office buildings, condo associations, parks, zoos and other locations wanting maximum visual impact are most common applications. We strongly recommend the use of a diffused aeration system in conjunction with a decorative fountain if water quality management is needed.

1/2 hp & 1 hp Aqua Fountains



Light kit sold separately on page 55



Wide Umbrella Nozzle



Narrow Umbrella Nozzle

For over 25 years Aqua Fountains have proven themselves to be reliable, affordable and attractive!

- Long lasting, energy efficient motor designed for continuous duty operation, with built in thermal and over current protection
- Floats are made from high density foam and protected by a decorative float cover
- Intake screens are aluminum and prevent leaves, algae, sticks, etc. from plugging pump
- 30" minimum operating depth
- 115v units come with timer and GFI; 230v units include timer only, purchase GFI locally
- Pre-assembled and ready to install

Fountains include rocket and umbrella nozzles, purchase narrow umbrella separately below

Two Year Warranty!



Rocket Nozzle



GFI3

GFI with timer included on all 115v models, 230v units now include timer only panel, without GFI

Part #	hp	Power Cord Length/Gauge	Voltage /Amps	Rocket Spray Dimensions	Wide Umbrella Dimensions	Stocking Code	Ship Weight	List Price
1/2 hp, 115v								
AF50	1/2	100'/12 ga.	115/7.0	8' H x 2' dia.	6' H x 15' dia.	41084913	59 lbs.	\$1399.89
AF5015	1/2	150'/12 ga.	115/7.0	8' H x 2' dia.	6' H x 15' dia.	81142035	67 lbs.	\$1473.59
AF5020	1/2	200'/10 ga.	115/7.0	8' H x 2' dia.	6' H x 15' dia.	11580992	102 lbs.	\$2039.99
1 hp, 115v								
AF100	1	100'/12 ga.	115/11.0	16' H x 5' dia.	8' H x 26' dia.	71317037	82 lbs.	\$1699.39
AF10015	1	150'/10 ga.	115/11.0	16' H x 5' dia.	8' H x 26' dia.	21666240	110 lbs.	\$2149.99
AF10020	1	200'/10 ga.	115/11.0	16' H x 5' dia.	8' H x 26' dia.	31821249	125 lbs.	\$2349.99
1 hp, 230v								
AF1002*	1	100'/12 ga.	230/5.5	16' H x 5' dia.	8' H x 26' dia.	81317036	78 lbs.	\$1699.39
AF100215*	1	150'/12 ga.	230/5.5	16' H x 5' dia.	8' H x 26' dia.	21394994	90 lbs.	\$1799.99
AF100220*	1	200'/12 ga.	230/5.5	16' H x 5' dia.	8' H x 26' dia.	51472493	98 lbs.	\$1899.99
AF100225*	1	250'/12 ga.	230/5.5	16' H x 5' dia.	8' H x 26' dia.	91549991	106 lbs.	\$1999.99
SCFNU	Narrow umbrella nozzle only					543490	3 lbs.	\$57.99

*230 volt fountains only have timer. GFI must be purchased locally.

Fountain Light Kit

- Epoxy filled stainless housing
- Warm white, 9 watt lights, 1230 lumens per light
- Includes 12v transformer with timer, underwater power cable, stainless steel underwater LED lights and aluminum mounting brackets
- Be sure to specify which model fountain the light kit will be used on so the correct mounting brackets can be included
- Designed for use on AquaFountains - page 54; Floating Fountain Head - below; Kasco Fountains (1/2 to 2 hp) - pages 58-60; and Air-O-Lator Fountains - pages 66-67
- Three year warranty



Part #	Description	Power Cord	Stocking Code	Ship Weight	List Price
SLK9L2	2 Light kit for 1/2 hp fountains	100'	4495998	20 lbs.	\$639.99
SLK9L3-10	3 Light kit for 3/4 hp & larger fountains	100'	7635493	22 lbs.	\$819.99
SLK9L3-15	3 Light kit for 3/4 hp & larger fountains	150'	2712990	26 lbs.	\$919.99
SLK9L3-20	3 Light kit for 3/4 hp & larger fountains	200'	5751741	29 lbs.	\$969.99
SLK9L3H	3 Light kit for 230v fountains	100'	1635495	22 lbs.	\$819.99



Floating Fountain Head

Build your own fountain!

- Build your own fountain by simply hooking a pump to this head
- Ideal for use with existing lawn sprinkling pump
- The fountain head has a 24" diameter high density float and a decorative float cover
- The spray nozzle threads on/off for easy cleaning
- Inlet connection is 2" female threads



Fountain Performance Chart:

Rocket Nozzle			Wide Umbrella Nozzle		
Spray Pattern	gpm	Ft. of Head	Spray Pattern	gpm	Ft. of Head
6'h x 3'd	40	10'	4'h x 15'd	62	11'
8'h x 3'd	45	13'	6'h x 20'd	77	14'
10'h x 3'd	51	15'	8'h x 24'd	82	19'
12'h x 3'd	55	16'			
14'h x 3'd	61	20'			
16'h x 3'd	65	23'			

Ft. of head column is the amount of pressure the nozzle requires.

Select a pump that will deliver the gpm @ ft. of head shown



Rocket Nozzle




Wide Umbrella Nozzle



Narrow Umbrella Nozzle

Part #	Description	Stocking Code	Ship Weight	List Price
ACF1	Fountain head w/rocket nozzle	6119998	14 lbs.	\$159.99
ACF2	Fountain head w/wide umbrella nozzle	9119997	14 lbs.	\$159.99
ACF3	Fountain head w/narrow umbrella nozzle	3119990	14 lbs.	\$159.99
ACFRN	Rocket nozzle only	543491	3 lbs.	\$57.99
ACFWU	Wide umbrella nozzle only	443494	3 lbs.	\$57.99
ACFNU	Narrow umbrella nozzle only	143492	3 lbs.	\$57.99



scott aerator



Oil-less motors have unconditional five year warranty!

Display Fountains

A great choice for ponds needing aeration and decorative looks!

- High quality, American made fountains will keep your water sparkling clean while providing healthy aeration
- Most environmentally friendly system on the market
- Large flow rate does a fantastic job moving unwanted debris off of the surface
- Oil free, stainless steel submersible motor
- Industry leading, five year motor warranty
- Designed for 24 hour continuous operation
- Salt water approved
- Easy to install
- Does not include timer or GFI, see GFI3 on bottom of page 61
- Designed to be left in water year-round - even in freezing climates



Light kits available on next page



Part #	hp	Amps/ Volts	Spray Dimensions h x w	Minimum Pond Depth	Power Cord*	Stocking Code	Ship Weight	List Price
SAF03	1/3	9/115	5' x 18'	32"	70'	51055993	14, 41lbs.	\$1319.99
SAF05	1/2	10/115	6 1/2' x 22'	32"	70'	21175990	14, 44 lbs.	\$1469.99
SAF07	3/4	7/230	6 1/2' x 23'	32"	70'	71343993	14, 46 lbs.	\$1679.99
SAF10	1	10.6/230	7' x 25'	36"	100'	41463994	21, 49 lbs.	\$1829.99
SAF20	2	11.5/230	11' x 25'	42"	100'	92367995	21, 72, 3 lbs.	\$2959.99
SAF30	3	14/230	12' x 30'	38"	100'	12927996	21, 82, 3 lbs.	\$3659.99

*Longer cord lengths available



scott aerator

Display Fountain Lighting

Illuminate your fountain with one of these quality lighting systems available in both halogen and LED fixtures

- Stainless steel mounting hardware can be used in fresh or salt water
- 12 gauge power cord

Halogen

- 120 watt, par 38, 30° halogen bulbs operate on 115v power
- One year warranty
- Swivel base allows lighting in all directions

LED

- 10 watts per fixture
- Two year warranty
- Operate on standard 115v power with submersible transformer



Halogen



LED



Part #	Description	Cord Length	Stocking Code	Ship Weight	List Price
SA2L	Two light halogen set	70'	5890998	27 lbs.	\$989.99
SA4L	Four light halogen set	100'	71394996	42 lbs.	\$1549.99
SA2LED	Two light LED set	100'	11070999	24 lbs.	\$1189.99
SA4LED	Four light LED set	100'	21796392	40 lbs.	\$1995.99
SA12C	Additional power cable per foot, all sets	—	32844	—	\$3.15

scott aerator

Aquasweep Muck Buster

Also a Great Deicer!

Dramatically improve water quality while safely removing sediment buildup! The Aquasweep dock mount model can keep your waterfront, dock area or canal clean from algae, trash and decaying debris on the surface, while also being fully adjustable to forcefully blast muck, silt and decaying leaves off the bottom!

- Manually adjust in any direction or use with optional oscillator
- Unconditional five year motor warranty
- Comes complete with stainless steel mounting plate
- Stainless steel pole and yoke assembly designed to reach depths up to 7'
- Includes 25' power cord



Oscillator

Use this programmable oscillator to turn your Aquasweep automatically! Program the unit to cover from 20 degrees up to full 360 degrees of your beach or dock area. Preset to rotate 20 degrees every 20 minutes. Comes with two year warranty.



Part #	Description	Stocking Code	Ship Weight	List Price
SAQS05	Aquasweep, 1/2 hp 115v motor	71034994	53 lbs.	\$1149.99
SAQ20	Oscillator upgrade	5661496	24 lbs.	\$734.99

Oscillator Control Head





For 50 years Kasco has been manufacturing high quality aeration and fountain equipment here in the USA! Their customer focused philosophy ensures you can get superior performance at a great value.

XStream 1/2 hp Decorative Fountain by Kasco



V Pattern • No Nozzle • 6' x 13'



Two Year Warranty!




XSF2450 with lights

This 1/2 hp fountain has a center nozzle with up to 30 laminar streams of water arching out. Included rubber plugs allow the user to create many different display options. The nozzle can also be removed and a tall V shaped pattern is obtained.

- 1/2 hp, high rpm motor is continuous duty rated drawing approximately 7 amps (115v)
- Laminar stream nozzle has up to 30 jets of water with maximum height of 8 1/2'
- Package includes motor unit, power cord, mooring lines, C-25 control panel with GFI and timer
- LED "puck" lights have eight white LED lights daisy-chained into one easy to install set. Lights nest into float for a smooth look!
- Can operate in as little as 15" of water • Longer power cables up to 200' available • ETL approved to UL and CSA standards for safety

Part #	Description	Stocking Code	Ship Weight	List Price
XSF2450	1/2 hp decorative xStream fountain, 50' cord	71208684	53 lbs.	\$1474.00
XSF24100	1/2 hp decorative xStream fountain, 100' cord	51316109	59 lbs.	\$1605.00
XSF50LEDW	LED "puck" lights for XSF2450, 50' cord	6364901	10 lbs.	\$445.00
XSF100LEDW	LED "puck" lights for XSF24100, 100' cord	2404260	14 lbs.	\$493.00

See page 61 for Kasco lighting options.





1/2 to 5 hp VFX Aerating Fountains

These Kasco fountains combine decorative good looks along with high oxygen transfer, making them the perfect choice for surface aeration. Kasco fountains are easy to install and energy efficient.

- They come complete with motor assembly, float, bottom screen, mooring ropes, 100' power cord and control panel (includes a weatherproof enclosure, GFI protection, a timer for fountain and a photo eye for lights)
- All Kasco fountains are UL and CSA approved
- Outstanding oxygen transfer rates, aesthetically pleasing patterns and low overall operating costs – each unit is fully self contained and floats into place in your pond or lake



230v Control Panel



115v Control Panel

Two year warranty on 1/2, 3/4 and 1 hp fountains

Three year warranty on 2, 3 and 5 hp fountains

2 hp and 5 hp VFX fountains available with three phase motors - contact us for more information

See pages 55 and 61 for light kits to turn your fountain into a beautiful night time display



Part #	Description	Voltage	Amps	Spray Pattern	gpm Pump Rate	Minimum Water Depth	Stocking Code	*Ship Weight (lbs.)	List Price
VFX2400	1/2 hp fountain	115	5.0	5'h x 15' dia.	89	15"	21102084	38, 20*	\$1344.00
VFX3400	3/4 hp fountain	115	7.3	5.5'h x 21' dia.	111	18"	61189007	47, 20*	\$1450.00
VFX3400H	3/4 hp fountain	230	3.7	5.5'h x 21' dia.	111	18"	31984409	47, 18, 17*	\$2420.00
VFX4400	1 hp fountain**	115	11.3	8'h x 26' dia.	186	19"	61727743	38, 16, 20*	\$2107.00
VFX4400H	1 hp fountain	230	5.7	8'h x 26' dia.	186	19"	52237781	47, 18, 17*	\$2729.00
VFX8400H	2 hp fountain**	230	10	8'h x 32' dia.	336	20"	53617849	58, 18, 16, 56*	\$4412.00
VFX5.1H	5 hp fountain**	230	20	9'h x 34' dia.	800	26"	64660064	80*, 64*, 17, 10	\$5683.00

*Dimensional rates apply on floats **Power cord includes quick disconnect



Surface Aerators

- 50' power cord standard, longer lengths available
- Designed for continuous duty operation in fresh or salt water
- Thermal overload protection with automatic reset
- Easy to install/remove, making it great for portable emergency operation
- Warranties: two years on 1/2 - 1 hp, three years on 2 - 5 hp
- Operates in as little as 15" of water
- Control panel not included, see page 61

Part #	Description	Voltage/Amps	Approx. gpm	Minimum Operating Depth	Stocking Code	*Ship Weight (lbs.)	List Price
AF2400	1/2 hp aerator	115/5.0	600	15"	1689623	31, 23*	\$841.00
AF3400	3/4 hp aerator	115/6.7	800	18"	4755221	40, 23*	\$921.00
AF3400H	3/4 hp aerator	230/3.4	800	18"	7788026	40, 23*	\$961.00
AF4400	1 hp aerator	115/11.3	1200	19"	61082400	45, 49*	\$1320.00
AF4400H	1 hp aerator	230/5.7	1200	19"	21093069	41, 49*	\$1333.00
AF8400H	2 hp aerator	230/11	1400	20"	51807282	56, 49*	\$2204.00
AF3.1H	3 hp aerator	230/13.4	2500	24"	52245165	76, 57*	\$2738.00
AF5.1H	5 hp aerator**	230/20	4500	26"	62813428	80, 57*	\$3431.00

*Dimensional rates apply on floats **5 hp includes 100' power cord with quick disconnect





JF Series Decorative Fountains

3/4 to 7.5 hp — You get multiple spray nozzles with each fountain, allows you to change the look of your fountain as desired. See pages 55 and 61 for light kits.



Sequoia - 3/4, 1, 5, 7.5 hp



Spruce - 2, 3, 5 hp



Birch - 2, 3, 5, 7.5 hp



Redwood - 2, 3, 5 hp



Linden, 2 Tier - 3/4, 1, 2, 3, 5, 7.5 hp



Cypress - 3/4, 1 hp



Willow - 3/4, 1, 2, 3, 5 hp



Juniper - 3/4, 1, 2, 3, 5 hp

Part #	Description	Voltage /Amps***	Minimum Operating Water Depth	Stocking Code	*Ship Weight (lbs.)	List Price
JF3400	3/4 hp fountain w/5 patterns	115/6.5	18"	61305447	51, 20	\$1592.00
JF3400H	3/4 hp fountain w/5 patterns	230/2.9	18"	82161524	51, 17	\$2636.00
JF4400	1 hp fountain w/5 patterns**	115/11	18"	22065585	43, 16, 20	\$2519.00
JF4400H	1 hp fountain w/5 patterns	230/5.5	18"	52632202	52, 18, 17	\$3210.00
JF8400H	2 hp fountain w/6 patterns**	230/10	20"	63744943	53, 16, 18, 56	\$4567.00
JF3.1H	3 hp fountain w/6 patterns**	230/13.4	24"	44239401	70, 56	\$5170.00
JF5.1H	5 hp fountain w/7 patterns**	230/20	26"	14748620	80, 64	\$5791.00
JF7.3H	7.5 hp fountain w/3 patterns**	3 Phase Only	32"	96898666	241	\$8413.00

Power cord includes quick disconnect *Indicates amp draw may vary up to 10% depending on nozzle used



JF7.3 Ships Freight

100' power cords standard — longer cords available, please inquire



- 2, 3, 5 and 7.5 hp fountains are available with three phase motors - contact us for more information
- Fountains come complete with motor, float, 100' power cord, control panel (with timer/GFI) and mooring ropes
- All fountains are UPS-able for reduced ship cost (except 7.5 hp)
- Two year warranty on 1/2, 3/4 and 1 hp fountains, three year warranty on 2, 3 and 5 hp fountains



Premium nozzles for unique displays available for JF Series fountains, call to order

JF Series Fountain Performance Chart:

Pattern	3/4 hp Ht. x Dia.	1 hp Ht. x Dia.	2 hp Ht. x Dia.	3 hp Ht. x Dia.	5 hp Ht. x Dia.
Linden	6' x 18'	8' x 24'	18' x 30'	19' x 35'	20' x 35'
Cypress	6' x 16'	8' x 24'	n/a	n/a	n/a
Willow	4.5' x 15'	6' x 22'	12.5' x 28'	13' x 35'	14' x 36'
Juniper	3' x 20'	4' x 27'	8' x 46'	9' x 48'	10' x 50'
Sequoia	7' x 4'	10' x 6'	n/a	n/a	21' x 10'
Spruce	n/a	n/a	19' x 10'	21' x 13'	24' x 15'
Birch	n/a	n/a	12' x 11'	14.5' x 10'	14' x 12'
Redwood	n/a	n/a	22' x 7'	24' x 8'	26' x 8'



Kasco Fountain Lighting Packages

Kasco offers several high quality LED lighting packages to complement their line of fountains. A well lit fountain display at night is a sure way to attract attention.

- **LED Puck Lights** — This is a set of eight LED pucks designed to nest into the float of 1/2 hp xStream fountain and the new floats for the 1/2 and 3/4 hp VFX and JF series fountains in 2016. Cataloged with 50' and 100' cord length options. Includes disconnect on cords.
- **RGB Color Lights** — Color changing LED lights in sealed composite fixtures feature nine colors with adjustable brightness, three automatic sequencing modes or rhythmic sequencing following your music.
- **KL3C11/KL6C11 Lights** — Industrial grade composite LED light kits, uses 11 watts per fixture and includes color choices of white, blue, red, yellow or green. Includes disconnect on cords.
- **KL3S19/KL6S19 Lights** — These bright stainless steel LED light kits use 19 watts per fixture and comes in white only. This series of lights is certified to UL and CSA standards. Order with or without quick-disconnect cords (see chart below). Includes colored lens caps.



All LED light kits include fixtures, mounting brackets and 100' power cord. Longer cord lengths available, call for pricing.

Part #	Description	Includes Disconnect	Warranty	Stocking Code	Ship Weight	List Price
XSF50LEDW	LED "puck" lights for XSF2450, 50' cord	Yes	1 Year	6364901	10 lbs.	\$445.00
XSF100LEDW	LED "puck" lights for XSF24100, 100' cord	Yes	1 Year	2404260	14 lbs.	\$493.00
KL3RGB	Three light LED kit for 1 hp and smaller	Yes	2 Years	6894620	24 lbs.	\$1091.00
KL6RGB	Six light LED kit for 2 hp & 3 hp	Yes	2 Years	51725282	50 lbs.	\$2104.00
KL3C11	Three light LED kit for 1 hp and smaller	Yes	2 Years	4644525	13 lb.	\$786.00
KL6C11	Six light LED kit for 2 hp and larger	Yes	2 Years	61411223	18 lb.	\$1721.00
KL3S19	Stainless steel three light LED kit	No	2 Years	21034841	30 lb.	\$1262.00
KL3S19Q	Stainless steel three light LED kit	Yes	2 Years	31220165	32 lb.	\$1488.00
KL6S19	Stainless steel six light LED kit	No	2 Years	72149227	30, 40 lb.	\$2621.00
KL6S19Q	Stainless steel six light LED kit	Yes	2 Years	12334540	32, 42 lb.	\$2847.00

Kasco Replacement Power Cords

To determine cost of upgrading cord length on a new unit, subtract the price of the included length cord from the desired length cord - the difference would be your increase in cost. Complete units with 150' and longer cords ship factory direct.

Power Cords - No Quick Disconnect:

Part #	Length	Gauge Cable	Voltage	Fits Kasco Models	Stocking Code	Ship Weight	List Price
KC25	25'	16	115v	1/2, 3/4 hp deicers, aerators	140426	4 lbs.	\$49.29
KC50	50'	16	115v	1/2, 3/4 hp deicers, aerators, fountains	367894	6 lbs.	\$82.79
KC501	50'	14	115v	1 hp deicers, aerators, fountains	6100369	7 lbs.	\$122.39
KC502	50'	14	230v	3/4, 1, 2 hp deicers, aerators, fountains	490445	7 lbs.	\$110.29
KC100	100'	14	115v	1/2, 3/4 hp deicers, aerators, fountains	1160306	15 lbs.	\$195.49
KC1002	100'	14	230v	3/4, 1 hp deicers, aerators, fountains	3164817	15 lbs.	\$200.99



The power cords below are for use on 1 hp and larger fountains

These fountains all have a quick disconnect cord. A 30" stub cord with first half of quick disconnect is included with fountain.

The following prices are for second half of the quick disconnect with length of cable shown. Power cords up to 400' available - please inquire.

Power Cords - With Quick Disconnect:

Part #	Length	Gauge Cable	Voltage	Fits Kasco Models	Stocking Code	Ship Weight	List Price
KC100A	100'	12	115v	1 hp - 115v units	4362765	17 lbs.	\$442.39
KC100B	100'	12	230v	2, 3, 5 hp - 230v units	6356450	17 lbs.	\$434.69
KC150D	150'	12	230v	1, 2, 3 hp - 230v units	9474282	24 lbs.	\$578.39
KC150E	150'	10	115v	1 hp - 115v, 5 hp (no plug) units	2857967	38 lbs.	\$1046.29

KC100A



Replacement Power Cord Stubs - connects to motor, 34" long stub cord with first half of quick disconnect plug:

Part #	Length	Gauge Cable	Voltage	Fits Kasco Models	Stocking Code	Ship Weight	List Price
KCS1	34"	14	115v	115v units	278887	2 lbs.	\$96.19
KCS2	34"	14	230v	230v units (up to 3 hp)	378796	2 lbs.	\$96.09
KCS3	34"	12	230v	5 hp units	1156049	2 lbs.	\$190.29

Control Panels

Part #	Description	Stocking Code	Ship Weight	List Price
C25	Control panel with 115v GFCI, timer & photo eye	4192297	3 lbs.	\$234.50
C85	Control panel with 230v GFCI, 115v plug, timer & photo eye	91129555	10 lbs.	\$1377.50
GFI3*	Control panel with 115v GFCI & timer	3158844	3 lbs.	\$211.79
C220	Control panel with 240v GFCI & timer for 3/4, 1 & 2 hp AF units	8762603	10 lbs.	\$930.00
C230	Control panel with 240v GFCI & timer for 3 & 5 hp AF units	2762600	10 lbs.	\$930.00

*Non-Kasco unit



Kasco Deicer Water Agitators

Kasco deicers are designed to prevent the formation of damaging ice around docks and boats. Thousands of these units are being used in marinas, harbors, waterfront developments and recreational ponds to prevent costly ice damage. Deicers come complete with power cord and two 20' suspension ropes.

Time and temperature control – save money in reduced electrical usage! The controller (C20), designed exclusively for Kasco, will only operate when both the timer and thermostat are activated, unlike regular timers which run the motor every day at a set time. This controller will only operate when the temperature requires it. A temperature only controller (C10) is available that operates motor whenever freezing conditions exist.

Kasco deicers can be used with the optional flotation kits (KFK) to create horizontal circulation. These circulators are excellent for deicing applications but also have proven very effective for summer time use in preventing stagnant water.

Used in marinas, bays or coves of lakes, irregular shaped ponds and other similar applications; these circulators are a cost effective way to improve water quality. A 1/2 hp circulator can effectively circulate water in a one acre pond twelve feet deep. Circulators are an ideal choice for shallow bodies of water where diffused air systems do not work.



Ideal for fresh or saltwater use



Deicer with optional flotation kit (KFK)



25' power cords standard on 115v deicers and circulators, 230v units have 50' cord, longer cords available

Part #	Description	Amps/Volts	Stocking Code	Ship Weight	List Price
KD12	Deicer, 1/2 hp	5.0/115v	7555130	25 lbs.	\$676.99
KD34	Deicer, 3/4 hp	6.7/115v	2629756	35 lbs.	\$767.99
KD34H	Deicer, 3/4 hp	3.35/230v	4667472	35 lbs.	\$813.99
KD44	Deicer, 1 hp	11.3/115v	9704377	45 lbs.	\$858.99
KD44H	Deicer, 1 hp	5.7/230v	6729381	45 lbs.	\$889.49
C10	Temperature only controller		396765	3 lbs.	\$118.00
C20	Time and temperature controller		5159904	4 lbs.	\$195.00
KDM	Dock mount hardware (1" pipe supplied locally)		3213207	14 lbs.	\$260.00
KFK	Flotation kit for circulators/deicers		8195573	19 lbs.	\$238.50

Bubble Tubing® Kits

- Bubble Tubing® lays on bottom and pushes warmer water from the bottom up to the surface preventing ice from forming
- Flexible tubing conforms to any shape needed
- Kits include compressor, 15' of 5/8" weighted feeder tubing, 50' or 100' bubble tubing, fittings & clamps
- Also good for shallow water aeration applications
- See page 36 for more tubing components



DDK50

Use these easy to install kits for preventing ice formations around docks, boat lifts, piers, etc.



Part #	Description	Compressor Included	Stocking Code	Ship Weight	List Price
DDK50	1/4 hp rocking piston kit, 50' bubble tubing	SRC25	4680238	40, 38 lbs.	\$867.99
DDK100E	1/2 hp rocking piston kit, 100' bubble tubing	SRC50	21067351	37, 60 lbs.	\$1342.99



Fountains Available in 2018



As a premier line of fountains, AquaMaster® continues to increase their product offerings and our catalog simply cannot keep up! Don't believe us? Their new Masters Decorative Series 1/2 hp fountain has nearly 30 nozzle choices and counting.

From their industry's best Master Series® floating fountains to their massive Celestial Fountains® and the Night Glow Lighting Systems with the most diverse lighting options in the industry, AquaMaster's commitment to excellence is second to none.

Let EasyPro help you select the AquaMaster® fountain of your choice with any of the unique options that AquaMaster® has to offer.

Five easy steps to order your AquaMaster® fountain:

1 Select desired spray pattern and height

2 Select unit series, motor size, voltage & phase

3 Determine power cord length

4 Select Night Glow lighting system

5 Get a quote from EasyPro

Master Decorative Series - 1/2 hp Fountain



Crown & Geyser (optional)



Lakewood (included)



Wide Geyser (optional)

- Stainless power unit, propeller, debris screen and fasteners for maximum longevity
- 115 volt continuous duty motors with 50' or 100' power cords (additional cable available)
- Includes Lakewood nozzle (additional nozzles available), power cable, motor, float and standard control panel (with GFCI, timer and photo eye for optional lights)
- Three year motor warranty, one year control panel warranty
- Easy installation, ships factory direct — complete in one box
- Quick disconnect power cords on both fountains and lights
- Interchangeable nozzles
- Patented, high efficiency molded composite impeller system
- Exclusive, custom designed, oil-cooled energy efficient motors
- Minimum operating depth of 2'



Standard Control Panel



Part #	hp	Amps/ Volts	Power Cable	Spray Dimensions:			Stocking Code	Ship Weight	List Price
				Lakewood	Wide Geyser	Crown & Geyser			
MDS50	1/2	5.6/115	50'	6.5' x 16'	11' x 5'	4' x 18' lower/7' high	81814740	105 lbs.	\$2134.99
MDS501	1/2	5.6/115	100'	6.5' x 16'	11' x 5'	4' x 18' lower/7' high	41899746	115 lbs.	\$2234.99



Options for 1/2 hp Decorative Series Fountains:

Part #	Description	Stocking Code	List Price
MDS05C	Optional crown & geyser nozzle	9195493	\$229.99
MDS05WG	Optional wide geyser nozzle	5148740	\$174.99
MDS2L	Two light kit, 11 watt LED, 50' power cable with quick disconnect	41048897	\$1233.99
MDS2L1	Two light kit, 11 watt LED, 100' power cable with quick disconnect	81129645	\$1328.99
MDS4L	Four light kit, 11 watt LED, 50' power cable with quick disconnect	41876797	\$2207.99
MDS4L1	Four light kit, 11 watt LED, 100' power cable with quick disconnect	31957549	\$2302.99



Masters Series® Nozzles

A sample of the most popular nozzles. See www.aquamasterfountains.com for many more!



Lakewood

- 1 hp..... 18' dia. x 7' ht.
- 2 hp 24' dia. x 9' ht.
- 3 hp 30' dia. x 11' ht.
- 5 hp 36' dia. x 15' ht.
- 7.5 hp 40' dia. x 16' ht.
- 10 hp..... 50' dia. x 16.5' ht.



Crystal Geyser

- 1 hp..... 26' dia. x 15' ht.
- 2 hp 30' dia. x 17' ht.
- 3 hp 30' dia. x 19' ht.
- 5 hp 32' dia. x 22' ht.
- 7.5 hp 34' dia. x 26' ht.
- 10 hp..... 34' dia. x 30' ht.



Crown & Geyser

- 1 hp..... 35' dia. x 12' ht.
- 2 hp 40' dia. x 15' ht.
- 3 hp 42' dia. x 20' ht.
- 5 hp 50' dia. x 22' ht.
- 7.5 hp 52' dia. x 27' ht.
- 10 hp..... 54' dia. x 31' ht.



Wide Geyser

- 1 hp..... 10' dia. x 18' ht.
- 2 hp 10' dia. x 22' ht.
- 3 hp 10' dia. x 26' ht.
- 5 hp 10' dia. x 28' ht.
- 7.5 hp 10' dia. x 32' ht.
- 10 hp..... 10' dia. x 36' ht.



Medina

- 1 hp..... 14' dia. x 9' ht.
- 2 hp 18' dia. x 12' ht.
- 3 hp 20' dia. x 14' ht.
- 5 hp 24' dia. x 18' ht.
- 7.5 hp 26' dia. x 20' ht.
- 10 hp..... 30' dia. x 25' ht.



Valhalla

- 1 hp..... 35' dia. x 10' ht.
- 2 hp 35' dia. x 12' ht.
- 3 hp 40' dia. x 16' ht.
- 5 hp 45' dia. x 18' ht.
- 7.5 hp 40' dia. x 20' ht.
- 10 hp..... 60' dia. x 26' ht.



Sanibel with adjustable flow

- 1 hp..... 14' dia. x 11' ht.
- 2 hp 17' dia. x 14' ht.
- 3 hp 18' dia. x 16' ht.
- 5 hp 20' dia. x 19' ht.
- 7.5 hp 16' dia. x 20' ht.
- 10 hp..... 18' dia. x 22' ht.



Reflection with adjustable flow

- 1 hp..... 22' dia. x 7' ht.
- 2 hp 30' dia. x 8' ht.
- 3 hp 30' dia. x 12' ht.
- 5 hp 37' dia. x 13' ht.
- 7.5 hp 40' dia. x 14' ht.
- 10 hp..... 46' dia. x 16' ht.



Somerset

- 1 hp..... 16' dia. x 12' ht.
- 2 hp 18' dia. x 14' ht.
- 3 hp 22' dia. x 17' ht.
- 5 hp 25' dia. x 20' ht.



Ordering a 1-10 hp Masters Series® Fountain

Five easy steps to order your AquaMaster® fountain:

- 1** Select desired spray pattern and height
- 2** Select unit series, motor size, voltage & phase
- 3** Determine power cord length
- 4** Select Night Glow lighting system
- 5** Get a quote from EasyPro

- Five year warranty on 1/2 - 5 hp, four year warranty on 7.5 - 10 hp, three year warranty on control panels
- All AquaMaster fountains are UL and cUL listed for safety
- All 1/2 - 5 hp fountains drop ship from factory in approximately five business days
- 7.5 and 10 hp ship in two to three weeks
- All motors available in 208-240 volt single phase or 208-240 volt and 440-480 volt three phase power, all include GFI protection



Night Glow Lighting Systems



- An AquaMaster floating fountain is even more dramatic at night with the addition of a Night Glow LED Lighting System
- All lights operate at line voltage (115v) — no transformer needed
- All kits include stainless steel housings and quick disconnect power cable
- All necessary electrical controls installed in fountain control panel including digital timer and GFI protection

Contact us for 7.5 and 10 hp lighting options
Color changing LED lights also available

Available white light sets 1-5 hp:

- 3 light, 22 watt LED light set
- 4 light, 22 watt LED light set
- 2 light, 35 watt LED light set
- 3 light, 35 watt LED light set
- 4 light, 35 watt LED light set



Celestial Fountains

These dramatic displays can reach up to 95' tall. Available in 10 hp - 25 hp units with many options, please inquire.





1/2 hp Legacy Fountain

The Legacy fountain is 1/2 hp and capable of four separate spray patterns (included). Ideally suited for small ponds and recreational areas desiring decorative looks.



Standard Umbrella Nozzle
4' x 12' Spray



High Umbrella Nozzle
9' x 16' Spray



High Two Tier Nozzle
9' x 16' Spray

- Rotationally molded float measures only 24" x 24" x 3" thick, float is filled with expanded polystyrene foam
- A flow reduction disk is included, which can be inserted in the nozzle to cut the normal spray pattern dimensions in half, ideal for "dimensionally challenged" (small) ponds
- Powered by a 115v Franklin Super Stainless 1/2 hp water cooled motor, contains no oil
- Includes parts needed to make all four displays shown at right and above
- Ships complete in one box — ideal for retail sales and do-it-yourselfers!
- Package includes 1/2 hp fountain, float, timer, GFI, nozzles and 100' power cord
- One year warranty
- See SLK3N light kit on page 50 for night time display!



Standard Two Tier Nozzle
6' x 11' Spray

Part #	Minimum Operating Depth	Stocking Code	Ship Weight	List Price
LEG50*	18"	41852821	58 lbs.	\$2179.79



Carnival Propeller Pump Fountains

Add light kit on opposite page for beautiful night time display!

These fountains feature a propeller-driven pump which pumps a large volume of water.

- Best choice for maximum aeration and circulation
- Nozzles are not interchangeable like pumps on page 67
- 100' power cord included, longer cords are available

Two year warranty on 1 hp units, three year warranty on 2-5 hp units!



Part #	hp	Volts	230v Amps	Spray Pattern h x w	gpm	Stocking Code	List Price
AFP10	1	230	9.8	8' x 25'	1000	32876992	\$3384.69
AFP20	2	230	13	8' x 25'	1200	44151906	\$4884.59
AFP30*	3	230	17	9' x 30'	1400	74742573	\$5579.49
AFP50*	5	230	27.5	11' x 35'	1400	96157657	\$7244.29

*230 volt, three phase motors available in 3 and 5 hp models.

Prices are the same as shown — be sure to specify on order "3 Phase Motor".



1-5 hp Centrifugal Pump Fountains

- These fountains use an impeller (instead of a propeller) to build higher pressures, which give greater spray heights
- Centrifugal pump fountains utilize a pump chamber where pressure is built, then sprayed through a nozzle
- All five of the spray nozzles shown can be used on these fountains
- Two year warranty on 1 hp units, three year warranty on 2-5 hp units



Northstar Spray Pattern



Galaxy Spray Pattern



Diana Spray Pattern



Nova Spray Pattern



Solace Spray Pattern

Spray Pattern Dimensions (height x diameter x gpm)

	Diana	Northstar	Solace	Nova	Galaxy
1 hp	20' x 20' x 80	16' x 32' x 108	14' x 18' x 108	25' x 2' x 108	30' x 50' x 95
2 hp	23' x 23' x 116	20' x 36' x 120	18' x 22' x 120	28' x 2' x 116	32' x 50' x 116
3 hp	28' x 28' x 120	26' x 42' x 127	20' x 28' x 127	33' x 2' x 130	35' x 50' x 120
5 hp	30' x 30' x 140	33' x 50' x 156	24' x 30' x 156	36' x 2' x 156	39' x 60' x 136

Fountain Pricing

Price includes pump, float, 100' power cord, control panel and one nozzle of your choice from the five listed above.



Part #	hp	Amps @ 230v	Stocking Code	List Price
AFC10	1	9.8	42974749	\$3499.69
AFC20	2	13	64092407	\$4814.59
AFC30	3	17	34670323	\$5494.49
AFC50	5	27.5	86021735	\$7084.39
ACPN	Additional nozzles	—	5110491	\$129.99

200 watt 12v Lighting System for 1 to 5 hp Fountains

Add this light kit to any of the 1 - 5 hp fountains to create a beautiful night time display

- Kit includes four 50 watt lights, photocell for automatic operation at dusk and a UL listed transformer



Part #	Description	Stocking Code	List Price
LK50	Four light kit	51865573	\$2194.79
LKL*	Colored lens (each)	98922	\$10.49

*Specify blue, green, red or amber





Mid Michigan Ponds (MI)



Installed by homeowner, Thompson Pond (MI)

Reinforced Woven Polyethylene Pond Liners

Ideal for lining large ponds — up to 75,000 square feet in one piece and custom made to your pond size

These EasyWeave polyethylene liners are engineered to offer great strength in a light weight liner material. The material is UV stabilized to offer years of worry free protection against the damaging rays of the sun. Unlike regular multi-layered liners which simply stack the layers of liner on top of each other, these liners are woven together — this gives the ultimate in strength. Because of the light weight and strength, these liners can be manufactured in sizes up to 75,000 square feet.

Features

- Designed for easy installation and long life span
- Puncture, abrasion and chemically resistant construction
- High strength HDPE woven core that provides superior dimensional stability
- Outstanding UV, ozone and oxidation resistance
- Unlike PVC liners, which need 12" of soil over the entire liner, these liners do not require coverage other than around the edges — this lowers the overall installation cost dramatically!
- Custom made liners require approximately 10-14 days for manufacturing and delivery

Compare our Prices!

20 year warranty when under water, 10 year warranty when exposed to direct sunlight

Pipe boots are available for sealing around incoming lines below water, contact us for details

Liner Panel Size Parameters:

Width: Must be in multiples of 6' for overall width • Length: Any desired length in 1' increments up to 300' long



See our website for video installations of liner, spec sheets, training and design tips

Applications

- Aquaculture
- Pond liner
- Soil remediation
- Exposed applications
- Oil and gas
- Irrigation reservoirs and canals
- Water management
- Hydroponic farming
- Fracking

Field seaming of multiple panels can be done by factory with heat welder.



Part #	Thickness	Maximum Panel Size**	Maximum Pallet Size Liner	Square Feet Quantity	Stocking Code	Ship Weight per 1000' sq. ft.	List Price per sq. ft.
WCP24	24 mil	75,000	18,000'	1000' - 10000'	6369	80 lbs.	\$0.54
				10001' - 20000'	2343	80 lbs.	\$0.51
				20000' - 40000'	4315	80 lbs.	\$0.48
				40000'+	—	—	Call
WCP30	30 mil	65,000	16,000'	1000' - 10000'	9396	93 lbs.	\$0.58
				10001' - 20000'	3372	93 lbs.	\$0.55
				20001' - 40000'	5344	93 lbs.	\$0.52
				40000'+	—	—	Call

**Liners over 16,000 sq. ft. come as large roll and ship on flat bed truck

PVC Pond & Containment Liner

NEW

These PVC pond liners are made from first use, virgin resins, ensuring the highest quality and longevity.

- PVC liners are not UV resistant and should only be installed in applications where at least 12" of soil is over the liner
- PVC liners are very flexible and conform easily to most any shape pond or containment area

Panel size parameters:

- Width — Must be in multiples of 6', round up to nearest increment of 6' as needed
- Length — Maximum panel length is 250'

PVC liner prices fluctuate often based on market commodities, please call for pricing



Applications:

- Water features
- Golf course ponds
- Farm ponds
- Irrigation ponds
- Reservoirs
- Industrial waste ponds
- Canals
- Sewage lagoons
- Landfill closures
- Soil remediation

Part #	Description	Ship Weight per 1000' sq. ft.	Maximum Panel Size
PVC20	20 mil liner, custom made to size - 1000 sq. ft. minimum order	140 lbs.	37,500 sq. ft.
PVC30	30 mil liner, custom made to size - 1000 sq. ft. minimum order	210 lbs.	25,000 sq. ft.
PVC40	40 mil liner, custom made to size - 1000 sq. ft. minimum order	280 lbs.	18,750 sq. ft.

PVC pipe boots for straight or sloped side applications are available - call for pricing

Pond Liner Underlayment



- 5 oz. non-woven geotextile fabric in three widths - 5', 10' and 15', easy to match up to the EPDM liner sold in 5' widths
- Provides additional tear and puncture protection from roots, stones or any other sharp objects
- Provides enhanced soil stability and erosion control
- Can be used on top of liner as well to protect from punctures when adding gravel
- Full rolls are 300' long



5', 10' & 15' wide rolls • Contact us for special pricing on ten rolls or more



Part #	Description	Stocking Code	Ship Weight	List Price
FPU	5', 10' or 15' wide x any length	1163	—	\$0.25/sq. ft.
FPUF5	5' wide x 300' roll	2190397	50 lbs.	\$271.99 roll
FPUF10	10' wide x 300' roll	4358395	105 lbs.	\$511.99 roll
FPUF15	15' wide x 300' roll	8520793	180 lbs.	\$743.99 roll

Pond & Water Garden Thermometer

- Can be used as a floating thermometer (with cap on) or sinking thermometer (with cap off)
- Made from ABS plastic and shatterproof lens, reads in both F° and C°
- 3' cord included, twelve per case



P180

Koi Medic Salinity Meter

- Very accurate, easy to use salinity meter
- Simply turn on and dip into pond, LCD will display salt content
- Includes protective case
- Auto shutoff, drop shock 6', 150 hour battery life, water resistant, low battery warning, 0.00 - 1.00% range 0.01 resolution, includes four 1.5v button cell batteries



KMS

Eco pH+ Tester

- This simple to use tester gives fast, accurate pH readings, is water resistant and floats if dropped in pond
- Controlling pH levels will help balance water chemistry, enhance fish colors, promote spawning and control CO2 level
- Includes protective case
- Auto shutoff, drop shock, 150 hour battery life, water resistant, low battery warning



KPH

Four 1.5v button cell batteries included

Part #	Description	Case Quantity	Stocking Code	Ship Weight	List Price
P180	Pond & watergarden thermometer	12	613494	1 lb.	\$17.99
KMS	Koi Medic salinity meter	—	590152	2 lbs.	\$112.69
KPH	Eco pH+ tester	—	876796	1 lb.	\$95.99



5-in-1 Test Strips

- Tests for nitrate, nitrite, total hardness, total alkalinity and pH
- Fresh water use
- Water should be tested regularly to maintain good water quality
- 50 test strips in each bottle



Part #	Case Quantity	Stocking Code	Ship Weight	List Price
TS5	12	913494	1 lb.	\$17.99

LaMotte

Water Test Kit

Accurate, affordable and easy to use

LaMotte has grouped the most popular water tests into a convenient easy to carry package with nine test kits.



9 Test Kit tests for:

Ammonia, Nitrite, pH, Alkalinity, Chloride, Hardness, Carbon Dioxide, Temperature, Dissolved Oxygen

Part #	Description	Stocking Code	Ship Weight	List Price
L363302	9 Test kit	4252447	6 lbs.	\$296.99



YSI Meters

Economy Oxygen Meter

The YSI DO200 is designed for quick, accurate oxygen and temperature readings!

- Hand held and easy to use
- Watertight IP67 housing
- Automatic temperature compensation
- Manual salinity compensation
- Low battery indicator with 500 hour battery life
- Screw on cap membranes with low stirring, fast response probe
- Choose a 12' (4 meter) or 30' (10 meter) cable, order separately



Part #	Description	Stocking Code	Ship Weight	List Price
D200	Model DO200 Oxy/Temp metric meter w/o cable or probe	6254514	3 lbs.	\$282.79
D200-4	Oxygen/Temp probe w/12' cable for DO200	7276473	2 lbs.	\$307.19
D200-10	Oxygen/Temp probe w/30' cable for DO200	3294024	3 lbs.	\$326.69

We offer the lowest prices on all YSI products!

Contact us for any item not shown!

Fish Shipping Bags

- Most commonly used for hauling live fish
- Bags are made from the finest materials
- Our standard bag is 18" x 34", 3 mil and guaranteed waterproof
- Available in 100 or 250 count box

Save 5% on three or more boxes of OB250

Part #	Description	Stocking Code	Ship Weight	List Price
OB100	100 count box	847175	12 lbs.	\$62.89
OB250	250 count box	3109128	31 lbs.	\$145.49



Bander & Bands

Use this handy tool to quickly and securely close your fish shipping bags. For maximum holding power use two bands on each bag.


Part #	Description	Stocking Code	Ship Weight	List Price
BBT	Bag sealing tool	322325	2 lbs.	\$31.89
BB	Bands, 100 per bag	44121	1 lb.	\$5.89



Game Fish Food

- High quality general purpose fish food designed for feeding trout, bluegill, catfish and other game fish in farm ponds and lakes
- Floating pellets available in 3.0 mm (1/8") for younger fish or 5.0 mm (3/16") for larger fish

Part #	Description	Stocking Code	Ship Weight	List Price
FD18	44 lb. bag 1/8"	938500	48 lbs.	\$44.99
FD316	44 lb. bag 3/16"	538501	48 lbs.	\$44.99



EasyPro offers a variety of tanks and tank systems for both educational and aquaculture applications. Tanks are lightweight, inexpensive, freshwater or saltwater compatible and have a long life expectancy. These one piece tanks do not have factory installed drains, use bulkhead fittings (see our Pond and Water Feature Catalog to order) for water tight drain connections. Tanks are shipped FOB Minnesota, allow 10 to 14 days delivery time. All tanks on this page are available in black, green, blue or natural. Tanks ship blue if not specified.

Semi-Square Tanks

Provide the most volume of water in a gross area. Contoured for self cleaning. Nestable tanks also feature a sloped bottom for total tank drainage. Tanks do need a support stand.

Ideal for koi display tanks

Stands are available for tanks - please inquire

Part #	Dimensions	Capacity	Stocking Code	List Price
PT2618	26" x 26" x 18"	50 gallon	4129430	\$161.79
PT3127	31" x 31" x 27"	110 gallon	3232951	\$291.19
PT4222	42" x 42" x 22"	180 gallon	6284797	\$355.99
PT6228	62" x 62" x 28"	450 gallon	7621118	\$776.39



Round, Flat Bottom Tanks

We've sold these tanks all over the United States and in Canada for a wide variety of applications including aquaculture production, koi display tanks, filtration tanks, holding tanks and many other uses. Tanks are nestable for reduced shipping cost.

Part #	Diameter	Depth	Capacity	Stocking Code	List Price
PT3931*	39"	31"	110 gallon	3207038	\$258.79
PT4822	48"	22"	125 gallon	6232959	\$291.19
PT4825*	48"	25"	150 gallon	7232954	\$291.19
PT5228*	52"	28"	180 gallon	4258870	\$323.59
PT5430	54"	30"	200 gallon	1336479	\$420.59
PT6530	65"	30"	300 gallon	6414157	\$517.69
PT8030	80"	30"	500 gallon	5517673	\$647.09
PT9038	90"	38"	800 gallon	2646076	\$807.59
PT9650	96"	50"	1200 gallon	1869594	\$1086.99



*PT3931, 4825 and 5228 have a sump pit in the floor of the tank.



Cone Bottom Tanks

Cone bottom tanks are excellent for filtration tanks as well as aquaculture production, they require a stand for support. Tanks are light blue in color and are nestable for shipping. Cone bottom tanks provide the best self cleaning action, a 20° cone bottom forces solids to the bottom center of the tank allowing for continuous cleaning action. Tank depth listed below does not include cone, overall depth is tank and cone bottom.

Stands are available for tanks - please inquire

Part #	Diameter	Tank Depth	Overall Depth	Tank Capacity	Stocking Code	List Price
CB6028	60"	28"	38"	250 gallon	3258871	\$323.59
CB7530	75"	30"	43"	450 gallon	8491676	\$614.59
CB8530	85"	30"	44"	650 gallon	5517671	\$647.09
CB9636	96"	36"	53"	950 gallon	4854152	\$1067.69
CB10260	102"	60"	70"	1500 gallon	51035276	\$1294.09



Dipnets

Use these top quality dipnets for counting, grading or transferring fingerling fish. The DN10 net has a 7" deep bag while the DN20 net has a 12" deep bag. Both nets feature solid hardwood handles and heavy duty galvanized steel frames with a net saver steel guard on the front. Frame size is 9" x 16" and mesh size is 3/16" on all nets.


Part #	Description	Handle Length	Stocking Code	Ship Weight	List Price
DN10	Dip net, 7" bag depth	42"	529996	4 lbs.	\$39.99
DN20	Dip net, 12" bag depth	42"	332774	5 lbs.	\$43.69



Plastic Netting

- This high quality netting has many aquaculture uses including cages, trays, drain screens, covers, pens, traps, tank dividers, filters and more
- Because it won't rust or rot, it is the perfect choice for water use
- Use with cage fittings below to make floating pens and cages
- The black polyethylene mesh is UV resistant for long life

Part #	Size/Description	Stocking Code	Ship Weight	List Price
PN125	1/8" mesh x 48" x 50' roll	685677	8 lbs.	\$122.39
PN250	1/4" mesh x 49" x 50' roll	8132293	20 lbs.	\$188.99
PN500	1/2" mesh x 49" x 50' roll	3168274	21 lbs.	\$240.39
PN750	3/4" mesh x 49" x 50' roll	5147556	20 lbs.	\$210.79



The heaviest plastic netting available. Compare our prices.

The Fish System 1

A single tank set up that requires less than 6' x 8' of space. Commonly used in retail stores and pond shops, this system is also found in many school classrooms studying aquaculture.

System Includes:

- One PBF1800 EasyPro bead filter rated for up to 60 pounds of fish
- One PT6530 300 gallon fish tank 65" diameter x 30" deep
- One GV50S continuous duty pump
- All necessary fittings, valves, unions, pipe, etc.

Part #	Description	Stocking Code	List Price
RCS2	Complete fish system, 1 tank	41259966	\$1680.29

Tanks ship direct, via truck, from factory - other components ship from EasyPro



The Fish System 2

Dual 300 gallon tanks allow you to keep different species or different sizes of fish in the same system. Over the years this system has proven to be the best selling system due to its increased capacity with minimal additional cost to a single tank setup.

System Includes:

- One PBF3600 EasyPro bead filter rated for up to 150 lbs. of fish
- Two PT6530 300 gallon fish tanks
- One GV75S continuous duty pump
- All necessary fittings, valves, unions, pipe, etc.



Part #	Description	Stocking Code	List Price
RCS3	Complete fish system, 2 tanks	71909532	\$2537.19

Tanks ship direct, via truck, from factory - other components ship from EasyPro





Where to Buy

EasyPro Pond Products are available across the U.S. and Canada through our growing network of distributors and dealers. Purchasing EasyPro items through these local suppliers has become the easiest and most cost effective choice for landscape professionals and homeowners. Use the "Where to Buy" section on our website or contact us at 800-448-3873 to help find an EasyPro supplier near you.

Customer Service

Technical Assistance — 2018 marks our 48th year in the aquatics business. We feel it is better to spend time helping you properly select products now rather than spend time with you later helping to solve the problems (and expense) of incorrect products! Please feel free to contact us for free design assistance on pond, waterfall, aeration, filtration, etc. Whenever possible please fax a diagram of your layout to provide us a visual reference.

Large Orders — If you are in need of a large quantity of an item (or items), please provide us a list of items and quantity needed so we can quote you prices.

Ordering

Place orders in any of the following ways:

Telephone — Orders by phone can be placed at 231-834-7720 or toll free at 800-448-3873; Monday to Friday; 8am to 5pm Eastern time.

Fax — Orders by fax can be sent to 231-834-5537, for your convenience there is a faxable form on page 131.

Email — Orders by email can be placed at orders@easypro.com. This email is for orders only. For special project quote requests (ponds, Just-A-Falls, fountains, aeration, etc.) can be placed at quotes@easypro.com. For other questions, quotes or other services please call 800-448-3873.

Shipping Information

Items Less Than 150 Pounds — These items typically ship UPS or Fed-Ex. As shipping fees and calculations change frequently from carriers, we strive to provide economical, on time and secure delivery of product. From time to time additional carrier fees are charged for bulky items (filter material, pond kits, etc.), unpackaged goods (i.e. flex pipe, kink-free tubing, etc.), hazardous goods and other special considerations.

Large and/or Heavy items are shipped motor freight — Last year we shipped more than 1.6 million pounds of freight over truck lines. Because of our large volume we have negotiated large discounts with our truck lines from their standard rates. This makes us very competitive when shipping large orders. Motor freight companies charge a residential fee when delivering to a residence.

Damaged Shipments — Please inspect your shipment before signing for it! Once you sign for it, the carrier will not be liable for shortages or damage. You can refuse a damaged shipment or accept it with clear notification of damage on the bill of lading. Please call us immediately if a damaged order is refused so we can accept it back from the carrier and reship your order.

Returns

All returns must have an RA# (Return Authorization Number). This lets us know what is coming back and what to do with it (i.e. credit your account, replace product, etc.). A 10% restock fee will apply to returns unless it is our shipment error. Packages sent to us without an RA# written on them will be refused! All products, including warranty items, must be returned to us shipping prepaid. We will pay the shipping charges on warranty items back to you, but not from you to us. Product over 90 days old is not returnable for credit. Special orders, cut liner and used items are not returnable.

Payment Options

Credit Cards — We accept VISA, MasterCard, Discover and American Express.

Money Orders/Checks — Money orders or business checks are accepted as payment.

Net 30 Account — Companies wishing to set up an account with us need to fill out our credit application. Schools, institutions and governmental agencies are pre-approved with use of a purchase order number. Interest will accrue on all invoices over 30 days. No orders will be shipped to customers with invoices over 60 days old until account is brought current.

Hours

Business Hours — Monday through Friday, 8:00 a.m. to 5:00 p.m. EST; **Sales, design, shipping and office closed Saturdays**

We will be closed for the following 2018 holidays:

Memorial Day — Saturday & Monday, May 26 & 28; Independence Day (US) — Wednesday, July 4; Labor Day — Saturday & Monday, September 1 & 3; Thanksgiving (US) - Thursday & Friday, November 22 & 23; Christmas - Monday, December 24, 2018 through Tuesday, January 1, 2019

Warranty

EasyPro honors all manufacturer's warranties. Each manufacturer has their own warranty procedure. Some manufacturers allow us to determine warranty for them, while others handle their own warranty. Submersible pumps that have been run out of water, have been altered or have cuts to the power cord will not be covered by warranty. Also, any product not used for its intended purpose, altered, damaged, improperly maintained or neglected will not be covered. Submersible pumps cannot be taken apart, this voids warranty. Shipping costs to us (or to the manufacturer) are not covered by warranty, please insure package when shipping back to us. If product is covered by warranty we will pay shipping costs to ship new/repaired item back to you. Product returned to us for warranty that is deemed in working condition will be shipped back to you at your expense. Be sure your electrical supply is proper before returning pumps to us — each year we get numerous returns that are in good working order only to find the problem was in the electrical supply! A bench fee of \$25.00 will be charged for each pump returned to us that is not broken. Each year we test hundreds of pumps, many of which are fine. This fee covers time and materials used in testing pumps that are in good working order.

A policy of continuous improvement is our goal, therefore products may change from these shown.

All prices subject to change without notice. We make every effort to maintain printed prices however, due to circumstances out of our control, they may change.



4385 East 110th
Grant, MI 49327

231-834-7720
800-448-3873
Fax: 231-834-5537


info@easypro.com
www.easypro.com

Current Resident or

Issued January 2018

Catalog #48WL

Two Specialized Catalogs for 2018!



EasyPro prides itself on offering the largest selection of products. Whether a small water feature or a large lake, we have products for nearly every application.

As our product line continues to grow year after year, it has become harder to contain it all in one catalog.

We Offer Two Separate Catalogs:

- **The Pond and Water Feature** catalog contains products and information on ornamental ponds and water features
- **The Lake & Pond Management** catalog contains all of our water treatments, fountains, aeration systems and aquaculture supplies

Please contact us via phone or website to view or request copies of our catalogs!

