



**Diffused Aeration • Fountains**  
**Water Treatments**  
**Lake Dyes**



# 2023

## Lake & Pond Management Catalog



**NEW RESOURCE PORTAL**  
Quick and easy access to all your EasyPro resources!  
**Page 3**

**800-448-3873**

**EASYPRO.COM**



I saw a quote recently from Jim Rohn that said,


***"If you really want to do something, you will find a way.  
If you don't, you will find an excuse."***

This quote sums up much of what we have had to face over the last three years. There has been a never-ending string of supply chain issues, material shortages, trucking and shipping delays and general business challenges. Through it all, the team at EasyPro has constantly tried to **find a way!** I cannot say "thank you" enough to everyone here for rising to the challenge in every way possible. To you, our customers, we say "thank you for patience and understanding through these trying times."

We are hopeful that 2023 will see improvement. Late in 2022, we noticed that raw material lead times started improving, shipping delays were less, and pricing seemed to stabilize and even start to drop off. Let's hope the worst is behind us and we can see a return to more normal business routines moving forward!

There are many new things in the works here at EasyPro. From new pumps to new basalts to our new marketing resource portals, we are constantly trying to improve your experience when doing business with us. We value and appreciate your business and look forward to working together in 2023!

*Dave and Chris Owinga*



**EasyPro**  
AUTHORIZED SELLER

**MAP PROTECTED**

### IMPORTANT INFORMATION

#### EasyPro Authorized Distributor and Dealer Program and Enforced MAP Policy

EasyPro has in place one of the strongest and enforceable Unilateral Distributor and Dealer Authorization Program in the industry in conjunction with an actively enforceable MAP (Minimum Advertised Price) Policy, which allows us to protect the quality and value of the EasyPro Brand.

Authorized supply chain partners are confidently able to profitably capitalize on selling the added value of their services, product knowledge, and warranty services that unauthorized sellers will not be able to provide.

For more details about this program, email us at [asp@easypro.com](mailto:asp@easypro.com).



## Pond & Water Feature Catalog

EasyPro offers a large selection of Pond and Water Feature products. See our ever-expanding selection of garden fountains, pond and waterfall pumps, pond kits, waterfall/stream kits, aeration systems, compressors, water treatments and so much more!

We have a separate catalog devoted to ponds and water features for pond and water garden enthusiasts.

**Contact us via phone or website to view or request copies of our catalogs!**

*Give thanks to the Lord, for he is good; his love endures forever. Psalms 107:1*



## Catalog Symbols



### RETAIL READY

Our most popular pond items packaged and ready for retail



### MOTOR FREIGHT

Certain items ship motor freight only due to size or content



### OVERSIZE PARCELS

Look for this symbol to denote any additional handling charges



### MADE IN THE USA!

We are proud to offer as many items as possible in the USA



### DISCOUNTS

Buy it by the case and receive discounts!



### ECO-FRIENDLY

Environmentally safe products, good for use with fish & plants




### PRICE DROP

Lower prices in 2023 on select products



### MAP (Minimum Advertised Price) Protection

This symbol indicates MAP Protected products. Look for the green shield  next to the List Price on all affected products. Contact us for the complete 2023 MAP price list.

# Get it NOW!



## Digital Promotion

EasyPro.com • Social Media Sharable "How To" Articles



## Promotional Materials

Catalogs • Guides  
Sell Sheets • Brochures



## Branded Promotions

EasyPro® Branded Materials:  
Banners • Displays

# In Your Resource Portal

We're making it faster and easier than ever for you to access EasyPro resources!

We understand that quick and easy access to business resources is vital. The EasyPro Resource Portal is your new go-to hub for:

- Order forms
- Product images
- Product Videos
- Social media drag and drop ads
- "How To" Series" articles
- Promotional materials
- Sell sheets
- Brochures
- Handouts
- Project calculators

**Snap Code for Sales Tools!**

Visit the EasyPro Portal today!



## Digital Promotions



EasyPro® product posts  
Sharable content to educate and inspire



## Promotional Materials



EasyPro® catalogs  
Data/sell sheets  
Product brochures  
Guides to educate and inspire



## Branded Promotions



Order banners for in-store or trade shows

**EasyPro Pond Products is a leader in the field of lake and pond management. Combined, our sales staff has over 150 years of lake and pond management experience — we can assist you in developing a management plan for nearly any application, from small farm ponds to large lakes.**


**We offer everything you need to monitor, treat and maintain earthen ponds and lakes. From testing equipment to weed/algae treatments to aeration systems, our experienced staff is happy to help with any management need.**

Ponds and lakes are valuable natural resources. They add beauty to the landscape, provide recreation and are a habitat for fish and wildlife. A natural body of water is a complex biological, chemical and physical community. The quality of the water determines the health of the entire community and the aquatic organisms living within the system ... from microscopic bacteria to the largest fish!

The “engine” that drives everything within a body of water is the presence of oxygen in proper levels. A pond’s condition deteriorates when its bottom environment cannot support aquatic life. The bottom is where the most oxygen is consumed and the farthest from the surface where it is replenished. Without adequate oxygen at the bottom, beneficial bacteria do not break down the organic waste. This results in increased layers of sediment (muck) along the pond bottom. Simply put, without oxygen a pond cannot clean itself!

### Stratified without Aeration De-stratified with Aeration

- Warm, typically oxygen-rich
- Recurrent surface scum
- Floating weed masses
- Zone of decreasing water temperature
- Zone of decreasing dissolved oxygen
- Zone completely void of oxygen
- Cold water temperature
- Accumulating organic muck
- Weeds prevalent
- Unusable by fish and all aerobic organisms



- Uniform temperatures
- Uniform oxygen levels
- Fish can use the entire pond all year long
- Improved water clarity
- Reversed aging effects
- Improved natural pond bacteria populations
- Improved fish habitat
- Less organic material accumulation
- Protection from winter and summer fish kills
- An enhanced pond ecosystem
- Reduced surface scum build-up
- A better swimming and recreation area

## Effective Pond Management PAF2

Introducing our new full-size, full color, educational brochure.

Leverage EasyPro's proven approach to effective pond management to communicate with your customers.

This easy-to-read guide helps you educate your customers about the importance of using a combination of aeration, beneficial bacteria and aquatic weed and algae control products to get the pond of their dreams.

- A great leave-behind to keep you in your customers' minds
- Features a space on the back cover to add your company name
- Packaged in quantities of 25\*
- Download the PDF from [easypro.com](http://easypro.com) or your [resource portal](#) to share via email

\* For higher quantities, please contact us for details.



## Years of experience has taught us that three main tools are needed to effectively manage ponds and lakes:

**1 Aeration (pages 23-84)** Bubbling fountains and diffused air systems are commonly used to increase the natural levels of oxygen and help to create a stable and productive ecosystem. Fountains typically float on the surface and spray water up into the air. As the water droplets fall back to the surface they pick up oxygen. Fountains also create surface ripples and circulation which helps keep the surface clean. Diffused air systems utilize a shore-mounted air compressor that pumps oxygen through a hose to a diffuser lying on the pond bottom. Since the bottom of the pond is where the most oxygen is consumed, oxygen is delivered to where it's needed the most. As the bubbles rise out of the diffusers they create a “lifting” or boiling action which creates considerable circulation throughout the pond. This circulation helps to prevent water stratification (see drawing above).

**2 Beneficial Bacteria (pages 5-7, 9)** For nearly four decades we have been using bacteria to help Mother Nature keep waters clean and clear. The use of natural bacteria to help reduce sludge build-up is widely used and embraced. By adding billions of these naturally occurring organisms, you can reverse the aging process of ponds that occurs when fish waste, leaves, dead weeds/algae, runoff, etc. start to build up on the bottom. The results are improved water quality, reduced odors, improved oxygen levels and a better environment for fish and other aquatic life.

**3 Aquatic Weed and Algae Controls (pages 11-21)** There are a wide variety of treatment products available to safely control aquatic weeds and algae in ponds and lakes. These tested and approved products are a safe and quick way to gain control of waters that are infested with aquatic weeds or algae. The use of these products is a good short term solution, however, to gain long term control you should look at the overall ecosystem and determine the source of the problem. Often aeration and/or the use of bacteria will greatly improve the system and the use of aquatic weed and algae controls can be reduced.



# ARCHWAY BIO™

*Creating enjoyable waters...naturally.*

Archway Bio is the division of EasyPro Pond Products that handles all the water treatment production. EasyPro is a full line blending, packaging and labeling company offering a wide selection of treatments under our own brand as well as offering private label and bulk treatment options. Our products are widely used in the pond, lake, septic and waste water fields by customers around the world.

EasyPro offers a wider selection of treatment options under our own brand name as well as bulk products for applicators and those using large quantities of material. In addition, we offer private labeling of water treatments (minimum order quantities apply), concentrates and custom blends for customers wanting unique product offerings. Please call us for more information.

## 1 Existing EasyPro branded products

For the re-seller looking for finished products, we provide an established brand with an extensive line of shelf-ready products.



## 2 Private Label

For distributors, mail order catalog companies, internet marketing companies or any other re-seller that wants completed finished products. You provide your brand and we'll package it with custom labels.




## 3 Bulk Product

For companies that cannot manufacture. Buy in bulk to repackage and label at your facility.



## 4 Concentrates & Raw Ingredients

For manufacturers that have the ability to blend, package and label products at their own facility



## 5 Customized Products & Packaging

For companies wanting unique product appearance and size. Choice of liquid/powder, tablets/packets and containers



## Pond-Vive L

### Liquid lake and pond bacteria

#### A convenient alternative to Pond-Vive in a liquid

- Similar formula to Pond-Vive powder, can be used to treat golf course ponds, farm ponds, municipal areas and similar applications
- Works to remove ammonia, nitrates, phosphates & sludge
- Application rate is one gallon per surface acre weekly for four weeks, then every two to four weeks for maintenance
- Two gallons will treat 1/4 acre pond for 10-16 weeks

Available in  
**55 gallon drum & 250 gallon tote**  
for large bodies of water.

See page 9

#### DOSAGE RATES

**Initial Dose:** One gallon per surface acre every week for four weeks, then maintenance dose.

**Maintenance Dose:** One gallon per surface acre every two weeks

**Problem Ponds:** One gallon per surface acre every week until desired results, then maintenance dose.



*"We've tried many bacteria products over the years and found great success in Archway Bio's liquid pond bacteria for many of our high profile pond sites. Overall pond clarity and water quality parameters have been beyond our expectations".*

Cory J Zickert, Wisconsin Lake & Pond Resource



Part #	Description	Case Quantity	Stocking Code	Ship Weight	List Price
PB128	Pond-Vive L, one gallon bottle	4	434999	10 lbs.	\$49.99



# Pond-Vive Beneficial Bacteria

## Our Best Seller!



## Pond-Vive

### The natural, biological way to revive your pond

Pond-Vive is a proprietary blend of enzymes and beneficial bacteria formulated to help improve water quality and reduce sludge in ponds, lakes and other water bodies. By consuming and breaking down waste in the pond, Pond-Vive bacteria reduce the nutrient load of a pond to help keep it in balance and improve overall water quality. When used in conjunction with aeration Pond-Vive works with nature to provide clean, clear water and reduce reliance on pond chemicals.

- Reduce sludge buildup and eliminate pond odors
- Improve water clarity and reduce oxygen demand
- Eliminate excess nutrients
- Concentration level of five billion colony forming units per gram
- Enzymes - four strains which break down waste into an easier digestible form for the bacteria — speeds up the process!
- Easy to use eight ounce water soluble packets or loose powder
- Reduces ammonia, nitrite, nitrate and phosphate
- Barley straw additive
- Cold weather bacteria strains, for results in temperatures as low as 38°F

Available in several sizes from 5 pound pails for retail to 100 pound bulk drums



## DOSAGE RATES

For best results Pond-Vive should be added every two weeks when water temperatures are above 55°F (can be added at colder temperatures but results will be diminished). The amount needed depends on the condition of the pond.

**Newer ponds with little "muck"**  
Apply 4 lbs. per surface acre every two weeks

**Older ponds with high levels of "muck"**  
Apply 6 lbs. per surface acre every two weeks

*For best results the initial application should be doubled to jump start the process.*

### Example — One 10 lb. Pail Treats:

Pond Size	Newer Pond	Older Pond
1/4 Acre	5 Months	3 Months
1/2 Acre	2.5 Months	1.5 Months
1 Acre	1.25 Months	.75 Months

**A 25 lb. pail extends months treated by 2.5 times**

Part #	Description	Case Quantity	Stocking Code	Ship Weight	List Price
<b>Water Soluble Packets —</b>					
PB5X	10 Eight ounce water soluble packets (5 lbs.)	4	462991	6 lb.	\$89.99
PB10X	20 Eight ounce water soluble packets (10 lbs.)	4	9104992	11 lbs.	\$149.99
PB25X	50 Eight ounce water soluble packets (25 lbs.)	2	6244991	29 lbs.	\$349.99
PBX-50B	100 Eight ounce water soluble packets (50 lbs.)	-	2440999	53 lbs.	\$629.99
<b>Loose Powder —</b>					
PB25XL	25 lb. Bucket (with 8 oz. scoop)	2	7223999	29 lbs.	\$319.99
PB50XL	50 lb. Bucket (with 8 oz. scoop)	2	7412993	53 lbs.	\$589.99
PB100XL	100 lb. Fiber drum (with 8 oz. scoop)	-	2818992	105 lbs.	\$1169.99



PB100XL

# 800-448-3873



# Sludge Remover Bacteria



## Sludge Remover Pellets

Great for spot treating around docks, beaches or partially treating large ponds

Sludge Remover bacteria is designed specifically to remove organic sludge from the bottom of lakes and ponds. Sludge is the result of fish waste, dead algae or plant material, uneaten fish food, leaves and other debris. The pellets, when introduced to the water, sink, dissolve and begin to remove bottom organic sludge — often several inches per year.

Simply toss pellets or blocks in the water for easy application!

- Diminishes bottom sludge buildup
- Removes pond odors caused by stagnant water and decaying material
- Sinking pellets for precise and effective placement when spot treating
- Enhances water clarity and reduces murky water caused by organic wastes
- Helps lower oxygen demand in the pond
- Reduces problem causing nitrate and phosphates
- Fish, family and animal safe



Available in several sizes from 5 pound pails for retail to 50 pound boxes

### DOSAGE RATES

#### Spot Treatment

One ounce of pellets covers approx.  
200 - 250 square feet of shoreline or beach area — apply every two weeks

#### Full Pond Treatment

Two 8 ounce scoops per 1/4 acre  
every two weeks

#### Example — One 10 lb. Pail Treats:

Pond Size	Newer Pond	Older Pond
1/4 Acre	5 Months	3 Months
1/2 Acre	2.5 Months	1.5 Months
1 Acre	1.25 Months	.75 Months

A 25 lb. pail extends months treated by 2.5 times




### 3 Gram Pellets

Part #	Description	Case Quantity	Stocking Code	Ship Weight	List Price
ABB05X	Sludge Remover pellets, 5 lb. pail	4	355997	6 lbs.	\$79.99
ABB10X	Sludge Remover pellets, 10 lb. pail	4	197992	11 lbs.	\$139.99
ABB25X	Sludge Remover pellets, 25 lb. pail	2	2230999	29 lbs.	\$329.99
ABB-50B	Sludge Remover pellets, 50 lb. box	-	3454997	53 lbs.	\$649.99



### 1 Ounce Blocks

Part #	Description	Case Quantity	Stocking Code	Ship Weight	List Price
ABL05	Sludge Remover blocks, 5 lb. pail	4	262292	6 lbs.	\$88.99
ABL10	Sludge Remover blocks, 10 lb. pail	4	9107091	11 lbs.	\$152.99
ABL25	Sludge Remover blocks, 25 lb. pail	2	3248498	29 lbs.	\$354.99
SBB-50B	Sludge Remover blocks, 50 lb. box	-	5468996	53 lbs.	\$669.99





# Water Treatments



## Super Concentrated Water Clarifier

Helps clear murky, turbid water by attracting suspended particles together, settling them to the bottom

- Works great when used with Pond-Vive, the clarifier settles the organic particles to the bottom where they are consumed by the Pond-Vive
- One gallon treats 250,000 gallons of pond water, ponds with high levels of suspended solids can be treated at double dosage or a second application
- For best results mix recommended amount with pond water and spray evenly over pond surface

**Pro Tip** For even better results!

Use with Pond-Vive on pages 5 & 6. The Clarifier settles particles to the bottom and the Pond-Vive eliminates them.



Part #	Description	Case Quantity	Stocking Code	Ship Weight	List Price
WC128	Water Clarifier, 1 gallon	4	269991	10 lb.	\$99.99

## Phosphate Binder

A critical step in effective pond management & maintenance

This all natural powder formulation provides a non-chemical alternative to using aluminum sulphate (ALUM), to bind problem causing phosphates in pond water. It will also buffer pH, provide approximately 70 beneficial trace minerals, provide minor flocculation (settling) of mud and clay particles and aid in reducing ammonia.

- Improve clarity
- Reduce phosphates
- Stimulate biological activity
- Works great with bacteria

### DOSAGE RATE

3-5 pounds per acre-foot of water to lower phosphate levels.



Part #	Description	Case Quantity	Stocking Code	Ship Weight	List Price
NPB15	Phosphate binder, 15 lb. pail	4	377693	17 lbs.	\$110.99
NPB45	Phosphate binder, 45 lb. pail	12	5149994	50 lbs.	\$199.99
NPB2200	Phosphate binder, SuperSak	1	14777492	2250 lbs.	\$6369.99

†Always refer to label for exact manufacturer's dosage rates and instructions.

Contact us for pallet pricing on 45 lb. pails


**Phosphorus** is an important nutrient for aquatic plants. The amount found in water is generally not more than 0.1 ppm unless the water has become polluted from waste water sources or excessive fertilizer runoff. When phosphorus levels exceed what is required for normal pond health, a process called eutrophication or premature aging of a body of water can take place.

If water quality problems are caused by high phosphorus, treatments of EasyPro Phosphate Binder can be added. It works by binding reactive phosphorus at the molecular level and removing it from the water column. This removal helps to improve water quality in ponds and lakes.

## Phosphate Testing



Independent lab testing showed significant phosphate reduction after just one application





## Pond-Vive Bacteria 8 oz. Packets

- Reduce sludge buildup
- Eliminate pond odors
- Reduce oxygen demand
- Eliminate excess nutrients
- Improve water clarity
- Safe for fish, family and animals



50 lb. box bulk 8 oz. water soluble packets



Part #	Description	Stocking Code	Ship Weight	List Price
PBX-50B	8 oz. packets	2440998	53 lbs.	\$629.99

## Pond-Vive Bacteria Loose Powder

- Reduce sludge buildup
- Eliminate pond odors
- Reduce oxygen demand
- Eliminate excess nutrients
- Improve water clarity
- Safe for fish, family and animals



50 lb. box bulk loose powder includes 8 oz. scoop



Part #	Description	Stocking Code	Ship Weight	List Price
PB50XL	Loose powder 50#	3412993	53 lbs.	\$589.99
PB100XL	Loose powder 100#	5818994	106 lbs.	\$1169.99

## Pond-Vive L Liquid Bacteria



55 Gallon drum or 250 gallon tote

Part #	Stocking Code	Ship Weight	List Price
PB-55G	81424991	490 lbs.	\$1899.99
PB250T	53449993	2100 lbs.	\$4599.99

## Sludge Remover Bacteria 3 gr. Pellets



50 lb. box bulk 3 gram pellets

Part #	Stocking Code	Ship Weight	List Price
ABB-50B	3454997	53 lbs.	\$649.99

## Sludge Remover Bacteria 1 oz. Blocks



50 lb. box bulk 1 oz. blocks

Part #	Stocking Code	Ship Weight	List Price
SBB-50B	2468998	53 lbs.	\$669.99

## Concentrated Lake Dye Blue, Black and Serenity Blue Dyes now available in bulk!



- One quart is equal to one gallon of other dyes on the market
- This is a non-toxic and harmless pond dye for use in ponds and lakes
- Waters can be used for swimming and irrigation once product is dispersed
- Compatible with most aquatic herbicides and algacides



Part #	Description	Stocking Code	Approx. Ship Weight	List Price
ECPD-30G	Blue - 30 Gallon Drum	41650003	300 lbs.	\$2999.99
ECPD-55G	Blue - 55 Gallon Drum	62585008	500 lbs.	\$5499.99
ECPDBK-30G	Black - 30 Gallon Drum	41980002	300 lbs.	\$3749.99
ECPDBK-55G	Black - 55 Gallon Drum	63300007	500 lbs.	\$6874.99
ECPDSB-30G	Serenity Blue - 30 Gallon Drum	41650009	300 lbs.	\$3199.99
ECPDSB-55G	Serenity Blue - 55 Gallon Drum	62585001	500 lbs.	\$5899.99

30 & 55 gallon drums



# Water Treatments



## Oxygen Based Pond Cleaner

Oxygen based pond cleaners have long been used in decorative ponds and water features to clean rocks, waterfalls and streams. This same great formula is also available in larger sizes for use in earthen ponds and lakes.

- Works immediately upon application
- Lifts debris to pond surface where it can be removed
- For spot treating use 2-3 pounds per 1000 square feet, for pond application use 12-15 pounds per acre-foot of water — a double dose can be used for problem situations
- Treat no more than 1/3 of the pond at a time
- Allow 48 hours between consecutive applications



Part #	Description	Case Quantity	Stocking Code	Ship Weight	List Price
OXY25*	Oxy cleaner, 25 lb. pail	2	297498	29 lbs.	\$129.99

\*Must ship as hazardous material with additional charges via UPS or motor freight.



## Barley Pellets

100% natural product from concentrated barley straw

- Safe for use with aquatic life and pets
- Typically apply every six to eight weeks
- Fast acting - steady and extended release

**DOSAGE RATE**  
3-5 pounds per acre-foot of water to lower phosphate levels.



Part #	Description	Stocking Code	Ship Weight	List Price
EBP40	Barley pellets, 40 lb. bag	459993	41 lbs.	\$79.99
EBP2000	SuperSak bulk barley pellets, 2000 lbs.	62249998	2050 lbs.	\$2,999.99

## Septic and Drain 2-in-1 Treatment

A natural bacteria product for treating residential septic systems and household drains

- Billions of enzyme producing bacteria work to accelerate the breakdown of common household wastes such as cooking greases, vegetable oils, fruit/vegetable wastes, sugars, starches, proteins, human wastes, toilet tissue and hair
- Helps keep septic systems operating efficiently when used regularly
- Pre-measured dissolvable packets that dissolve in minutes
- No messy powders or liquids
- Helps prevent costly and unpleasant system backups
- One year supply for 1000 gallon septic systems
- Reduces odors in drain lines and garbage disposals

### Septic - One ounce water soluble packets:

For a 1000 gallon residential septic system — simply flush one packet per month to maintain a healthy septic system. Dosage can be increased for neglected systems.



### Quick & Easy Septic Treatment

Simply drop one (unopened) water soluble packet into toilet. It will dissolve in minutes. Flush toilet to force product into septic tank. Keep remaining product out of the reach of children.



### Household Drains

Drop one (unopened) water soluble packet into one gallon of warm water. Stir solution before applying. Keep remaining product out of the reach of children.



Pour one to two cups of solution down each sink, shower and garbage disposal drain. This will simultaneously treat your septic tank and restore slow flowing drains.

### One ounce septic treatment



Part #	Description	Case Quantity	Stocking Code	Ship Weight	List Price
SEP12	Septic treatment, one year supply	24	212743	1 lb.	\$16.99



## Identifying Aquatic Weeds & Algae

### Algae

Filamentous algae is most common, growing in mats and strings. Planktonic algae causes green water, it has millions of cells that cloud together. Chara is weed-like, it grows like a carpet along the bottom.

### Cattails & Other Emergent Plants

Emergent plants grow around the perimeter of a pond in shallow water with all or most of their foliage above water. Examples are Cattails, Bulrush, Reeds, Purple Loose Strife, Pennywort and Pickerelwood.

### Pondweeds

The pondweed family has over a dozen varieties with these four being the most common: Sago, Clasp Leaf, Curly Leaf, Large Leaf

### Elodea

This plant grows in thick clumps and is usually not a big problem, the leaves are in whorls of three around the stem.

### Duckweed and Watermeal

Duckweed is hard to control, it forms a thin layer over the surface in calm ponds. It will not grow well in moving water so use of a surface aerator will help in controlling growth.

### Waterlilies

Waterlilies can become a problem in many ponds, they grow off of a large central root system (much like poplar trees). Some growth is great for shade and cover for fish, but when left unchecked they will over populate quickly.

### Eurasian Watermilfoil

Spreads very easy since fragments of plant can re-root and grow. Do not try to remove by raking.

### Other Less Common Weeds

Include Naiad, Coontail, Bladderwort, Hydrilla, Parrot Feather and Water Hyacinth



Filamentous Algae



Planktonic Algae



Chara Algae




Cattails



Sago



Clasp Leaf



Curly Leaf



Large Leaf



Elodea



Duckweed



Watermeal



Water Lilies



Eurasian Watermilfoil



Coontail



Naiad



Bladderwort



Hydrilla



Parrot Feather



Water Hyacinth



# Pond Dyes



The use of fish safe dye is a common part of an overall pond maintenance program.

Pond dyes may be poured directly into the pond (preferably in several locations). Upon complete dispersal, these dyes are non-staining and are fish, pet and wildlife safe. No water restrictions are associated with the use of pond dye.

## Concentrated Pond Dye — Liquid

These concentrated dyes will save you in shipping costs

- One quart is equal to one gallon of other dyes on the market
- This is a nontoxic and harmless pond dye for use in ponds and lakes
- Waters can be used for swimming and irrigation once product is dispersed
- Compatible with most aquatic herbicides and algaecides
- Black dye creates a more reflective surface appearance while the the blue dye creates "Caribbean" blue water
- Serenity dye is a mix of blue and black

### LIQUID DOSAGE RATE

One quart treats one acre of water 4' deep (approx. one million gallons)



Half and full pallet discounts available - contact us for high volume needs

Part #	Description	EPA Registered	Case Quantity	Stocking Code	Ship Weight	List Price
ECPD	Blue Pond Dye, 1 quart	No	12	820996	3 lbs.	\$29.99
ECPDBK	Black Pond Dye, 1 quart	No	12	824494	3 lbs.	\$34.99
ECPDSB	Serenity Pond Dye, 1 quart	No	12	322391	3 lbs.	\$31.99



## Concentrated Pond Dye — Powder



- Dry powder dye is cheaper to ship than liquid
- Four - 4 ounce water soluble packets (WSP) per pouch, simply toss into pond for easy application
- Safe for use with fish and aquatic life
- Three WSPs (water soluble packets) will treat one acre, 3'-4' deep
- Each WSP is double sealed in water soluble film

### Great Value

- Buy a case of 5 pouches (20 WSPs)  
Treats 6.66 surface acres, 4' deep

### Best Value

- Buy a master case 20 pouches (80 WSPs)  
Treats 26.6 surface acres, 4' deep

### WSP DOSAGE RATE

Each four ounce water soluble packet treats 1/3 acre, 3'- 4' deep



Part #	Description	EPA Registered	Case Quantity	Stocking Code	Ship Weight	List Price
PD4P	Blue Pond Dye (dry), 4pk pouch	No	5	327298	2 lbs.	\$38.99
PD4PBK	Black Pond Dye (dry), 4pk pouch	No	5	730094	2 lbs.	\$42.99
PD4PSB	Serenity Pond Dye (dry), 4pk pouch	No	5	128698	2 lbs.	\$40.99



†Always refer to label for exact manufacturer's dosage rates and instructions.



**Aquashade® is an E.P.A. registered pond dye that will help reduce aquatic plant growth by restricting sunlight into the pond inhibiting photosynthesis in young bottom growing plants.**

**Other brands of pond dye are also available which will improve the appearance of surface waters and overall aesthetic appeal of the pond.**



## Aquashade®

As with all dyes — apply early in season for best results

- Registered with the E.P.A. for weed and algae prevention
- One gallon treats one acre, 4' deep
- Safe for use with fish and aquatic life

### Dosage Rate†

One gal. treats one acre of water  
4' deep (approx. one million gallons)



Part #	Description	EPA Registered	Case Quantity	Stocking Code	Ship Weight	List Price
AQ10	Aquashade, 1 gallon liquid	Yes	4	354102	12 lbs.	\$68.09



## Cygnnet Select

- Cygnnet Select comes in one gallon containers — one gallon treats one acre, 4' deep
- Cygnnet Select is not E.P.A. registered and therefore is more economical than Aquashade®
- Customers repeatedly tell us that they do not notice any performance difference between these two products

### Dosage Rate†

One gal. treats one acre of water 4'  
deep (approx. one million gallons)



Part #	Description	EPA Registered	Case Quantity	Stocking Code	Ship Weight	List Price
DPD	Cygnnet Select Dye, 1 gallon	No	4	532243	12 lbs.	\$42.59



†Always refer to label for exact manufacturer's dosage rates and instructions.





Filamentous Algae



Chara Algae



Planktonic Algae

## Algaecides

Nearly every pond owner is forced to deal with algae control at some point in time. Typically algae is found in one of three common forms:

**Filamentous** algae is made up of long strands of algae cells joined end to end. Often referred to as "string algae", this unsightly nuisance forms large mats on the surface, grows like moss on rocks, logs or other underwater structures and is very prolific.

**Chara** is a bottom growing algae that resembles a plant like form.

Often mistaken for an aquatic plant, Chara grows in dense patches but is not rooted to the bottom. A strong, musky odor and gritty texture is observed when the plant is examined out of the water. Usually found in clear, often spring fed ponds.

**Planktonic** algae or "pea soup algae" is caused by microscopic algae cells free floating in water. Mild cases may cause pond to have greenish tinge to it while a severe bloom will block visibility into the water.

Fortunately most types of algae are fairly easy to control. The products on these two pages are all fish safe and will provide effective control of algae when used according to the label. Unfortunately algae can be quick to return after a treatment. Ducks, herons and other wildlife can easily transport it between bodies of water. Repeated applications throughout a season may be necessary.



**1 GALLON DISCONTINUED**  
While Supplies Last

### EarthTec® Liquid

Highly soluble, liquid formula disperses itself!  
Environmentally responsible algae control for lakes, ponds, fountains and water features.

**Dosage Rate<sup>†</sup>**  
0.33 to 5.43 gallons per acre-foot

Some products work fast but only last for a few days before additional applications are needed. Earthtec® kills algae quickly and maintains control for up to 30 days. Liquid formula is easy to apply - simply pour and walk away!

- Fast, visible results, usually within 24 hours and provides durational control for up to 30 days
- EarthTec® can be applied bi-monthly as preventative treatment
- Liquid formula is self-dispersing in bodies of water up to three acres. For larger bodies of water, pour in multiple places.
- Product does not settle out and remains in solution to prevent algae regrowth until product is depleted
- EPA registered in every state as an algaecide
- Certified to NSF ANSI 60 standard as a drinking water additive
- Long history (20+ years) of effective use
- Not for use in water housing copper-sensitive fish, such as koi and trout



Part #	Description	EPA Registered	Case Quantity	Stocking Code	Ship Weight	List Price
ETEC1	EarthTec Algaecide - 1 Gallon <i>DISCONTINUED - While supplies last</i>	Yes	4	541997	12 lbs.	\$55.99
ETEC25*	EarthTec Algaecide - 2.5 Gallon	Yes	2	682492	26 lbs.	\$109.99

\*Must ship as hazardous material with additional charges via UPS or motor freight.

†Always refer to label for exact manufacturer's dosage rates and instructions.

## Citrine-Plus® Liquid

Strong algaecide and herbicide formulation provides fast results on most types of algae.

- A chelated copper algaecide that is safer to use than copper sulfate
- Use for surface or suspended algae
- Apply by sprayer to surface, for best results use with activator on page 16
- Larger containers up to 250 gallon totes available. Please inquire.
- Not for use in water housing copper-sensitive fish, such as koi and trout

### Dosage Rate<sup>†</sup>

0.6 to 3 gallons  
per acre-foot



Part #	Description	EPA Registered	Case Quantity	Stocking Code	Ship Weight	List Price
CPL	Citrine Liquid, 1 gallon	Yes	4	441247	12 lbs.	\$51.59

## Citrine® Ultra Liquid

Powerful results on tough-to-kill algae

- Ideal for thick walled filamentous algae, colonial planktonic algae and Chara
- No water use restrictions
- Dilute and apply by sprayer for best results
- Surfactant/activator mixed in already — no need for additional mixing
- Available in 2.5 gallon containers
- Not for use in water housing copper-sensitive fish, such as koi and trout

### WSP Dosage Rate<sup>†</sup>

0.6 to 3 gallons  
per acre-foot



Part #	Description	EPA Registered	Case Quantity	Stocking Code	Ship Weight	List Price
CPLU25*	Citrine Ultra, 2.5 gallons	Yes	2	7107026	26 lbs.	\$128.89

\*Must ship as hazardous material with additional charges via UPS or motor freight.

## Citrine® Plus Granular

Controls bottom-growing algae and Hydrilla

- The granular form of Citrine®
- Rapid sinking granules for targeted delivery
- For bottom filamentous algae: 20 to 60 pounds per surface acre
- For chara: 30 to 90 pounds per surface acre
- Not for use in water housing copper-sensitive fish, such as koi and trout

### Dosage Rate<sup>†</sup>

20 to 90 pounds  
per surface acre



Part #	Description	EPA Registered	Case Quantity	Stocking Code	Ship Weight	List Price
CPG1	Citrine Plus granular, 12 lb. jug	Yes	4	847496	12 lbs.	\$60.09
CPG3	Citrine Plus granular, 30 lb. bag	Yes	3	591053	24 lbs.	\$117.29

\*Must ship as hazardous material with additional charges via UPS or motor freight.

<sup>†</sup>Always refer to label for exact manufacturer's dosage rates and instructions.





## GreenClean PRO

### Granular

- Concentrated - twice the active ingredient as regular GreenClean!
- For use in ponds 1/4 acre or larger due to concentrated formula
- Use approximately 8-25 pounds per acre-foot as a preventative every two to four weeks

**Dosage Rate<sup>†</sup>**  
One bag treats up to 34 acre-feet



Part #	Description	EPA Registered	Case Quantity	Stocking Code	Ship Weight	List Price
GC50PRO*	50 lb. Bag GreenClean Pro	Yes	—	5129506	53 lbs.	\$170.99

\*Must ship as hazardous material with additional charges via UPS or motor freight.

**Fast Acting!**

## GreenClean

### Granular

- EPA registered, non-copper algaecide
- Works through oxidation to provide fast results
- Organic certified by OMRI (Organic Materials Review Institute). No harm to fish or environment when used at recommended rates, no water use restrictions
- Algae can be killed within 24 - 48 hours of application, starts working in minutes

**Dosage Rate<sup>†</sup>**  
As Preventative  
16 - 50 lbs. per acre-foot  
As Treatment  
50 - 180 lbs. per acre-foot



Part #	Description	EPA Registered	Case Quantity	Stocking Code	Ship Weight	List Price
GC20	20 lb. Pail - treats up to 7 acre-ft.	Yes	—	470493	24 lbs.	\$93.99
GC50	50 lb. Pail - treats up to 17 acre-ft.	Yes	—	8127497	55 lbs.	\$169.99



## Cygnet Plus (Activator)

### Improves effectiveness of liquid herbicides

- Cygnet Plus is a liquid additive for use along with liquid herbicides and algaecides to enhance effectiveness
- The surfactant in these products eliminates beading, providing a uniform spray solution. This ensures maximum contact with the plant's foliage. The low viscosity oil in these products breaks down the waxy coating on leaf surfaces for improved penetration and coverage.

**Dosage Rate<sup>†</sup>**  
Mix three ounces per gallon of water in sprayer



Part #	Description	EPA Registered	Case Quantity	Stocking Code	Ship Weight	List Price
CK1	Cygnet Plus, 1 quart	No*	12	415606	2 lbs.	\$21.39
CK2	Cygnet Plus, 1 gallon	No*	4	735478	11 lbs.	\$45.69

\*Restricted into CA, ID, WA and Canada

†Always refer to label for exact manufacturer's dosage rates and instructions.

Many states restrict the shipment of EPA registered chemicals into the state. At this time most products that are not EPA registered are not restricted. Please look next to each product to see if it is EPA registered. If it is, please consult the information below to see if it can be shipped into your state:

- AK, CA, CT, ID, HI, ME, MA, NH, NJ, NY, RI, VT & WA restrict the shipment of products into their states. Products can be bought from within the state but not shipped in.
- No products may be shipped into Canada. These products are labeled for sale in US and do not meet Canadian registration or label requirements.
- GreenClean (GC20, GC50) can be purchased in NY but you must obtain a permit to apply in that state, all other states OK. GreenClean Pro (GC50PRO) is restricted in MA.

### The following chart shows which treatments work best on each aquatic plant†

E = Excellent Control • G = Good Control

Product	Most Algae	Emergents & Cattails	Water Lillies	Duckweed	Elodea	Pondweed Family	Naiads	Milfoil	Coontail	Bladder Wort	Hydrilla	Parrot Feather	Water Hyacinth
Citrine-Plus®	E										G		
EarthTec®	E												
GreenClean® Pro	G												
Sonar®			G	E	G	G	G	E	G	G	G	E	
Harpoon®					E	G	E	G	E		E		E
Aquathol® Super K						E	G	G	G		G	E	
Hydrothol®	G				G	E	E	G	G		G		
Navigate®			G					E	G	G			G
Weedtrine®-D				G	G	G	G	G	G	G	G		
Reward®/Tribune™		G		G	G	G	G	G	G	G	G	G	E
Clipper™/Propeller®				E		E	E	E	E		E		
Nautique®	G (Chara)			G	E	E	E	E	E		E		E
Navitrol® DPF			E					E		E		G	

### General restrictions on use of treated water

Number of Days Restricted (always refer to current product label for specific requirements)

Common Name	Active Ingredient	EPA Registered	% of Active Ingredient	Human			Animal	Irrigation		
				Safe to Drink	Safe to Swim	Safe for Fish Consumption	Safe to Drink	Turf	Forage	Food Crops
Citrine-Plus® Liquid	Copper Ethanolamine Complex (9% Copper)	Yes	27.9%	0	0	0	0	0	0	0
Citrine® Ultra	Copper Ethanolamine Complex (9% Copper)	Yes	27.8%	0	0	0	0	0	0	0
Citrine-Plus® Granular	Copper Ethanolamine Complex (3.7% Copper)	Yes	10.7%	0	0	0	0	0	0	0
EarthTec®	Copper Sulfate Pentahydrate	Yes	19.8%	0	0	0	0	0	0	0
GreenClean® Pro	Sodium Carbonate Peroxyhydrate	Yes	85%	+	0	0	0	0	0	0
Nautique®	Copper Ethylenediamine Complex (9.1% Copper)	Yes	13.2%	0	0	0	0	0	0	0
	Copper Triethanolamine Complex		14.9%							
Harpoon®	Copper Ethylenediamine Complex (3.41% Copper)	Yes	9.87%	0	0	0	0	0	0	0
Navigate®	Butoxyethyl Ester of 2, 4-D	Yes	27.6%	*	1	0	*	*	0	*
Aquashade®	Acid Blue 9	Yes	12.6%	+	0	0	0	0	0	0
	Acid Yellow 23	Yes	1.04%	+	0	0	0	0	0	0
Cygnat Select	Acid Blue 9	No	26%	+	0	0	0	0	0	0
EasyPro® Liquid Dye-Blue	Acid Blue 9	No	50%	+	0	0	0	0	0	0
Sonar®	Fluridone	Yes	41.7%	0	0	0	0	14-30	14-30	14-30
Clipper™/Propeller®	Flumioxazin	Yes	51%	0	0	0	0	0-3	*	5
Aquathol® Super K	Dipotassium salt of endothall	Yes	63%	*	0	0	0	0*	0*	0*
Aquathol® Liquid	Dipotassium salt of endothall	Yes	40.3%	*	0	0	0	0*	0*	0*
Navitrol® DPF	Tricopyr	Yes	14%	*	*	0	*	120*	*	120*
Hydrothol® 191 Granular	Mono (N,N-dimethylalkylamine) salt of endothall	Yes	11.2%	0	0	0	0	0*	0*	0*
Weedtrine®-D	Diquat DiBromide	Yes	8.5%	1-3	0	0	1	1-3	1-3	5
Reward®/Tribune®	Diquat DiBromide	Yes	37.3%	1-3	0	0	1	1-3	*	5

In cases where restrictions are not given in above chart, consult your State Conservation Commission or Fish and Game Department for specific restrictions. Chemical manufacturers and manufacturer's representatives can also supply you with specific recommendations based upon water usage. \*See label for restriction information + Not for use in potable water

**Permits may be required to apply these products. Consult appropriate local agencies for more information.**

**NOTICE: Copper sulfate is not included in this chart nor is it recommended due to problems with copper buildup in sediments and toxicity to aquatic organisms.**

†Always refer to label for exact manufacturer's dosage rates and instructions.



## Aquathol® K and Aquathol® Super K

### Available in liquid and concentrated granular forms

- Excellent for spot treatment of hydrilla, pondweed and Eurasian watermilfoil
- Dosage rate is variable according to plant species and treatment area
- Aquathol® Super K granular form — 10 or 20 pound containers
- Granular herbicide utilizing Culigel® super absorbent polymer technology.
- Six times more concentrated than regular Aquathol®.
- Aquathol® K liquid form — 1 or 2.5 gallon jugs

**Dosage Rate<sup>†</sup>**  
Granular: 3.3-22 lbs. per acre-foot



Part #	Description	EPA Registered	Case Quantity	Stocking Code	Ship Weight	List Price
<b>AQU10</b>	Aquathol Super K granular, 10 lbs.	Yes	4	7332734	12 lbs.	\$384.99
<b>AQU20*</b>	Aquathol Super K granular, 20 lbs.	Yes	2	4541659	23 lbs.	\$633.49
<b>AQUL10</b>	Aquathol K liquid, 1 gallon	Yes	4	1131855	12 lbs.	\$161.25
<b>AQUL25*</b>	Aquathol K liquid, 2.5 gallon	Yes	2	6263706	25 lbs.	\$322.49

\*Must ship as hazardous material with additional charges via UPS or motor freight.

**Best Seller!**



## Hydrothol®

### Granular Contact Herbicide

- Fast acting herbicide is effective on a variety of aquatic weeds including milfoil, coontail, hydrilla, sago pondweed, leafy pondweed, curly leaf pondweed and others.
- Hydrothol® should only be used for spot treating
- Use Aquathol® early in the season when plants are young and easier to treat
- Slight water restrictions (see chart page 17)

**Dosage Rate<sup>†</sup>**  
108-270 pounds per acre-foot



Part #	Description	EPA Registered	Case Quantity	Stocking Code	Ship Weight	List Price
<b>HYD20</b>	Hydrothol granular, 20 lb. bag	Yes	2	396487	22 lbs.	\$132.79
<b>HYD40</b>	Hydrothol granular, 40 lb. box*	Yes	-	3192964	43 lbs.	\$252.19

\*40 lb. box contains two 20 lb. bags



## Harpoon®

### Granular Contact Herbicide

- Treat from the bottom up! Harpoon® sinks down to effectively control bottom-growing copper sensitive aquatic species.
- Ideal for sites where water use cannot be restricted. Treated water can be used immediately for irrigation, animal consumption, swimming or fishing.
- Effectively controls hydrilla, naiads, coontail, elodea, water hyacinth and others. In waters with low alkalinity (hardness), Harpoon® may also control Eurasian watermilfoil, sago, curly-leaf and select other weeds in the pondweed family
- Can be applied as a spot treatment or large scale treatment

**Dosage Rate<sup>†</sup>**  
40-240 pounds per acre-foot



Part #	Description	EPA Registered	Case Quantity	Stocking Code	Ship Weight	List Price
<b>HARP40</b>	Harpoon granular, 40 lb. bag	Yes	-	3136474	43 lbs.	\$170.59

†Always refer to label for exact manufacturer's dosage rates and instructions.



## Navigate® Granular

### For selective control of unwanted aquatic plants

- A 2, 4-D based herbicide for control of water lilies, coontail, Eurasian milfoil, parrot feather, watershield and bladderwort.
- Granular form makes it ideal for spot treating
- Formulated on specially treated granules for controlled release in the water
- Granules sink quickly to lake or pond bottoms and release the weed controlling active ingredient into the critical root zone area for plant absorption
- Slight water restrictions (see chart page 17)

### Dosage Rate<sup>†</sup>

28-56 pound  
per acre-foot



Part #	Description	EPA Registered	Case Quantity	Stocking Code	Ship Weight	List Price
NV50	Navigate, 50 lb. bag	Yes	-	6270417	52 lbs.	\$318.79

## Navitrol® DPF Granular

### Easy-to-apply triclopyr formulation eliminates nuisance aquatic plants.

- A selective aquatic herbicide that allows desirable native plants to remain for fish habitat, cover and oxygen production
- Can be applied as a spot treatment, or as a large scale treatment
- An alternative to 2, 4-D treatments (Navigate®)
- Especially effective in controlling Eurasian watermilfoil, an aggressive, exotic species found throughout the U.S.
- Water can be used immediately for recreational activities such as swimming or fishing, as well as animals drinking the water.

### Dosage Rate<sup>†</sup>

14 - 268 pounds  
per acre-foot



Part #	Description	EPA Registered	Case Quantity	Stocking Code	Ship Weight	List Price
NDPF50	Navitrol DPF herbicide, 50 lb. bag	Yes	-	7226634	52 lbs.	\$283.29

## Nautique® Liquid

### Fast-acting, economical contact pond herbicide

- Nautique's copper ions inhibit plant photosynthesis, cutting off the food source of undesired plants and providing rapid results
- Dual chelated copper product controls eel grass, water celery, hydrilla, naiads, chara, elodea, sago, American thin leaf pondweed and more!
- Available in 1 and 2.5 gallon containers
- Tank mix and apply with sprayer
- No restrictions on water usage

### Dosage Rate<sup>†</sup>

1.5-3 gallons  
per acre-foot



Part #	Description	EPA Registered	Case Quantity	Stocking Code	Ship Weight	List Price
NAU10	Nautique herbicide, 1 gallon	Yes	4	768524	12 lbs.	\$77.39
NAU25*	Nautique herbicide, 2.5 gallon	Yes	2	8132707	24 lbs.	\$148.89

\*Must ship as hazardous material with additional charges via UPS or motor freight.

<sup>†</sup>Always refer to label for exact manufacturer's dosage rates and instructions.



## Weedtrine® D Fast acting, broad range weed control

This 8.53% diquat dibromide product is a non-volatile herbicide for use in controlling submersed and floating aquatic weeds. Absorption and herbicidal action of Weedtrine D is usually quite rapid.

- Broad range herbicide that controls duckweed, coontail, elodea, naiad, pondweed and milfoil
- Applied with common sprayers, use with activator (page 16)
- Results often begin to show in as little as three days, five day water restriction

**Dosage Rate<sup>†</sup>**  
Per Acre: Duckweed 5-7 gallons,  
submersed weeds 5-10 gallons



Part #	Description	EPA Registered	Case Quantity	Stocking Code	Ship Weight	List Price
WTD	Weedtrine D, 1 gallon	Yes	4	874292	12 lbs.	\$79.99



## Reward® Concentrated Broad range weed control

A fast acting 37.3% diquat dibromide herbicide that desiccates plant tissue on contact. Reward® stops plant photosynthesis within minutes depending on conditions. Effective on a wide variety of submersed, emergent and floating aquatic plants.

- This liquid herbicide is applied by sprayer and should not be applied to turbid waters
- There is very little risk of environmental damage since Reward's concentration rapidly decreases as it is absorbed into the aquatic vegetation
- Should be used with activator (page 16) for best results

**Dosage Rate<sup>†</sup>**  
1 to 2 gallons  
per acre



Part #	Description	EPA Registered	Case Quantity	Stocking Code	Ship Weight	List Price
REW10	Reward, 1 gallon	Yes	4	6146138	12 lbs.	\$190.29
REW25*	Reward, 2.5 gallons	Yes	2	5313451	26 lbs.	\$412.19

\*Must ship as hazardous material with additional charges via UPS or motor freight.



## Tribune™ Fast-acting aquatic herbicide

- This herbicide/algaeicide is rapidly absorbed by the treated aquatic vegetation to desiccate (dehydrate) plant tissue on contact
- Effective on a wide variety of submersed, emergent and floating aquatic plants.
- Stops plant photosynthesis within minutes depending on conditions
- Applied by sprayer (should not be applied to turbid waters)
- Should be used with an activator (page 16) for best results
- Active ingredient is 37.3% diquat dibromide

**Dosage Rate<sup>†</sup>**  
1 to 2 gallons  
per acre



Part #	Description	EPA Registered	Case Quantity	Stocking Code	Ship Weight	List Price
TRIB25	Tribune liquid herbicide, 2.5 gal.	Yes	2	3212994	26 lbs.	\$299.99

\*Must ship as hazardous material with additional charges via UPS or motor freight.

†Always refer to label for exact manufacturer's dosage rates and instructions.



## Propeller®

### Fast acting, contact aquatic herbicide

- Controls selected submersed, emergent and floating aquatic weeds. It is most effective when applied to young, actively growing weeds in water with a pH of less than 8.5.
- A new treatment option at a time when herbicide resistance, variable response and environmental concern issues loom large
- Ideal for duckweed, watermeal, Eurasian milfoil and water lettuce
- Non-corrosive, fine granule – mix with water to apply. Active ingredient is 51% Flumioxazin.

### Dosage Rate<sup>†</sup>

6 to 12 oz. per acre  
for duckweed/watermeal  
1.1 to 2.1 lbs. per acre-foot  
for submersed plants



Part #	Description	EPA Registered	Case Quantity	Stocking Code	Ship Weight	List Price
PRP1	Propeller aquatic herbicide, 1 lb.	Yes	4	381134	2 lbs.	\$98.69
PRP5	Propeller aquatic herbicide, 5 lbs.	Yes	4	3317694	6 lbs.	\$383.49

No shipment to AK, CA, CT, ID, HI, ME, MA, NH, NY, RI, VT, WA & Canada

## Clipper™

### Fast and selective control of tough invasive and nuisance plants

This 51% Flumioxazin product is very versatile and has been showing excellent results in aquatic environments on a variety of plants. This product is fast, effective, and breaks down quickly in the water to leave no accumulation in the sediment — making it less of an environmental concern than other, more persistent herbicides.

- Intended to provide aquatic plant managers with new treatment options at a time when herbicide resistance, variable response and environmental concern issues loom large
- Ideal for duckweed, watermeal, eurasion milfoil, water lettuce and several types of submersed weeds
- Non corrosive, dry powder - mix with water to apply

### Dosage Rate<sup>†</sup>

Use 1.1 lbs. per acre-foot for  
duckweed/watermeal control



Part #	Description	EPA Registered	Case Quantity	Stocking Code	Ship Weight	List Price
CLIPS	Clipper Broad Spectrum, 5 lbs.	Yes	—	2343174	6 lbs.	\$407.99

## Sonar® A.S.

### A specialty herbicide that controls a broad range of aquatic weeds

This 41.7% fluridone product is excellent for whole pond and lake treatments.

A selective systemic aquatic herbicide for management of aquatic vegetation in fresh water ponds, lakes, reservoirs, drainage and irrigation canals. It is important to maintain the recommended concentration in contact with the target plants for a minimum of 45 days.

- Sonar should be applied early in the season, prior to or just after plant growth begins
- Very effective on duckweed and milfoil
- Treatments last for several seasons in many cases, depending on plants
- Absorbed by the plants and inhibits the weed's ability to make food, causing it to die
- Complete kill can take 30 to 90 days

### Dosage Rate<sup>†</sup>

32 ounces treats  
up to one acre



Part #	Description	EPA Registered	Case Quantity	Stocking Code	Ship Weight	List Price
SO8	Sonar - treats up to 1/4 acre, 8 oz.	Yes	6	5306323	1 lb.	\$379.49
SOP	Sonar - treats up to 1/2 acre, 16 oz.	Yes	6	6502389	2 lbs.	\$607.79
SOQ	Sonar - treats up to one acre, 32 oz.	Yes	6	4922638	4 lbs.	\$1094.09
SOG	Sonar - treats up to four acres, 1 gal.	Yes	4	72321372	12 lbs.	\$2665.09



<sup>†</sup>Always refer to label for exact manufacturer's dosage rates and instructions.




## Aquatic Rakes

### Weed Rake


No need to worry which side lands up when you throw this rake out into the pond as there are teeth on both sides

The 32" wide rake features:

- 17 - 3" long teeth on each side of the rake
- Baked on, powder coat finish with 25' of rope



EPR



AWE

### Aquatic Weed Cutter

- 28" wide aquatic weed cutter makes short work of cleaning up weed infested beaches and shorelines
- The reversible, double sided, serrated blade quickly cuts through even the thickest weeds
- The 11' long, two piece handle disassembles for easy storage
- Rust proof aluminum construction

### Deluxe Lake Rake

This 36" wide aluminum rake comes with a two piece, 11', rustproof, powder coated aluminum handle; detachable polyethylene float and a 20' length of rope. Use it to skim floating aquatic vegetation and algae from the pond surface or remove float to use on pond bottom.

- Strong and lightweight aluminum construction
- Two 5 1/2' heavy duty, well constructed aluminum powder coated handles with permanent 5" vinyl grip
- 36" aluminum head with 4" teeth
- 30" removable styrene floater for shoreline cleanup
- 20' of 5/16" nylon rope



LR36

Part #	Description	Stocking Code	Ship Weight	List Price
EPR	32" Weed rake	7118048	6 lbs.	\$157.39
AWE	28" Aquatic weed cutter	3169992	7 lbs.	\$199.99
LR36	36" Deluxe lake rake	6159458	10 lbs.	\$187.59



## Floating Gator Head Deterrent

- Scares away predators and other birds from your pond like geese, egrets, cormorants, herons and other unwanted wildlife
- Ultra-realistic design with bright red reflective eyes for ponds and water gardens
- Life like motion with wind or water movement
- Made of durable urethane foam



- Floating Gator has eyelets on the bottom to secure in one location if desired
- Measures 28 1/2" x 9 1/4" x 5 1/2"
- Each unit is hand painted in the US - No two are exactly alike
- Also works as a marker for aeration diffusers

Part #	Description	Stocking Code	Ship Weight	List Price
GH28	28" Floating Gator Replica	846717	4 lbs.	\$54.95

## Diffused Aeration Specialists!

As one of the country's largest manufacturers of diffused aeration systems, EasyPro has the products and the experience to help you with nearly any aeration project. From oil fracking ponds to wastewater lagoons to backyard recreational ponds, we have solutions for a huge range of applications.



Not only does EasyPro build our aeration systems here in the USA, we source all major components of our systems from USA made products! From our aeration cabinets — to our weighted airline — to our self-sinking diffuser bases, we strive to use "Made in the USA" parts whenever possible!



## Let us help you select the proper system



### Google Earth™ Designs

On the following pages are numerous complete aeration systems for a wide range of ponds. If you are unsure which one is best for you or if you have unique requirements please send us your information and we will do a Google Earth layout for you. We need from you:

1. Physical address - please note, newer ponds may not yet show up on Google
2. Depth of pond - important for determining diffuser locations
3. Where power is available and what type of power ( 115v/230v )

Fill out our online Aeration System Request form (under the Resources tab at [easypro.com](http://easypro.com)) or send this information to: [aeration@easypro.com](mailto:aeration@easypro.com) and we will be happy to design a system for you!

### Custom Systems

Custom systems are our specialty! When one of our many standard systems doesn't fit your application, we can build a custom system to meet your exact needs. The type of compressor, number of diffusers, size/length of tubing and cabinet options are all able to be adjusted based on your needs. We welcome the opportunity to create systems for unique and challenging applications!



Google and the Google logo are registered trademarks of Google, Inc., used with permission.



**“The “engine” that drives everything within a body of water is the presence of oxygen in proper levels.”**


Ponds and lakes are valuable natural resources. They add beauty to the landscape, provide recreation and are a habitat for fish and wildlife. A natural body of water is a complex biological, chemical and physical community. The quality of the water determines the health of the entire community and the aquatic organisms living within the system ... from microscopic bacteria to the largest fish!

The “engine” that drives everything within a body of water is the presence of oxygen in proper levels. A pond’s condition deteriorates when its bottom environment cannot support aquatic life. The bottom is where the most oxygen is consumed and the farthest from the surface where it is replenished. Without adequate oxygen at the bottom, beneficial bacteria do not break down the organic waste. This results in increased layers of sediment (muck) along the pond bottom.

Simply put, without oxygen a pond cannot clean itself!

### Stratified without Aeration De-stratified with Aeration

- Warm, typically oxygen-rich
- Recurrent surface scum
- Floating weed masses
- Zone of decreasing water temperature
- Zone of decreasing dissolved oxygen
- Zone completely void of oxygen
- Cold water temperature
- Accumulating organic muck
- Weeds prevalent
- Unusable by fish and all aerobic organisms



- Uniform temperatures
- Uniform oxygen levels
- Fish can use the entire pond all year long
- Improved water clarity
- Reversed aging effects
- Improved natural pond bacteria populations
- Improved fish habitat
- Less organic material accumulation
- Protection from winter and summer fish kills
- An enhanced pond ecosystem
- Reduced surface scum build-up
- A better swimming and recreation area

EasyPro Pond Products is a leader in the field of lake and pond management. Combined, our sales staff has over 150 years of lake and pond management experience — we can assist you in developing a management plan for nearly any application, from small farm ponds to large lakes.

We offer everything you need to monitor, treat and maintain earthen ponds and lakes. From testing equipment to weed/algae treatments to aeration systems, our experienced staff is happy to help with any management need.

## PRO-TIP Selecting EasyPro® Diffused Aeration Systems

On the following pages you will find EasyPro diffused aeration systems in complete kits. From basic kits to deluxe kits to custom kits, we have a wide range of aeration options.



### Basic Aeration Systems

All the components necessary to aerate a pond. A compressor, tubing, diffuser(s) and fittings are sized to work together for a working aeration system. These kits will require additional weather protection for the compressor, but the kit as a whole provides a complete system.



### Sentinel Deluxe Aeration Systems

Sentinel systems are designed for convenience and reliability. These systems contain a compressor mounted in a deluxe cabinet, tubing, diffuser(s) and fittings. All sized to work together for a working aeration system.




### Customized Systems - Adding Tubing, Diffusers and Cabinets

Customize a Basic or Deluxe system if tubing or diffuser types need to be adjusted. Kits designed to be customized are designated in the part number by “A” or “LD”. “A” kits are systems without tubing\*. “LD” kits are systems without diffusers. Custom tubing lengths, choosing a preferred diffuser type or adding a cabinet/enclosure can be done by starting with one of these kits and making appropriate adjustments. \*PA34-2 kits do not have tubing either



Tubing  
see page 52



Diffusers  
see pages 54-55



Cabinets & Enclosures  
see pages 56-58

Have questions? Call the aeration experts at 800-448-3873!

**The amount of surface area an aeration system will effectively cover is greatly dependent on two factors - depth and shape.**


## Depth

The diagram to the right shows how much surface area is effectively aerated per air diffuser at various depths:

### Example

Our PA34 pond aerator would aerate only 1/8 of an acre if operated in 4' deep water, while aerating up to 1 1/2 acres if operating in 16' - 20' of water.


Ponds that are irregular or odd shaped will also reduce size of aeration area — call our technical assistance department for additional help.



*The deeper an air diffuser is located, the more "boiling action" it will create and a larger area will be aerated.*

## Shape

Pond shape affects the amount of diffusers needed. Irregular shaped ponds require multiple diffusers to adequately aerate entire water column.



*A unique shaped pond or lake will require more diffusers to cover the same surface area.*

## Rocking Piston Systems

Base Part #	Horse Power	Diffusers Included	5' - 8' Deep	8' - 12' Deep	12' - 16' Deep
PA34	1/4 hp	1 or 2	up to 1/4 acre	up to 1/2 acre	up to 1 acre
PA65	1/2 hp	2	up to 1/2 acre	up to 1 acre	up to 2 acres
PA66	1/2 hp	3	up to 3/4 acre	up to 1 1/2 acres	up to 3 acres
PA86	3/4 hp	4	up to 1 acre	up to 2 acres	up to 4 acres

*\*PA34-2 will aerate larger ponds - call for details*

## Rotary Vane Systems

Base Part #	Horse Power	Diffusers Included	5' - 8' Deep	8' - 12' Deep	12' - 16' Deep
PA50	1/4 hp	2	up to 1/2 acre	up to 1 acre	up to 2 acres
PA75	3/4 hp	4	up to 1 acre	up to 2 acres	up to 4 acres
PA100	1 hp	6	up to 1 1/2 acres	up to 3 acres	up to 6 acres




## Effective Pond Management Brochure

Educate your customers about the importance of aeration with our new full-size, full color, Effective Pond Management Brochure. Find it on page 3!


## Diffused Air De-Icing Systems

### Protect your dock investment from costly ice damage

Diffused air de-icing systems are an excellent choice for keeping water open around boat lifts, docks, piers, marinas and other structures needing to be ice-free in the northern climate. A minimum of three foot deep water is needed for diffused air to be effective. Ice damage can be very costly and paying to have docks and boat lifts removed and installed every year has considerable cost. For just a few dollars per month in electric, a diffused air system will maintain open water and prevent these yearly expenses.



Two 60 watt KLC compressors keep the docks and boat lifts shown ice-free for less than \$10 per month!



### STRATUS KLC SERIES Shallow Water Systems for 3'-6' depths



- Low electrical consumption; as low as \$5 per month
- See page 50 for Stratus KLC compressor detail
- 1/2" Quick Sink tubing and self-weighted diffusers for easy installation and optimal performance

### STRATUS SRC SERIES Deep Water Systems for 7'+ depths



- Energy efficient; as low at \$27 per month
- See page 44 for Stratus SRC compressor detail
- 3/8" Quick Sink tubing and self-weighted diffusers for easy installation and optimal performance

Part #	Description	Max. Dock Length	Compressor Part Number	DM2 Diffuser	Quick Sink Tubing	Stocking Code	Ship Weight (lbs.)	List Price
<b>DKSW30</b>	Shallow Water Kit	30'	KLC60	2	50'	1524999	46, 27	\$699.99
<b>DKSW45</b>	Shallow Water Kit	45'	KLC80	3	100'	5667492	51, 54	\$889.99
<b>DKDW60</b>	Deep Water Kit	60'	SRC50	4	150'	41087496	23, 45, 35	\$1449.99
<b>DKDW100</b>	Deep Water Kit	100'	SRC75	6	325'	41537496	26, 61, 69	\$2049.99



**For Large-Scale Marine De-Icing Solutions,  
EasyPro® has the products and experience to help you with de-icing!**





## Aeration Kits for Shallow Ponds

For ponds 7' deep or less, these linear powered aeration systems are a great choice

- Extremely energy efficient
- Very quiet operation
- Long lasting, oil free design
- Weather resistant enclosures - can be used outdoors, for maximum longevity use additional protection from elements
- **With self-weighted diffusers for easier installation**
- Three year warranty on compressors, five years on tubing/diffusers

Choose from either single or double diffuser system. Single diffuser is ideal for round or regular shaped ponds. Use the dual diffuser system for long and narrow or irregular shaped ponds. Both kits include Quick Sink tubing for easy installation.



Part #	Description	1/2" Quick Sink Tubing	Stocking Code	Ship Weight	List Price
PA6SWN	Single diffuser system with KLC60 compressor	50'	2389998	22, 27 lbs.	\$519.99
PA8SWN	Double diffuser system with KLC80 compressor	100'	7599994	28, 60 lbs.	\$799.99



### Shallow water diaphragm repair kits

KLC68DK	Diaphragm repair kit for KLC60/KLC80 compressors	—	546127	1 lb.	\$61.49
KLC468F	Filter replacement for KLC60/KLC80 compressors	—	64429	1 lb.	\$5.89

## Aeration Kits for 1/4 Acre or Smaller Ponds

### 1/20 hp Diaphragm Air Compressor Kit

This continuous duty pump is ideal for aeration of smaller, shallower ponds. Will operate to a depth of 12'; motor draws 1.5 amps and pumps .7 cfm of air.

- **PA10W** includes air compressor, 50' of 3/8" Quick Sink Tubing, one DM2 membrane air diffuser manifold with check valve and underlay, fittings and clamps
- **PA10WK** kit includes above items and an SC25 weatherproof cabinet

Part #	Description	Stocking Code	Ship Weight	List Price
PA10W	1/20 hp kit with Quick Sink tubing	7434994	22 lbs.	\$579.99
PA10WK	1/20 hp kit with Weatherproof Cabinet	3584239	44 lbs.	\$778.99



With self-weighted diffusers for easier installation

Kits available with cabinet included!



### 1/8 hp Diaphragm Air Compressor Kit

- Ideal for ponds 12' or deeper where the PA10 (above) will not work
- Will operate up to 30' deep, motor draws 4.2 amps and pumps 1.1 cfm of air
- **PA12W** includes compressor, 50' of 3/8" Quick Sink Tubing, one DM2 membrane air diffuser manifold with check valve and underlay, fittings and hose clamps
- **PA12WK** kit includes above items and an SC25 weatherproof cabinet

Part #	Description	Stocking Code	Ship Weight	List Price
PA12W	1/8 hp kit with Quick Sink tubing	2554997	32 lbs.	\$739.99
PA12WK	1/8 hp kit with Weatherproof Cabinet	4698239	54 lbs.	\$930.99



# Rocking Piston Aeration

SINCE 1970



## AERATE UP TO 1 ACRE

PA34 system aerates up to  
 ¼ acre at 5'-8' deep  
 ½ acre at 8'-12' deep  
 1 acre at 12'-16' deep

## PA34 Rocking Piston Aeration Systems

Designed for ponds up to 50' deep



Two year warranty on Stratus SRC series compressor, five year warranty on tubing, diffusers and cabinets. Available as basic and Sentinel deluxe systems.

**Best Seller!**



PA34W



### PA34 Basic Systems Feature

- 1/4 hp Stratus SRC Gen 2 compressor with two year warranty
- Outlet assembly with pressure relief
- Choice of 100' of 3/8" Quick Sink tubing or 100' of 3/8" poly tubing
- One QS1 rubber membrane diffuser assembly or no diffuser for custom system, see pages 54 and 55 for diffuser options.
- Approximately 2.3 cfm air flow per diffuser
- Typical operation cost of \$0.40 per 24 hours at .09¢ per kWh, actual cost may vary



### With self-weighted diffusers




Part #	Compressor	Diffuser	Tubing Type	Tubing Length	Cabinet	Stocking Code	Ship Weight	List Price
PA34	SRC25	(1) QS1	3/8" Poly	100'	—	8599994	34 lbs.	\$799.99
PA34W	SRC25	(1) QS1	3/8" Quick Sink	100'	—	1659998	52 lbs.	\$879.99
PA34WLD	SRC25	—	3/8" Quick Sink	100'	—	7555371	42 lbs.	\$740.49

All kits 115v, add "2" behind part number for 230v motor



PA34D



No electricity near your pond?  
 See our remote valve upgrade on page 37!



## Sentinel

Sentinel deluxe systems include lockable steel cabinet with compressor, airlines, plumbing, pressure gauge, cooling fan and electrical outlet installed.

### PA34 Deluxe Systems Feature

- 1/4 hp Stratus SRC Gen 2 compressor with two year warranty
- 18" ground/post mount or 22" ground cabinet
- Outlet assembly with pressure relief and pressure gauge
- 100' of 3/8" Quick Sink tubing
- One QS1 rubber membrane diffuser assembly or no diffuser for custom system, see pages 54 and 55 for diffuser options
- Approximately 2.3 cfm air flow per diffuser
- Typical operation cost of \$0.40 per 24 hours at .09¢ per kWh, actual cost may vary

### With self-weighted diffusers



Part #	Compressor	Diffuser	Tubing Type	Tubing Length	Cabinet	Stocking Code	Ship Weight	List Price
PA34DP	SRC25	(1) QS1	3/8" Quick Sink	100'	SC18	41030426	38, 34 lbs.	\$1370.59
SC18SU	Sound proofing upgrade (installed)		—	—	—	857745	—	\$76.99
PA34D	SRC25	(1) QS1	3/8" Quick Sink	100'	SC22	51223182	63, 29 lbs.	\$1627.59
PA34DLD	SRC25	—	3/8" Quick Sink	100'	SC22	21118567	63, 23 lbs.	\$1488.09
SC22SU	Sound proofing for SC22 cabinet (installed)		—	—	—	289998	—	\$119.99


All kits 115v, add "2" behind part number for 230v motor

## PA34-2 Rocking Piston Aeration Systems

Designed for ponds up to 50' deep

### AERATE UP TO 2 ACRES

PA34-2 system aerates up to  
 ½ acre at 5'-8' deep  
 1 acre at 8'-12' deep  
 2 acres at 12'-16' deep



Two year warranty on Stratus SRC series compressor, five year warranty on tubing, diffusers and cabinets. Available as basic and Sentinel deluxe systems.



### PA34-2 Basic Systems Feature

- 1/4 hp Stratus SRC Gen 2 compressor with two year warranty
- Two valve manifold with pressure relief
- No tubing included so you can customize to your job. Set up for 3/8" tubing — see page 52
- Two QS1 rubber membrane diffuser assemblies or no diffusers for custom system, see pages 54 and 55 for diffuser options
- Approximately 1.1 cfm air flow per diffuser
- Typical operation cost of \$0.40 per 24 hours at .09¢ per kWh, actual cost may vary

With self-weighted diffusers



Part #	Compressor	Diffuser	Tubing Type	Tubing Length	Cabinet	Stocking Code	Ship Weight	List Price
PA34-2	SRC25	(2) QS1	—	—	—	2734994	36 lbs.	\$979.99
PA34-2LD	SRC25	—	—	—	—	8525763	16 lbs.	\$701.09

All kits 115v, add "2" behind part number for 230v motor



## Sentinel

Sentinel deluxe systems include lockable steel cabinet with compressor, airlines, plumbing, pressure gauge, cooling fan and electrical outlet installed.

### PA34-2 Deluxe Systems Feature

- 1/4 hp Stratus SRC Gen 2 compressor with two year warranty
- 18" ground/post mount or 22" ground cabinet
- Two valve manifold with pressure relief and pressure gauge
- No tubing included for custom lengths as needed, set up for 3/8" tubing — see page 52
- Two QS1 rubber membrane diffuser assemblies or no diffusers for custom system, see pages 54 and 55 for diffuser options
- Approximately 1.1 cfm air flow per diffuser
- Typical operation cost of \$0.40 per 24 hours at .09¢ per kWh, actual cost may vary

With self-weighted diffusers



No electricity near your pond?  
 See our remote valve upgrade on page 37!



Part #	Compressor	Diffuser	Tubing Type	Tubing Length	Cabinet	Stocking Code	Ship Weight	List Price
PA34-2DP	SRC25	(2) QS1	—	—	SC18	41110226	42, 19 lbs.	\$1476.99
SC18SU	Sound proofing upgrade (installed)		—	—	—	857745	—	\$76.99
PA34-2D	SRC25	(2) QS1	—	—	SC22	31302986	63, 19 lbs.	\$1733.99
PA34-2DLD	SRC25	—	—	—	SC22	91093752	63 lbs.	\$1455.09
SC22SU	Sound proofing for SC22 cabinet (installed)		—	—	—	289998	—	\$119.99

All kits 115v, add "2" behind part number for 230v motor






## AERATE UP TO 2 ACRES

PA65 system aerates up to  
 ½ acre at 5'-8' deep  
 1 acre at 8'-12' deep  
 2 acres at 12'-16' deep

## PA65 Rocking Piston Aeration Systems

Designed for ponds up to 50' deep



Two year warranty on Stratus SRC series compressor, five year warranty on tubing, diffusers and cabinets. Available as basic and Sentinel deluxe systems.



### PA65 Basic Systems Feature

- 1/2 hp Stratus SRC Gen 2 compressor with two year warranty
- Two valve manifold with pressure relief
- Choice of 200' of 3/8" Quick Sink tubing or no tubing, see page 52 for tubing options
- Two QS2 rubber membrane diffuser assemblies or no diffusers for custom system, see pages 54 and 55 for diffuser options
- Approximately 2.2 cfm air flow per diffuser
- Typical operation cost of \$0.86 per 24 hours at .09¢ per kWh, actual cost may vary



### With self-weighted diffusers

Part #	Compressor	Diffuser	Tubing Type	Tubing Length	Cabinet	Stocking Code	Ship Weight	List Price
PA65W	SRC50	(2) QS2	3/8" Quick Sink	200'	—	11094999	25, 70 lbs.	\$1459.99
PA65A	SRC50	(2) QS2	—	—	—	8929994	47 lbs.	\$1239.99
PA65WLD	SRC50	—	3/8" Quick Sink	200'	—	7809033	46 lbs.	\$1078.79
PA65ALD	SRC50	—	—	—	—	7644033	25 lbs.	\$858.79

All kits 115v, add "2" behind part number for 230v motor



PA65D



No electricity near your pond?  
 See our remote valve upgrade on page 37!



## Sentinel

Sentinel deluxe systems include lockable steel cabinet with compressor, airlines, plumbing, pressure gauge, cooling fan and electrical outlet installed.

### PA65 Deluxe Systems Feature

- 1/2 hp Stratus SRC Gen 2 compressor with two year warranty
- 18" ground/post mount or 22" ground cabinet
- Two valve manifold with pressure relief and pressure gauge
- Choice of 200' of 3/8" Quick Sink tubing or no tubing, see page 52 for tubing options
- Two QS2 rubber membrane diffuser assemblies or no diffusers for custom system, see pages 54 and 55 for diffuser options
- Approximately 2.2 cfm air flow per diffuser
- Typical operation cost of \$0.86 per 24 hours at .09¢ per kWh, actual cost may vary

### With self-weighted diffusers

Part #	Compressor	Diffuser	Tubing Type	Tubing Length	Cabinet	Stocking Code	Ship Weight	List Price
PA65DP	SRC50	(2) QS2	3/8" Quick Sink	200'	SC18	41470226	46, 70 lbs.	\$1956.99
PA65ADP	SRC50	(2) QS2	—	—	SC18	31305222	44, 22 lbs.	\$1736.99
PA65DPLD	SRC50	—	3/8" Quick Sink	200'	SC18	71184267	46, 46 lbs.	\$1575.79
PA65ADPLD	SRC50	—	—	—	SC18	81019269	46 lbs.	\$1355.79
SC18SU	Sound proofing upgrade (installed)			—	—	857745	—	\$76.99
PA65D	SRC50	(2) QS2	3/8" Quick Sink	200'	SC22	51662986	69, 70 lbs.	\$2213.99
PA65AD	SRC50	(2) QS2	—	—	SC22	11497984	69, 22 lbs.	\$1993.99
PA65DLD	SRC50	—	3/8" Quick Sink	200'	SC22	21377027	69, 46 lbs.	\$1832.79
PA65ADLD	SRC50	—	—	—	SC22	91212028	69 lbs.	\$1612.79
SC22SU	Sound proofing for SC22 cabinet (installed)			—	—	289998	—	\$119.99

All kits 115v, add "2" behind part number for 230v motor



## PA66 Rocking Piston Aeration Systems

Designed for ponds up to 50' deep


### AERATE UP TO 3 ACRES

PA66 system aerates up to

¾ acre at 5'-8' deep

1½ acres at 8'-12' deep

3 acres at 12'-16' deep



Two year warranty on Stratus SRC series compressor, five year warranty on tubing, diffusers and cabinets. Available as basic and Sentinel deluxe systems.



### PA66 Basic Systems Feature

- 1/2 hp Stratus SRC Gen 2 compressor with two year warranty
- Three valve manifold with pressure relief
- Choice of 300' of ¾" Quick Sink tubing or no tubing, see page 52 for tubing options
- Three QS2 rubber membrane diffuser assemblies or no diffusers for custom system, see pages 54 and 55 for diffuser options
- Approximately 1.5 cfm air flow per diffuser
- Typical operation cost of \$0.86 per 24 hours at .09¢ per kWh, actual cost may vary



### With self-weighted diffusers

Part #	Compressor	Diffuser	Tubing Type	Tubing Length	Cabinet	Stocking Code	Ship Weight	List Price
PA66W	SRC50	(3) QS2	¾" Quick Sink	300'	—	31342498	38, 25, 69 lbs.	\$1789.99
PA66A	SRC50	(3) QS2	—	—	—	71087494	33, 25 lbs.	\$1449.99
PA66WLD	SRC50	—	¾" Quick Sink	300'	—	2913566	25, 69 lbs.	\$1218.09
PA66ALD	SRC50	—	—	—	—	9658561	25 lbs.	\$878.09

All kits 115v, add "2" behind part number for 230v motor

## Sentinel

Sentinel deluxe systems include lockable steel cabinet with compressor, airlines, plumbing, pressure gauge, cooling fan and electrical outlet installed.

### PA66 Deluxe Systems Feature

- 1/2 hp Stratus SRC Gen 2 compressor with two year warranty
- 18" ground/post mount or 22" ground cabinet
- Three valve manifold with pressure relief and pressure gauge
- Choice of 300' of ¾" Quick Sink tubing or no tubing, see page 52 for tubing options
- Three QS2 rubber membrane diffuser assemblies or no diffusers for custom system, see pages 54 and 55 for diffuser options
- Approximately 1.5 cfm air flow per diffuser
- Typical operation cost of \$0.86 per 24 hours at .09¢ per kWh, actual cost may vary

### With self-weighted diffusers



No electricity near your pond?  
See our remote valve upgrade on page 37!



Part #	Compressor	Diffuser	Tubing Type	Tubing Length	Cabinet	Stocking Code	Ship Weight	List Price
PA66DP	SRC50	(3) QS2	¾" Quick Sink	300'	SC18	41722976	46, 33, 69 lbs.	\$2293.99
PA66ADP	SRC50	(3) QS2	—	—	SC18	31467972	46, 33 lbs.	\$1953.99
PA66DPLD	SRC50	—	¾" Quick Sink	300'	SC18	71294047	46, 69 lbs.	\$1722.09
PA66ADPLD	SRC50	—	—	—	SC18	81039049	46 lbs.	\$1382.09
SC18SU	Sound proofing upgrade (installed)			—	—	857745	—	\$76.99
PA66D	SRC50	(3) QS2	¾" Quick Sink	300'	SC22	51915731	69, 33, 69 lbs.	\$2550.99
PA66AD	SRC50	(3) QS2	—	—	SC22	11660734	69, 33 lbs.	\$2210.99
PA66DLD	SRC50	—	¾" Quick Sink	300'	SC22	21486807	69, 69 lbs.	\$1979.09
PA66ADLD	SRC50	—	—	—	SC22	91231808	69 lbs.	\$1639.09
SC22SU	Sound proofing for SC22 cabinet (installed)			—	—	289998	—	\$119.99


All kits 115v, add "2" behind part number for 230v motor

## AERATE UP TO 3 ACRES

PA83 system aerates up to  
 ¾ acre at 5'-8' deep  
 1½ acres at 8'-12' deep  
 3 acres at 12'-16' deep

## PA83 Rocking Piston Aeration Systems

Designed for ponds up to 50' deep



Two year warranty on Stratus SRC series compressor, five year warranty on tubing, diffusers and cabinets. Available as basic and Sentinel deluxe systems.



PA83W



### PA83 Basic Systems Feature

- 3/4 hp Stratus SRC Gen 2 compressor with two year warranty
- Three valve manifold with pressure relief
- Choice of 300' of ¾" Quick Sink tubing or no tubing, see page 52 for tubing options
- Three QS2 rubber membrane diffuser assemblies or no diffusers for custom system, see pages 54 and 55 for diffuser options
- Approximately 2.1 cfm air flow per diffuser
- Typical operation cost of \$1.10 per 24 hours at .09¢ per kWh, actual cost may vary




With self-weighted diffusers



Part #	Compressor	Diffuser	Tubing Type	Tubing Length	Cabinet	Stocking Code	Ship Weight	List Price
PA83W	SRC75	(3) QS2	¾" Quick Sink	300'	—	11544999	26, 69, 33 lbs.	\$2059.99
PA83A	SRC75	(3) QS2	—	—	—	81274994	26, 33 lbs.	\$1699.99
PA83WLD	SRC75	—	¾" Quick Sink	300'	—	71116061	69, 26 lbs.	\$1488.09
PA83ALD	SRC75	—	—	—	—	5846069	26 lbs.	\$1128.09

All kits 115v, add "2" behind part number for 230v motor



No electricity near your pond?  
 See our remote valve upgrade on page 37!

## Sentinel

Sentinel deluxe systems include lockable steel cabinet with compressor, airlines, plumbing, pressure gauge, cooling fan and electrical outlet installed.

### PA83 Deluxe Systems Feature

- 3/4 hp Stratus SRC Gen 2 compressor with two year warranty
- 22" ground cabinet
- Three valve manifold with pressure relief and pressure gauge
- Choice of 300' of ¾" Quick Sink tubing or no tubing, see page 52 for tubing options
- Three QS2 rubber membrane diffuser assemblies or no diffusers for custom system, see pages 54 and 55 for diffuser options
- Approximately 2.1 cfm air flow per diffuser
- Typical operation cost of \$1.10 per 24 hours at .09¢ per kWh, actual cost may vary

With self-weighted diffusers



PA83D



SC22 cabinet with sound proofing installed




Part #	Compressor	Diffuser	Tubing Type	Tubing Length	Cabinet	Stocking Code	Ship Weight	List Price
PA83D	SRC75	(3) QS2	¾" Quick Sink	300'	SC22	12118235	70, 69, 33 lbs.	\$2820.99
PA83AD	SRC75	(3) QS2	—	—	SC22	71848232	70, 33 lbs.	\$2460.99
PA83DLD	SRC75	—	¾" Quick Sink	300'	SC22	21689307	70, 69 lbs.	\$2249.09
PA83ADLD	SRC75	—	—	—	SC22	91419306	70 lbs.	\$1889.09
SC22SU	Sound proofing for SC22 cabinet (installed)	—	—	—	—	289998	—	\$119.99

All kits 115v, add "2" behind part number for 230v motor



## PA86 Rocking Piston Aeration Systems

Designed for ponds up to 50' deep



Two year warranty on Stratus SRC series compressor, five year warranty on tubing, diffusers and cabinets. Available as basic and Sentinel deluxe systems.

### AERATE UP TO 4 ACRES

PA86 system aerates up to

1 acre at 5'-8' deep

2 acres at 8'-12' deep

4 acres at 12'-16' deep



### PA86 Basic Systems Feature

- 3/4 hp Stratus SRC Gen 2 compressor with two year warranty
- Four valve manifold with pressure relief
- Choice of 600' of 3/8" Quick Sink tubing or no tubing, see page 52 for tubing options
- Four QS2 rubber membrane diffuser assemblies or no diffusers for custom system, see pages 54 and 55 for diffuser options
- Approximately 1.6 cfm air flow per diffuser
- Typical operation cost of \$1.10 per 24 hours at .09¢ per kWh, actual cost may vary

With self-weighted diffusers



Part #	Compressor	Diffuser	Tubing Type	Tubing Length	Cabinet	Stocking Code	Ship Weight	List Price
PA86W	SRC75	(4) QS2	3/8" Quick Sink	600'	—	21942494	33, 44, 69, 69 lbs.	\$2589.99
PA86A	SRC75	(4) QS2	—	—	—	71424998	33, 44 lbs.	\$1899.99
PA86WLD	SRC75	—	3/8" Quick Sink	600'	—	31370581	33, 69, 69 lbs.	\$1827.49
PA86ALD	SRC75	—	—	—	—	5853082	33 lbs.	\$1137.49

All kits 115v, add "2" behind part number for 230v motor



## Sentinel

Sentinel deluxe systems include lockable steel cabinet with compressor, airlines, plumbing, pressure gauge, cooling fan and electrical outlet installed.

### PA86 Deluxe Systems Feature

- 3/4 hp Stratus SRC Gen 2 compressor with two year warranty
- 22" ground cabinet
- Four valve manifold with pressure relief and pressure gauge
- Choice of 600' of 3/8" Quick Sink tubing or no tubing, see page 52 for tubing options
- Four QS2 rubber membrane diffuser assemblies or no diffusers for custom system, see pages 54 and 55 for diffuser options
- Approximately 1.6 cfm air flow per diffuser
- Typical operation cost of \$1.10 per 24 hours at .09¢ per kWh, actual cost may vary

With self-weighted diffusers



No electricity near your pond?  
See our remote valve upgrade on page 37!



SC22 cabinet with sound proofing installed



Part #	Compressor	Diffuser	Tubing Type	Tubing Length	Cabinet	Stocking Code	Ship Weight	List Price
PA86D	SRC75	(4) QS2	3/8" Quick Sink	600'	SC22	82511237	73, 44, 69, 69 lbs.	\$3344.99
PA86AD	SRC75	(4) QS2	—	—	SC22	11993735	73, 44 lbs.	\$2654.99
PA86DLD	SRC75	—	3/8" Quick Sink	600'	SC22	41939327	73, 69, 69 lbs.	\$2582.49
PA86ADLD	SRC75	—	—	—	SC22	91421826	73 lbs.	\$1892.49
SC22SU	Sound proofing for SC22 cabinet (installed)			—	—	289998	—	\$119.99

All kits 115v, add "2" behind part number for 230v motor




## AERATE UP TO 2 ACRES

PA50 system aerates up to  
 ½ acre at 5'-8' deep  
 1 acre at 8'-12' deep  
 2 acres at 12'-16' deep

## PA50 Rotary Vane Aeration Systems

Designed for ponds up to 18' deep



One year warranty on compressor, five year warranty on tubing, diffusers and cabinets. Available as basic and Sentinel deluxe systems.

### PA50 Basic Systems Feature

- 1/4 hp Stratus rotary vane compressor with one year warranty
- Two valve manifold with pressure relief
- Choice of 200' of ½" Quick Sink tubing, 200' ½" poly tubing or no tubing, see page 52 for tubing options
- Two QS2 rubber membrane diffuser assemblies or no diffusers for custom system, see pages 54 and 55 for diffuser options
- Approximately 2.2 cfm air flow per diffuser
- Typical operation cost of \$1.31 per 24 hours at .09¢ per kWh, actual cost may vary

With self-weighted diffusers



Part #	Compressor	Diffuser	Tubing Type	Tubing Length	Cabinet	Stocking Code	Ship Weight	List Price
PA50	RV33	(2) QS2	½" Poly	200'	—	51162491	72 lbs.	\$1549.99
PA50W	RV33	(2) QS2	½" Quick Sink	200'	—	21387498	65, 49, 49 lbs.	\$1849.99
PA50A	RV33	(2) QS2	—	—	—	71124991	62 lbs.	\$1499.99
PA50WLD	RV33	—	½" Quick Sink	200'	—	61101533	38, 49, 49 lbs.	\$1468.79

All kits 115v, add "2" behind part number for 230v motor



## Sentinel

Sentinel deluxe systems include lockable steel cabinet with compressor, airlines, plumbing, pressure gauge, cooling fan and electrical outlet installed.

### PA50 Deluxe Systems Feature

- 1/4 hp Stratus rotary vane compressor with one year warranty
- 22" ground cabinet
- Two valve manifold with pressure relief and pressure gauge
- Choice of 200' of ½" Quick Sink tubing or no tubing, see page 52 for tubing options
- Two QS2 rubber membrane diffuser assemblies or no diffusers for custom system, see pages 54 and 55 for diffuser options
- Approximately 2.2 cfm air flow per diffuser
- Typical operation cost of \$1.31 per 24 hours at .09¢ per kWh, actual cost may vary

With self-weighted diffusers



No electricity near your pond?  
 See our remote valve upgrade on page 37!



PA50D



SC22 cabinet with sound proofing installed

Part #	Compressor	Diffuser	Tubing Type	Tubing Length	Cabinet	Stocking Code	Ship Weight	List Price
PA50D	RV33	(2) QS2	½" Quick Sink	200'	SC22	21959986	84, 25, 46, 46 lbs.	\$2609.99
PA50AD	RV33	(2) QS2	—	—	SC22	51697487	84, 25 lbs.	\$2259.99
PA50DLD	RV33	—	½" Quick Sink	200'	SC22	11674028	84, 46, 46 lbs.	\$2228.79
PA50ADLD	RV33	—	—	—	SC22	91411524	84 lbs.	\$1878.79
SC22SU	Sound proofing for SC22 cabinet (installed)			—	—	289998	—	\$119.99

All kits 115v, add "2" behind part number for 230v motor



## PA75 Rotary Vane Aeration Systems

Designed for ponds up to 18' deep


### AERATE UP TO 4 ACRES

PA75 system aerates up to

1 acre at 5'-8' deep

2 acres at 8'-12' deep

4 acres at 12'-16' deep




One year warranty on compressor, five year warranty on tubing, diffusers and cabinets. Available as basic and Sentinel deluxe systems.



### PA75 Basic Systems Feature

- 3/4 hp Stratus rotary vane compressor with one year warranty
- Four valve manifold with pressure relief
- Choice of 600' of 1/2" Quick Sink tubing or no tubing, see page 52 for tubing options
- Four QS2 rubber membrane diffuser assemblies or no diffusers for custom system, see pages 54 and 55 for diffuser options
- Approximately 2.4 cfm air flow per diffuser
- Typical operation cost of \$2.98 per 24 hours at .09¢ per kWh, actual cost may vary

With self-weighted diffusers



PA75W



Part #	Compressor	Diffuser	Tubing Type	Tubing Length	Cabinet	Stocking Code	Ship Weight	List Price
PA75W	RV75	(4) QS2	1/2" Quick Sink	600'	—	82489994	6@49, 44, 65 lbs.	\$3319.99
PA75A	RV75	(4) QS2	—	—	—	21672492	65, 44 lbs.	\$2229.99
PA75WLD	RV75	—	1/2" Quick Sink	600'	—	41936536	6@49, 65 lbs.	\$2582.09

All kits 115v, add "2" behind part number for 230v motor

## Sentinel

Sentinel deluxe systems include lockable steel cabinet with compressor, airlines, plumbing, pressure gauge, cooling fan and electrical outlet installed.

### PA75 Deluxe Systems Feature

- 3/4 hp Stratus rotary vane compressor with one year warranty
- 22" ground cabinet
- Four valve manifold with pressure relief and pressure gauge
- Choice of 600' of 1/2" Quick Sink tubing or no tubing, see page 52 for tubing options
- Four QS2 rubber membrane diffuser assemblies or no diffusers for custom system, see pages 54 and 55 for diffuser options
- Approximately 2.4 cfm air flow per diffuser
- Typical operation cost of \$2.98 per 24 hours at .09¢ per kWh, actual cost may vary

With self-weighted diffusers



No electricity near your pond?  
See our remote valve upgrade on page 37!



SC22 cabinet with sound proofing installed



PA75D



Part #	Compressor	Diffuser	Tubing Type	Tubing Length	Cabinet	Stocking Code	Ship Weight	List Price
PA75D	RV75	(4) QS2	1/2" Quick Sink	600'	SC22	43062486	470 lbs.	\$4079.99
PA75AD	RV75	(4) QS2	—	—	SC22	62244981	180 lbs.	\$2989.99
PA75DLD	RV75	—	1/2" Quick Sink	600'	SC22	52509025	430 lbs.	\$3342.09
PA75ADLD	RV75	—	—	—	SC22	81691522	140 lbs.	\$2252.09
SC22SU	Sound proofing for SC22 cabinet (installed)	—	—	—	—	289998	—	\$119.99

All kits 115v, add "2" behind part number for 230v motor



# Rotary Vane Aeration

SINCE 1970



## AERATE UP TO 6 ACRES

PA100 system aerates up to


1½ acres at 5'-8' deep

3 acres at 8'-12' deep

6 acres at 12'-16' deep

## PA100 Rotary Vane Aeration Systems

Designed for ponds up to 18' deep



One year warranty on compressor, five year warranty on tubing, diffusers and cabinets. Available as basic and Sentinel deluxe systems.



PA100W



### PA100 Basic Systems Feature

- 1 hp Stratus rotary vane compressor with one year warranty
- Six valve manifold with pressure relief
- Choice of 800' of ½" Quick Sink tubing or no tubing, see page 52 for tubing options
- Six QS2 rubber membrane diffuser assemblies or no diffusers for custom system, see pages 54 and 55 for diffuser options
- Approximately 2.2 cfm air flow per diffuser
- Typical operation cost of \$3.47 per 24 hours at .09¢ per kWh, actual cost may vary



### With self-weighted diffusers



Part #	Compressor	Diffuser	Tubing Type	Tubing Length	Cabinet	Stocking Code	Ship Weight	List Price
PA100W	RV100	(6) QS2	½" Quick Sink	800'	—	83374991	8@49, 2@33, 68 lbs.	\$4499.99
PA100A	RV100	(6) QS2	—	—	—	52399996	68, 2@33 lbs.	\$3199.99
PA100WLD	RV100	—	½" Quick Sink	800'	—	92544799	8@49, 68 lbs.	\$3393.09

All kits 115v, add "2" behind part number for 230v motor



PA100D



No electricity near your pond?  
See our remote valve upgrade on page 37!



SC22 cabinet with sound proofing installed

## Sentinel

Sentinel deluxe systems include lockable steel cabinet with compressor, airlines, plumbing, pressure gauge, cooling fan and electrical outlet installed.

### PA100 Deluxe Systems Feature

- 1 hp Stratus rotary vane compressor with one year warranty
- 22" ground cabinet
- Six valve manifold with pressure relief and pressure gauge
- Choice of 800' of ½" Quick Sink tubing or no tubing, see page 52 for tubing options
- Six QS2 rubber membrane diffuser assemblies or no diffusers for custom system, see pages 54 and 55 for diffuser options
- Approximately 2.2 cfm air flow per diffuser
- Typical operation cost of \$3.47 per 24 hours at .09¢ per kWh, actual cost may vary

### With self-weighted diffusers

Part #	Compressor	Diffuser	Tubing Type	Tubing Length	Cabinet	Stocking Code	Ship Weight	List Price
PA100D	RV100	(6) QS2	½" Quick Sink	800'	SC22	43932482	600 lbs.	\$5239.99
PA100AD	RV100	(6) QS2	—	—	SC22	62957487	230 lbs.	\$3939.99
PA100DLD	RV100	—	½" Quick Sink	800'	SC22	33102288	540 lbs.	\$4133.09
PA100ADLD	RV100	—	—	—	SC22	12127281	150 lbs.	\$2833.09
SC22SU	Sound proofing for SC22 cabinet (installed)			—	—	289998	—	\$119.99

All kits 115v, add "2" behind part number for 230v motor



## Remote Access Valve Assemblies

- In some situations it is easier to locate a compressor near an existing power supply that is far away from the pond and extend the tubing rather than run power to pond's edge.
- Typically a single, larger diameter, poly tubing will carry all the air from the compressor down to the edge of the pond where the valve assembly will be located. This prevents having to run multiple smaller lines between compressor and shore.
- These assemblies are simply an "adder" to the kit cost. A single line set up coming off the compressor is included along with a modified valve assembly for installation by the pond.

Simply order correct remote valve part number shown below along with your desired aeration kit, add the cost shown below to the kit cost for total package price.



### Rocking Piston Systems\*

*Single line systems (PA34) do not need modification for remote operation*

**RPA62** - price adder for two or three valve outlets, set up for 5/8" line  
Stocking Code: 732991 List Price Adder: \$42.99

**RPA75** - price adder for four to six valve outlets, set up for 3/4" line  
Stocking Code: 332996 List Price Adder: \$42.99

### Rotary Vane Systems\*

**RVA10** - price adder for two valve (PA50) outlets, set up for 1" line  
Stocking Code: 140997 List Price Adder: \$53.99

**RVA12** - price adder for four to six valve outlets, set up for 1 1/4" line  
Stocking Code: 640993 List Price Adder: \$53.99

*\*For dual compressor systems, use quantity of two for remote valve assembly price adder*

## Valve Boxes

- Use these handy boxes to conceal the valve underground and yet have easy access
- Box is black in color, lids are green

Part #	Size	Stocking Code	Ship Weight	List Price
<b>VB10</b>	10" diameter x 10" deep	329244	2 lbs.	\$38.99
<b>VB14</b>	14" x 19" x 12" deep	639378	15 lbs.	\$52.49



EasyPro offers an unlimited number of options for aerating large bodies of water. Typically we prefer to use multiple smaller systems around the perimeter of a lake but in some cases, one or two large compressor stations are utilized and then air is pumped all around the lake from those points. EasyPro offers stock aeration systems for lakes up to 20 acres and custom aeration for larger lakes. Custom systems can run up to 100+ diffusers from a single compressor. These systems are custom designed for each application rather than sold in "kit" form due to the complexity and uniqueness of each body of water.

## Rocking Piston Systems

These double compressor systems are designed for large ponds and lakes where high volumes of air are needed.

Two compressors are mounted in the SC28N large cabinet (page 58), allowing up to eight air lines from a single location.

Since the amount of tubing needed can vary widely in larger projects, these systems are designed with everything you need for a complete system, less the tubing.

- Choose from 1/2 or 3/4 hp compressors, see chart below for number of QS2 self-weighted diffusers per system
- Cabinets are mounted on equipment base and come complete with compressors, valve assemblies, pressure gauge, pressure relief valves, high volume cooling fans and electrical box
- Cabinets feature dual fans for increased cooling capability
- Now includes fittings for either 3/8" or 1/2" Quick Sink tubing. Purchase tubing separately on page 52.

DCS systems include self-weighted diffusers.

Add sound proofing SC28SU. See page 47.



Part #	Compressors	Voltage	Qty. Diffusers/ Air Outlets	Total cfm	Stocking Code	Ship Weight	List Price
DCS64AD	(2) 1/2 hp, SRC50	115	4	9	22993811	185 lbs.	\$3976.99
DCS64AD2	(2) 1/2 hp, SRC502	230	4	9	82993814	185 lbs.	\$3976.99
DCS66AD	(2) 1/2 hp, SRC50	115	6	9	33350269	209 lbs.	\$4452.19
DCS66AD2	(2) 1/2 hp, SRC502	230	6	9	63350265	209 lbs.	\$4452.19
DCS86AD	(2) 3/4 hp, SRC75	115	6	13	73641267	227 lbs.	\$4840.19
DCS86AD2	(2) 3/4 hp, SRC752	230	6	13	13641268	227 lbs.	\$4840.19
DCS88AD	(2) 3/4 hp, SRC75	115	8	13	93997722	250 lbs.	\$5315.49
DCS88AD2	(2) 3/4 hp, SRC752	230	8	13	43997723	250 lbs.	\$5315.49



## Need Large Lake Aeration? We Can Help!

Let us help you determine which products work best for your needs. We will put together a complete aeration quote for you.

Due to the complex nature, please allow extra time when designing these projects.





**New!**

## High Pressure Rocking Piston Systems

**New high-pressure 2 hp rocking piston aeration system! This system includes our brand-new SRC200 compressor. It's a rugged, reliable workhorse and the most powerful rocking piston compressor on the market! With these systems, you can reach deeper depths and achieve longer runs than ever before, all with smaller airlines. If you are facing a job that requires long tubing runs, or has deeper than normal depths, look no further!**

- Includes new 2 hp SRC200 compressor
- Your choice of (6) or (10) diffusers
- Offers longer tubing run capabilities than any other system
  - 1,500' with 3/8" tubing\*
  - 4,000' with 1/2" tubing\*
  - 20,000' with 5/8" tubing\*
- \*based on 2 cfm per line/the DCS206HP system
- Cabinets are mounted on equipment base and come complete with compressor, valve assemblies, pressure gauge, pressure relief valves, high volume cooling fans, and electrical box
- Now includes fittings for either 3/8" or 1/2" Quick Sink tubing. Purchase tubing separately on page 52.



Part #	Compressor	Voltage	Qty. Diffusers/ Air Outlets	Total cfm	Stocking Code	Ship Weight	List Price
DCS206HP	SRC2002	230	6	12	94649992	304 lbs.	\$6199.99
DCS210HP	SRC2002	230	10	12	45174998	328 lbs.	\$6899.99



## Rotary Vane Systems

These double compressor systems are designed for large ponds and lakes where high volumes of air are needed.

Two compressors are mounted in the SC28N large cabinet (page 58), allowing up to twelve air lines from a single location.

Since the amount of tubing needed can vary widely in larger projects, these systems are designed with everything you need for a complete system, less the tubing.

- Available in 1/4, 3/4 and 1 hp dual compressor systems or custom order with mixed hp sizes in same cabinet
- Cabinets are mounted on equipment base and come complete with compressors, valve assemblies, pressure gauge, pressure relief valves, high volume cooling fans and electrical box
- Cabinets feature dual fans for increased cooling capability
- Setup for 1/2" Quick Sink tubing. Purchase tubing separately on page 52.

DCS systems include self-weighted diffusers.  
Add sound proofing SC28SU. See page 58.



Part #	Compressors	Voltage	Qty. Diffusers/ Air Outlets	Total cfm	Stocking Code	Ship Weight	List Price
DCS54AD	(2) 1/4 hp, RV33	115	4	9	93168412	217 lbs.	\$4209.79
DCS54AD2	(2) 1/4 hp, RV33	230	4	9	43168418	217 lbs.	\$4209.79
DCS78AD	(2) 3/4 hp, RV75	115	8	20	34376029	304 lbs.	\$5819.89
DCS78AD2	(2) 3/4 hp, RV75	230	8	20	54376026	304 lbs.	\$5819.89
DCS112AD	(2) 1 hp, RV100	115	12	26	25700031	371 lbs.	\$7585.29
DCS112AD2	(2) 1 hp, RV100	230	12	26	75700034	371 lbs.	\$7585.29





## BECKER WINDMILLS

A Division of EasyPro Pond Products

### Wind Driven Aerators

Let Mother Nature aerate your pond

Windmill aerators can save \$30-\$50 per month in electric costs, paying for themselves in a few short years. Ideal for aerating remote ponds with no electricity nearby.

- Stable, four leg design
- Long-lasting, reinforced neoprene diaphragm
- 6' diameter head with 12 blades operates in wind as low as five miles per hour
- Produces 2.4-5 cfm (depending on air speed) for ponds up to 40' deep
- Over speed protection — tail section will turn head in high winds preventing over spinning
- Includes 48" long anchor stakes
- Hinge kits included with 16' and 20' units
- Can effectively aerate ponds up to two acres depending on shape and depth
- Windmills can sit up to 1000' away from pond's edge — use poly tubing on page 52

Five Year Limited Warranty

Windmill Kits - include 50' of poly tubing, 100' of Quick Sink tubing and dual head Quick Sink diffuser




Part #	Description	Overall Height	Base Stance	Stocking Code	Ship Weight (lbs.)	List Price
<b>BWM12W</b>	12' four legged Becker Windmill Kit	15'	4'-4" sq	22092493	54, 75, 11, 58, 2@49, 16	\$2699.99
<b>BWM16W</b>	16' four legged Becker Windmill Kit	19'	5'-8" sq	22324996	54, 75, 11, 58, 2@49, 43, 16	\$2999.99
<b>BWM20W</b>	20' four legged Becker Windmill Kit	23'	7'-0" sq	62441247	54, 75, 11, 58, 3@49, 43, 16	\$3149.99
<b>BWM20DLX</b>	20' four legged Becker Windmill Deluxe Kit*	23'	7'-0" sq	62596247	54, 75, 11, 58, 4@49, 43, 25	\$3349.99

\*Deluxe Kit contains 2-way splitter, 50' poly, 200' Quick Sink tubing and 2 single head Quick Sink diffusers

Windmill Only - customize with diffusers and tubing on pages 52, 54 & 55 (sold separately)



Part #	Description	Overall Height	Base Stance	Stocking Code	Ship Weight (lbs.)	List Price
<b>BWM12</b>	12' four legged Becker Windmill Kit	15'	4'-4" sq	91859999	54, 75, 11, 58, 49	\$2399.99
<b>BWM16</b>	16' four legged Becker Windmill Kit	19'	5'-8" sq	22014996	54, 75, 11, 58, 49, 43	\$2599.99
<b>BWM20</b>	20' four legged Becker Windmill Kit	23'	7'-0" sq	62169997	54, 75, 11, 58, 2@49, 43	\$2799.99



## Windmill Head Only

Already have a windmill tower or want to build your own?

- Available in a kit that includes tubing and diffuser(s), or as head only.
- Long-lasting, reinforced neoprene diaphragm
- 6' diameter head with 12 blades operates in wind as low as five miles per hour
- Produces 2.4-5 cfm (depending on air speed) for ponds up to 40' deep
- Over speed protection — tail section will turn head in high winds preventing over spinning
- Can effectively aerate ponds up to two acres depending on shape and depth
- Windmills can sit up to 1000' away from pond's edge — use poly tubing on page 52.

### Windmill Head Kit Includes

- Functional head
- QS2 Diffuser
- Fittings
- 50' poly tubing
- 100' of 1/2" Quick Sink tubing


**Five Year  
Limited Warranty**



Part #	Description	Overall Height	Stocking Code	Ship Weight (lbs.)	List Price
BWMH	Functional windmill head	72" dia	41487995	54, 75, 11, 8	\$1919.99
BWMHW	Functional windmill head kit	72" dia	41666245	54, 75, 11, 49, 16, 8	\$2149.99



## Becker Windmill Parts and Accessories



### Diaphragm Kit

Includes:

- 1 - Replacement diaphragm
- 2 - O-rings
- 2 - Umbrella valves
- 2 - Long threaded alignment studs
- 4 - Short threaded alignment studs

Part #	Stocking Code	Ship Weight	List Price
BWMRK	973123	1 lb.	\$97.49



### Windmill Freeze Control System

- Recommended whenever the windmill is located away from the pond's edge
- If the line starts to freeze, the control valve opens and feeds ethanol alcohol (or rubbing alcohol) into the line to melt the ice, the valve then closes and normal operation resumes

Part #	Stocking Code	Ship Weight	List Price
WMFC	7186992	6 lbs.	\$219.99



### Red Stripe Kit

Add the Red Stripe Kit to your order. It's like putting racing stripes on a classic roadster!

Stickers are pre-cut and easy to apply.

Part #	Stocking Code	Ship Weight	List Price
BWMRED	915493	1 lb.	\$19.99



### Windmill Hinge Set

Hinges install at the base for easier installation. Also useful to lower tower for future maintenance or impending storms.

Included with 16' & 20' Windmill Kits!



Part #	Stocking Code	Ship Weight	List Price
BWHS	737492	3 lbs.	\$49.99

### More Windmill Parts & Accessories

Part #	Description	Stocking Code	Ship Weight (lbs.)	List Price
WD1	Aeration Accessory Kit - 50' poly tubing, QS2 diffuser, clamps and tubing connector	3172494	16	\$229.99
WD2	Aeration Accessory Kit - 50' poly tubing, 2 - QS1 diffusers, 2 way splitter and clamps	7262497	25	\$349.99
L5PVC1	1/2" ID X 1" OD - Quick Sink PVC Hose - 100' Roll Boxed	9138743	44	\$184.99



See pages 52, 54 and 55 for additional tubing and diffuser options.



**New!**



**Aerates up to 20' deep!**



## NightAir™ Solar Aeration Systems

**More air. More solar power. More battery.**

This revolutionary new battery back up aeration system has the highest rated CFM of any battery back up solar system. It has a larger, higher output compressor with over 600 watts of solar power and 400 Ah total on the batteries.

- 24 volt brushless piston compressor
  - No sound reduction kit needed
- Two deep cycle AGM 200 Ah batteries
- Bluetooth enabled solar controller
- 20 hours per day operation
- 2.2 CFM output at 5 psi
- Turnkey system - the only thing needed is concrete

**Warranty:**

- 2 year warranty on compressors and electrical components
- 5 year warranty on all diffusers, bases and airlines
- 15 year warranty on all solar panels
- Lifetime warranty against rust on all aluminum cabinets

Part #	Description	Recommended Pond Size	# of Diffusers	1/2" Weighted Tubing	Stocking Code	Ship Weight	List Price
NA1W	NightAir™ Single Diffuser System	up to .75 acres	1 Dual	100'	19606869	180 lbs.	\$12,395.95
NA2W	NightAir™ (2) Diffuser System	up to 1.5 acres	2 Single	200'	59761862	220 lbs.	\$12,595.95
NA3W	NightAir™ (3) Diffuser System	up to 2.5 acres	3 Single	500'	410226866	280 lbs.	\$13,195.95

**New!**



**Aerates up to 20' deep!**

## TurboAir™ 24v Direct Drive Solar Aeration Systems

**Highest CFM in the industry for Direct Drive Solar**

The TurboAir™ 24v Direct Drive Solar Aeration System offers two high output solar panels with the proprietary MaxEnergy™ controller providing significantly longer run times. The all-inclusive kits allows for easy and quick installation, you just add the concrete.

- Highest CFM in the industry for 24v DC Direct Drive Solar Systems
  - 3.7 CFM @ 10 psi
- 24v DC Rocking Piston Compressor
- Two solar panel system with easy install racking
- Optional sound reduction kit available
- Two high efficiency DC fans for maximum cooling

**Warranty:**

- 2 year warranty on compressors and electrical components
- 5 year warranty on all diffusers, bases and airlines
- 15 year warranty on all solar panels
- Lifetime warranty against rust on all aluminum cabinets

Part #	Description	Recommended Pond Size	# of Diffusers	1/2" Weighted Tubing	Stocking Code	Ship Weight	List Price
TA1W	TurboAir™ Single Diffuser System	up to .75 acres	1 Dual	100'	14671569	763 lbs.	\$5495.95
TA2W	TurboAir™ (2) Diffuser System	up to 1.5 acres	2 Single	200'	54841562	815 lbs.	\$5695.95
TA3W	TurboAir™ (3) Diffuser System	up to 2.5 acres	3 Single	500'	45351566	971 lbs.	\$6295.95
SRK	Soundproofing Kit - Includes powder coated fan cover & sound deadening acoustical foam				9234565	10 lbs.	\$275.95

## Deep Water Deluxe Solar Aeration Systems

Designed for ponds and lakes, up to four acres and 35' deep

The Deep Water Solar Aeration Systems utilize rocking piston compressors to deliver effective aeration to deeper water depths than other traditional solar systems.

These direct drive systems operate during daylight hours and are designed to start earlier, run later and even operate on moderately cloudy days, giving you more operating time. The results are much more total cfm of air delivered per day than other non-battery systems currently on the market.

### Features:

- Oil-less rocking piston compressor with hard coated aluminum cylinder and permanently lubricated bearings - available in 3 different sizes
- Aerates ponds up to 35' deep
- High output solar panels
- Pre-cut fabricated racking to make panel installation easier\*
- Quick connect cable for easy assembly
- Self-weighted, self-cleaning diffuser
- Optional sound reduction kit available

### Warranty:

- 3 year warranty on compressor (Excludes wearable items; piston cup, valves, etc. - air filters must be cleaned or replaced every 6 months)
- 5 year warranty on airlines and diffusers
- 15 year warranty on all solar panels
- Lifetime warranty against rust on all aluminum cabinets



SASD12



SASD23



SASD34



**Aerates up to 35' deep!**

Part #	Description	Recommended Pond Size	# of Diffusers	1/2" Weighted Tubing	# of Solar Panels	Stocking Code	Ship Weight	List Price
<b>SASD12</b>	1/4 hp Deluxe System	up to 1.5 acres	2 Single	200'	3	14879369	270 lbs.	\$6,295.95
<b>SASD23</b>	1/2 hp Deluxe System	up to 2.5 acres	3 Dual	300'	4	55886862	370 lbs.	\$7,595.95
<b>SASD34</b>	3/4 hp Deluxe System	up to 4 acres	4 Dual	500'	6	47514366	570 lbs.	\$9,695.95
<b>SRK</b>	Soundproofing Kit - Includes powder coated fan cover & sound deadening acoustical foam					9234565	10 lbs.	\$275.95

\*Vertical mounting pole(s) purchased separately





# Stratus SRC Series

## Rocking Piston Compressors

Stratus SRC series "Gen 2" rocking piston compressors are specifically designed for the demanding job of 24 hour operation. The oil-less design makes them ideal for pond aeration systems. Available in 1/4, 1/2, 3/4 and 2 hp models, the Stratus SRC series compressors are assembled in the USA.

### Features

- Universal dual voltage, 1725 RPM (60Hz) motor
- Oil-less operation
- Permanently lubricated bearings
- Includes **Stratus Smart-Start** technology to start under load
- Superior quality, flexible cup material for increased reliability
- Die-cast body components for overall strength
- Single or double cylinder design
- Inlet/Outlet Size:
  - 1/4 hp - 3/4 hp: 1/4" fpt
  - 2 hp: 3/8" fpt
- Maximum psi:
  - 1/4 hp - 3/4 hp: max 30 psi
  - 2 hp: max 125 psi

**2 Year Warranty**

**2 hp option now available!**



### Units include

- Air inlet filter
- Rubber feet
- 5' power cord



All Stratus SRC compressors operate under 70dB. (About the volume of normal conversation) And they're even quieter when mounted in cabinets!



See our cabinet options on pages 56-58.



SRC25



SRC50



SRC75

**Units include:** Air inlet filter, rubber feet, 5' power cord

Part #	hp	Amps* /Volts	Cost per 24 Hours**	Cfm Air Flow @ Water Depth of:						Stocking Code	Ship Weight	List Price
				0'	10'	20'	30'	40'	50'			
SRC25	1/4	1.7/115	\$0.40	2.3	2.2	2.0	1.9	1.8	1.7	7479991	17 lbs.	\$639.99
SRC252	1/4	0.9/230	\$0.40	2.3	2.2	2.0	1.9	1.8	1.7	4479999	17 lbs.	\$639.99
SRC50	1/2	3.6/115	\$0.86	4.5	4.3	4.2	4.0	3.8	3.6	5599996	22 lbs.	\$799.99
SRC502	1/2	1.8/230	\$0.86	4.5	4.3	4.2	4.0	3.8	3.6	9599997	22 lbs.	\$799.99
SRC75	3/4	4.5/115	\$1.10	6.5	6.0	5.5	5.2	5.0	4.7	3749998	26 lbs.	\$999.99
SRC752	3/4	2.3/230	\$1.10	6.5	6.0	5.5	5.2	5.0	4.7	2749992	26 lbs.	\$999.99
SRC2002	2	4.5/230	\$4.96	12	11.7	11.4	11.2	10.8	10.5	92249993	62 lbs.	\$2999.99

\*Amps measured at 10' operating depth

\*\*Cost figured at .09¢ per kwh, 24/7 operation, 10' operating depth. Actual electrical data will depend on operating conditions.





## SRC Compressor Parts & Accessories

### SRC Compressor Rebuild Kits



- Kits include piston cup, cylinders, O-rings and cup retainer screws
- SRC75K includes valve plates with leaf valves installed



Part #	Stocking Code	Ship Weight	List Price
SRC25K	674241	1 lb.	\$98.99
SRC50K	3138740	1 lb.	\$184.99
SRC75K	7179997	1 lb.	\$239.99



SRC25VP

SRC50VP

- SRC25VP and SRC50VP are complete valve plates with leaf valves installed

Part #	Stocking Code	Ship Weight	List Price
SRC25VP	565242	1 lb.	\$86.99
SRC50VP	3142493	2 lbs.	\$189.99

### SRC Air Filters & Element

GAF2 filters are standard for SRC rocking piston compressors

GAFE replacement filter elements for all SRC models




GAFE

GAF2

Part #	Description	Stocking Code	List Price
GAF2	Complete filter - 1/4" mpt	338626	\$51.49
GAFE	Replacement element	65024	\$6.69

### SRC Shock Mount Foot

- Four per compressor, all SRC models use same feet. 1/4-20 threads



Part #	Stocking Code	List Price
SRCSM	23449	\$4.59 each

### SRC Capacitors

- Start/run capacitors.



SRCCAP

Part #	Description	Stocking Code	List Price
SRCCAP	1/4 & 1/2 hp	645971	\$61.29
SRC75CAP	3/4 hp	939224	\$52.29

## ERP Compressor Parts & Accessories

### ERP Compressor Rebuild Kits



**Snap Code for Video**

**Rebuilding ERP Compressors Step-By-Step**



- Kits include piston ring, gaskets, seals and leaf valves

Part #	Stocking Code	Ship Weight	List Price
ERP25K	147996	1 lb.	\$63.99
ERP50K	593741	1 lb.	\$124.99
ERP75K	8109499	1 lb.	\$145.99



ERP50CAP

### ERP Capacitors

- All models have field changeable start/run capacitors.

Part #	Fits Compressor	Stocking Code	List Price
ERP25CAP	ERP25 - 115 volt	614541	\$19.39
ERP252CAP	ERP252 - 230 volt	916194	\$21.59
ERP50CAP	ERP50 - 115 volt	717922	\$23.89
ERP502CAP	ERP502 - 230 volt	318294	\$24.39
ERP75CAP	ERP75 - 115 volt	622423	\$29.89
ERP752CAP	ERP752 - 230 volt	323922	\$31.89

### ERP Air Filters & Element



ERPF12E

ERPF2

### ERPF1 & ERPF2 Filter Features

- Good for sound reductions of 2 to 4 dB
- For compressor units up to 7.5 cfm
- Provide excellent filtration in areas of fine dust
- Connections: 1/4" mpt on ERPF1 and 3/8" mpt on ERPF2

Part #	Description	Stocking Code	List Price
ERPF1	Filter - 1/4 & 1/2 hp for ERP25/50	622491	\$29.99
ERPF2	Filter - 3/4 hp for ERP75	922494	\$29.99
ERPF12E	Filter element for F1/F2	18248	\$10.99


See page 47 for valved outlets, pressure gauges and relief valves



## Rotary Vane Compressors




- Long lasting, continuous duty compressors offer less depth capabilities than the diaphragm or rocking piston compressors but produce considerably more air per hp
- Medium pressure, oil free compressors are excellent for pond and lake aeration or de-icing
- Carbon vanes self adjust to maintain maximum efficiency and are easily replaced when worn out
- All models have an 18' maximum operating depth,
- Units include air filter and 6' power cord with plug
- Air outlet assemblies are available (see page 47) with two to six valves, allowing one pump to supply up to six air manifolds
- Units available in 115 or 230 volt
- One year warranty

Part #	Description	Volts	Amps	Cfm Air Flow @ Water Depth of:				Stocking Code	Ship Weight	List Price
				0'	6'	12'	18'			
 <b>RV33</b>	1/4 hp Stratus rotary vane	115	5	4.5	4.3	4.0	3.6	6689999	34 lbs.	\$919.99
<b>RV332</b>	1/4 hp Stratus rotary vane	230	2.5	4.5	4.3	4.0	3.6	8689995	34 lbs.	\$919.99
<b>RV75</b>	3/4 hp Stratus rotary vane	115	12	10.0	9.6	9.2	9.0	3944993	53 lbs.	\$1259.99
<b>RV752</b>	3/4 hp Stratus rotary vane	230	6	10.0	9.6	9.2	9.0	1944997	53 lbs.	\$1259.99
<b>RV100</b>	1 hp Stratus rotary vane	115	14	13.5	12.4	11.7	10.4	81274995	58 lbs.	\$1699.99
<b>RV1002</b>	1 hp Stratus rotary vane	230	7	13.5	12.4	11.7	10.4	21274996	58 lbs.	\$1699.99

## Rotary Vane Compressor Parts & Accessories

### Vane Kits for RV33 - 100 Compressors



Rotary vane compressors each have four self-wearing vanes, when worn they no longer catch air resulting in reduction of air flow.

- Kits include four vanes, gasket and two black, internal air filters
- Ship weight - 2 lbs.

Part #	Description	Stocking Code	List Price
<b>RV33V</b>	RV33 repair kit	7112494	\$149.99
<b>RV75V</b>	RV75 repair kit	3142496	\$189.99
<b>RV100V</b>	RV100 repair kit	6224992	\$299.99

### Internal Air Filters

Rotary vane compressors have two internal air filters. Air filter elements are included in repair kits or can be purchased separately. Black plug that holds filter does not come in repair kit. All models use the same plugs and filters.



Part #	Description	Stocking Code	List Price
<b>RVBF</b>	Internal filter	35176	\$6.89
<b>RVBP</b>	Black plug	78244	\$10.99
<b>RVBO</b>	O-ring	93595	\$4.79

### Air Filters & Filter Elements

Fits rotary vane compressors above

AC432 filter has 3/8" female threaded inlet

Ship weight - 1 lb. each.



Part #	Description	Stocking Code	List Price
<b>AC432</b>	3/8" fpt complete filter	633741	\$44.99
<b>AC393</b>	Replacement filter element	511394	\$15.19

### Check Valve for RV Compressors

Installs on the inlet side of the rotary vane compressors

- Installs between compressor and air filter (air filter not included)
- Prevents back flow of water in air lines
- Ship weight 1 lb.



Part #	Fits	Stocking Code	List Price
<b>RVC</b>	RV33	427741	\$36.99
<b>RVC2</b>	RV75, RV100	727743	\$36.99



## Valved Outlet Air Assemblies

- Use when operating two or more pond diffusers from single pump
- Built-in pressure relief valve protects the pump if airlines become kinked, plugged or frozen
- Union coupling allows for quick and easy removal of the pump
- Air flow to each diffuser is controlled by adjustable ball valve


- 2' piece of flexible hose included on each line to dissipate heat and allow for easy tubing connection
- See remote valve assemblies on page 37 for applications where compressor is away from pond's edge

## Rocking Piston Air Outlet Assemblies

- Includes pressure relief valve and swivel union for easy removal from compressor
- 1/4" threaded air inlets - fits all rocking piston compressors
- Set up for 3/8" tubing

Part #	Outlets	Stocking Code	Ship Weight	List Price
ERP1V*	1	126994	2 lbs.	\$35.99
ERP2V	2	779497	3 lbs.	\$105.99
ERP3V	3	996742	5 lbs.	\$128.99
ERP4V	4	3123748	7 lbs.	\$164.99
ERP5V	5	5146991	9 lbs.	\$195.99
ERP6V	6	6164993	10 lbs.	\$219.99

\*Control valve not included with ERP1V




## Rotary Vane Air Outlet Assemblies

- 1/4" threaded air inlets - for RV33 compressors
- 3/8" threaded air inlets - for RV75/RV100 compressors
- Set up for 1/2" tubing



Part #	Outlets	Stocking Code	Ship Weight	List Price
VO2N	2	7104993	4 lbs.	\$139.99
VO4N	4	6164998	6 lbs.	\$219.99
VO6N	6	5224992	8 lbs.	\$299.99



## Liquid Filled Pressure Gauges

- Fits easily onto rocking piston valves or rotary vane outlets
- 1/4" mpt connection
- Use on aeration systems to monitor operating pressure and ensure compressor is not overloaded



Part #	Range	Stocking Code	Ship Weight	List Price
G30L	0-30 psi	417242	1 lb.	\$22.99
G50L	0-50 psi	818747	1 lb.	\$24.99

## Pressure Relief Valves

- Protects your air compressor from excessive back pressure from frozen or kinked airlines, operating too deep, etc.
- 1/4" mpt

Available in

10 psi - Rotary vane compressors

25 psi - Stratus SRC rocking piston compressors

40 psi - Stratus ERP rocking piston compressors



Part #	Psi	Stocking Code	Ship Weight	List Price
PR10	10	611993	1 lb.	\$15.99
PR25	25	211997	1 lb.	\$15.99
PR40	40	911996	1 lb.	\$15.99





## Regenerative Blowers

- The industry choice when high oxygen, low energy consumption and reliable service is needed
- Blowers have only one moving part – the impeller – and since the impeller touches nothing, there is no wear, no seals, no vibrations and no lubrication to be done
- 50 and 60 Hz operation, automatic thermal overload protection, UL approved and CSA certified, can be mounted in any position, lightweight, durable and compact
- Includes inlet air filter and outlet bleed valve
- 6' power cord on all blowers 1 hp and smaller

Larger and three phase blowers are available — please inquire!

Part #	hp	Volts	Amps @ 115v	Cfm Airflow at a Water Depth of:					Max. Depth	Outlet Pipe Size	Stocking Code	Ship Weight	List Price
				20"	30"	40"	50"	60"					
GB11	1/8	115/230	2.0	14	-	-	-	-	29"	1 1/2"	4622121	24 lbs.	\$829.49
GB21	1/3	115/230	3.8	28	19	-	-	-	39"	1 1/2"	7824994	28 lbs.	\$1099.99
GB31N	1/2	115/230	5.6	35	27	19	11	-	52"	1 1/2"	6854993	37 lbs.	\$1139.99
GB41	1	115/230	9.8	73	64	52	28	-	58"	2"	51019995	45 lbs.	\$1359.99
GB415	1.5	115/230	20.7	110	102	88	78	64	63"	2"	81424999	65 lbs.	\$1899.99
GB51	2.5	115/230	23.6	135	125	111	100	82	65"	2"	41559996	83 lbs.	\$2079.99
GB63	5	230/460-3*	6 @ 460 Volt	188	178	167	157	147	105"	2"	71904998	115 lbs.	\$2539.99



1.5 to 5 hp  
Ship  
Motor  
Freight

\*5 hp are three phase motors - specify 230 or 460v. All other blowers are also available in three phase.

Please specify 115 or 230 volt when ordering. Blower will be wired 115v if not specified!



## Blower Only

Gast blowers are also available as blower only, no inlet air filter or bleed valve. Ideal for replacement applications where filter and bleed valve already exist. 6' power cord included on 1 hp and smaller units.

Part #	Description	Stocking Code	Ship Weight	List Price
GB11B	1/8 hp blower, no filter or bleed valve	8577494	21 lbs.	\$769.99
GB21B	1/3 hp blower, no filter or bleed valve	1779992	25 lbs.	\$1039.99
GB31BN	1/2 hp blower, no filter or bleed valve	3809993	32 lbs.	\$1079.99
GB41B	1 hp blower, no filter or bleed valve	5959991	38 lbs.	\$1279.99
GB415B	1.5 hp blower, no filter or bleed valve	91334996	57 lbs.	\$1779.99
GB51B	2.5 hp blower, no filter or bleed valve	71469991	75 lbs.	\$1959.99
GB63B*	5 hp blower, no filter or bleed valve	41724997	104 lbs.	\$2299.99



1.5 to 5 hp  
Ship  
Motor  
Freight

\*3 Phase only - specify 230 or 460v

## Replacement Air Filters for 1/8 to 5 hp Blowers



Use these high volume air filters as replacements on our Gast blowers (above) or any application requiring high volumes of prefiltered air

### Complete Filter



Part #	Mpt Connection	Fits Blower hp	Stocking Code	Ship Weight	List Price
SOL3	1 1/4"	1/8, 1/3, 1/2	738496	2 lbs.	\$54.99
SOL5	2"	1	354598	3 lbs.	\$77.99
SOL7	2"	1.5, 2.5, 5*	597994	4 lbs.	\$139.99

\*5 hp blowers have two filters



### Replacement Filter Cartridge

Includes canister and foam prefilter

Part #	Stocking Code	Ship Weight	List Price
SOL31	416796	1 lb.	\$23.99
SOL51	726598	1 lb.	\$37.99
SOL71	641294	2 lbs.	\$58.99



## GAST Diaphragm Compressors

Both the DC22 and DC12 come with a one year warranty  
 Brass barbed adapters included on both models for easy connection to 3/8" tubing

### DC22

- Small, continuous duty diaphragm compressor is surprisingly powerful
- The 1/20 hp motor draws only one amp electric but operates up to 12' deep and produces .7 cfm air flow
- Permanently lubricated ball bearing motors designed for years of trouble free service

### DC12

- Oil-less compressor works well for continuous pond aeration
- Higher pressure allows for aeration in ponds up to 35' deep
- Compressor comes with 6' power cord and inlet air filter



DC22



DC12

Part #	Description	hp	Cfm	Voltage	Amps	Stocking Code	Ship Weight	List Price
DC22	1/20th hp compressor	1/20	.7	115	1	6299993	7 lbs.	\$399.99
DC12	1/8th hp compressor	1/8	1.1	115	4.2	8434991	12 lbs.	\$579.99



## DC Diaphragm Compressor Parts & Accessories

### DC22, DC12, Repair Kits

- If your air compressor runs but does not pump air after a couple years of service, chances are the diaphragm has cracked
- Kits include the diaphragm, head gasket and parts needed to rebuild compressor to "like new" performance
- Ship weight - 2 lbs.



Part #	Description	Stocking Code	List Price
RK22	DC22 (1/20 hp) repair kit	669897	\$93.19
DC12RK	DC12 (1/8 hp) repair kit	464876	\$86.49

### Air Filters & Elements

Can also be used on a variety of other units as replacement air filters. Ship weight - 1 lb. each.

DC22F Air filter is one piece, no replaceable element available

ERPF1 is available as complete filter or element only (ERPF12E)



ERPF1



DC22F



ERPF12E

Part #	Description	Stocking Code	List Price
DC22F	Replacement filter - DC22	115446	\$20.59
ERPF1	Complete filter - 1/4" mpt	622491	\$29.99
ERPF12E	Replacement element	18248	\$10.99

Installed by homeowner, Joseph Pesek (IN)



## STRATUS KLC SERIES



KLC25



KLC40, KLC60 & KLC80



KLC100 & KLC120



## Linear Diaphragm Air Compressors

These compressors combine outstanding performance with great value!

- Ultra quiet operation with very low energy usage
- Long life, even in continuous applications with minimal maintenance
- cUL and UL listed for outdoor use
- Operation at deeper than recommended depths will require more frequent replacement of diaphragms

**3 Year Warranty**

### KLC Diaphragm Repair Kits

Part #	Stocking Code	List Price
<b>KLC25DK</b>	627828	\$37.09
<b>KLC40DK</b>	734047	\$45.39
<b>KLC68DK</b>	346121	\$61.49
<b>KLC100DK*</b>	261041	\$81.39

\*For KLC100 & KLC120

Part #	Watts	Compressor Outlet Size (Nominal)	Cfm Air Flow @ Water Depth of:								Stocking Code	Ship Code	Weight	List Price
			0'	2'	4'	6'	8'	10'	12'	14'				
<b>KLC25</b>	23	5/8"	1.3	1	0.8	0.6	0.4	0.1	—	—	6168747	7 lbs.	\$224.99	
<b>KLC40</b>	36	5/8"	2.1	1.9	1.6	1.3	0.9	0.6	0.2	—	3209995	13 lbs.	\$279.99	
<b>KLC60</b>	60	5/8"	3.1	2.8	2.4	2.0	1.6	1.2	0.7	0.3	1247493	15 lbs.	\$329.99	
<b>KLC80</b>	70	5/8"	3.7	3.4	3.1	2.8	2.4	2.0	1.5	0.9	9299998	15 lbs.	\$399.99	
<b>KLC100</b>	112	5/8"	4.2	4.1	4.0	3.6	3.1	2.5	2.0	1.2	7412496	21 lbs.	\$549.99	
<b>KLC120</b>	130	1"	4.9	4.8	4.6	4.3	4.0	3.5	3.0	2.9	1472492	21 lbs.	\$629.99	

Recommended operation in shaded area



## Linear Piston Compressors

**3 Year Warranty**



ML28

ML45

ML60/ML80

ML100/ML120

ML200

- Quiet, energy efficient, weather resistant and durable
- These compressors utilize a small piston instead of a diaphragm to pump air
- UL listed for outdoor use — ideal for pond aeration

- It is not at all uncommon for these motors to operate continuously for seven to nine years — a perfect choice for summer and winter aeration needs
- 5' power cord with 115 volt plug included
- A rubber elbow is included for outlet connection

### ML Piston Repair Kits

Part #	Stocking Code	List Price
<b>ML28RK</b>	153920	\$71.89
<b>ML45RK</b>	365029	\$86.69
<b>ML60RK</b>	7108442	\$144.59
<b>ML80RK</b>	9118944	\$158.59
<b>ML120RK*</b>	4183596	\$244.79
<b>ML200RK</b>	5363977	\$485.29

\*for ML100 & ML120

Part #	Watts	Compressor Outlet Size	Cfm Air Flow @ Water Depth of:					Max. Depth	Max. PSI	Stocking Code	Ship Weight	List Price
			0'	2'	4'	6'	8'					
<b>ML28</b>	26	5/8"	1.3	1.2	0.8	0.5	-	6'	2.6	6224541	8 lbs.	\$299.39
<b>ML45</b>	45	3/4"	1.8	1.7	1.5	1.1	-	6'	2.6	5264447	8 lbs.	\$352.59
<b>ML60</b>	60	3/4"	2.5	2.5	2.3	1.4	0.5	8'	3.5	3338697	13 lbs.	\$451.59
<b>ML80</b>	86	3/4"	3.0	2.9	2.8	2.1	1.2	8'	3.5	2356998	14 lbs.	\$475.99
<b>ML100</b>	95	1"	4.6	4.5	4.2	3.7	1.8	9'	4.0	9535125	22 lbs.	\$713.49
<b>ML120</b>	118	1"	5.2	5.1	4.8	4.5	2.6	9'	4.0	4560696	22 lbs.	\$747.59
<b>ML200</b>	215	1"	9.9	9.1	8.4	7.3	6.0	10'	4.4	7891822	28 lbs.	\$1189.09

Recommended operation in shaded area



**These small aeration kits are ideal for decorative ponds, fish holding tanks and other small applications.**



## Need some Koi Loving Care?

- Ensure adequate oxygen and circulation during hot summer months
- De-icing capability during freezing months
- Kits available for water gardens and koi ponds up to 30,000 gallons
- Quiet and energy efficient with cUL and UL listing for outdoor use
- All kits include compressor with 6' power cord, rubber membrane diffuser(s), connectors and 3/8" Quick Sink tubing

**Choose the right kit for the job**

Kit Part #	LA1	LA2	LA3	LA4
Pond Size (Gallons)	1,000-7,500	2,000-15,000	3,000-22,500	4,000-30,000
Number of 8" diffusers (RAD8)	One	Two	Three	Four
Length of tubing included	25'	50'	75'	100'
Air Flow (cfm)	1.3*	2.1	3.1	3.7
Max. depth recommended	6'	6'	7'	8'
Watts	23	36	60	70
Estimated monthly cost of operation**	\$1.51	\$2.37	\$3.94	\$4.60

\*25% more air than previous model \*\*Based on 24/7 operation at \$.09 per kWh. Actual cost will vary with operating conditions. Fish load, filtration capacity and other factors affect actual maximum pond size.



**3 Year Warranty**

Part #	Compressor Part Number	Air Diffusers Output	Aerates Ponds	Stocking Code	Ship Weight	List Price
LA1	KLC25	1	1000-7500 gallons	3206998	15 lbs.	\$275.99
LA2	KLC40	2	2000-15000 gallons	3299998	29 lbs.	\$399.99
LA3	KLC60	3	3000-22500 gallons	8363745	37 lbs.	\$484.99
LA4	KLC80	4	4000-30000 gallons	8449995	45 lbs.	\$599.99

See previous page for more information on compressors



## Deluxe Linear Aeration Kits

- Extra Quiet — you can barely hear them from only 5' away
- Energy Efficient — operates for only pennies per day
- Very Reliable — motors can often run constant for 5 - 8 years
- Oil-less Design — provides clean, dry air with minimal maintenance

- UL listed — for outdoor use
- Each kit includes compressor, 15' of weighted airline and air diffuser

**3 Year Warranty**

### LA5W

Includes ML28 compressor, 15' of 3/8" Quick Sink weighted tubing and RAD6 air diffuser

### LA10W

Includes ML45 compressor, 15' of 1/2" Quick Sink weighted tubing and RAD12 air diffuser



### LA15W

Includes ML80 compressor, 15' of 1/2" Quick Sink weighted tubing and two RAD1250 air diffusers connected together



Part #	Compressor Part Number	Cfm Air Output	Aerates Ponds Up To	Electrical Usage	Warranty	Stocking Code	Ship Weight	List Price
LA5W	ML28	1.0	3,000 gallons	25 watts	3 years	3235959	13 lbs.	\$314.09
LA10W	ML45	1.6	7,500 gallons	45 watts	3 years	7288795	18 lbs.	\$383.89
LA15W	ML80	2.8	20,000 gallons	80 watts	3 years	9396484	24 lbs.	\$526.69

See previous page for more information on compressors





## “Quick Sink” Weighted PVC Airline

Thick wall PVC hose is guaranteed not to crack or split!  
Works in all temperatures for easy installation even in cold weather!

**5 Year Warranty!**




Large rolls ship motor freight



Part #	Length	Stocking Code	Ship Weight	List Price
<b>3/8" Quick Sink Airline (.687" O.D.)</b>				
L3PVC	Cut any length	11134	20 lbs./100'	\$1.50/foot
L3PVC5	50' Roll-boxed	347247	10 lbs.	\$62.99
L3PVC1	100' Roll-boxed	789992	20 lbs.	\$119.99
L3PVCR	500' Roll	6404991	115 lbs.	\$539.99
<b>1/2" Quick Sink Airline (1" O.D.)</b>				
L5PVC	Cut any length	31694	44 lbs./100'	\$2.25/foot
L5PVC1	100' Roll-boxed	4138743	44 lbs.	\$184.99
L5PVCR	500' Roll	7689991	245 lbs.	\$919.99
<b>5/8" Quick Sink Airline (1.12" O.D.)</b>				
L6PVC	Cut any length	32031	53 lbs./100'	\$2.70/foot
L6PVC1	100' Roll-boxed	6155994	53 lbs.	\$207.99
L6PVCR	500' Roll	2749999	290 lbs.	\$999.99
<b>3/4" Quick Sink Airline (1.36" O.D.)</b>				
L7PVC	Cut any length	32447	77 lbs./100'	\$3.25/foot
L7PVCR	300' Roll	3637494	260 lbs.	\$849.99

*Pallet discounts available - call for details!*



Fittings for both weighted and non-weighted airline can be found on page 53.

## Polyethylene Airline — Non-Weighted

Durable tubing used between compressor and weighted tubing when compressor is located away from pond's edge

- Can be buried or left exposed
- Available in a variety of roll lengths to minimize fittings



Part #	Size (I.D.)	Roll Length	Stocking Code	Ship Weight	List Price
PT035	3/8"	50'	517591	3 lbs.	\$21.99
PT031	3/8"	100'	230799	5 lbs.	\$38.49
PT032	3/8"	200'	863993	8 lbs.	\$79.99
PT051	1/2"	100'	437597	5 lbs.	\$46.99
PT052	1/2"	200'	670396	10 lbs.	\$87.99
PT054	1/2"	400'	1107992	19 lbs.	\$134.99
PT062	5/8"	200'	790396	11 lbs.	\$112.99
PT064	5/8"	400'	1167998	22 lbs.	\$209.99



## Tubing Fittings Tubing available on page 52

### Couplings



Part #	Size	Stocking Code	List Price
IC1212	5/8" x 5/8"	31421	\$2.19
IC1234	5/8" x 3/4"	82144	\$3.29
IC3434	3/4" x 3/4"	21887	\$2.89

### Male Adapters



PMA12	1/2" mpt x 3/8" barb	11628	\$2.49
PMA34	3/4" mpt x 3/4" barb	61944	\$2.99
PMA3412	3/4" mpt x 5/8" barb	62464	\$3.79

### Brass Male Adapters




BA37	1/4" mpt x 3/8" barb	92626	\$3.49
BA50	1/4" mpt x 1/2" barb	22995	\$3.99

### Couplings




Part #	Size	Stocking Code	List Price
TC3838	3/8" x 3/8"	1973	\$1.39
TC1212	1/2" x 1/2"	71042	\$1.49
TC1238	1/2" x 3/8"	51188	\$1.69

### Male Adapters




TA1238	1/2" mpt x 3/8" barb	41189	\$1.69
TA1212	1/2" mpt x 1/2" barb	51180	\$1.69
TA3438	3/4" mpt x 3/8" barb	61398	\$1.99
TA3412	3/4" mpt x 1/2" barb	31322	\$1.89

## Two Way Splitters



2WAY2



2WAY1

- Divide air from a single incoming line into two outgoing lines
- Brass valves control air flow between each line
- Available in 3/8" or 1/2" sizes
- Valve boxes available on page 37

Part #	Size	Stocking Code	Ship Weight	List Price
2WAY1	3/8" x 3/8"	337495	2 lbs.	\$49.99
2WAY2	1/2" x 1/2"	737490	3 lbs.	\$49.99



## Inline Check Valve

This all plastic check valve is commonly used in long airline runs to prevent water from filling the tubing. 3/4" fpt threads in both ends, use with PMA or TA fittings above.



Part #	Stocking Code	Ship Weight	List Price
LC75	114992	1 lb.	\$19.99

## Stainless Steel Hose Clamps



These clamps have hundreds of uses! Keep plenty on hand for all your air and water plumbing projects!



Part #	Size	Stocking Code	Case Quantity	List Price
HC1	1/4" - 5/8"	71428	100	\$1.89
HC2	3/8" - 7/8"	21423	100	\$1.89
HC3	7/16" - 1"	41641	100	\$2.19
HC34	1/2" - 1 1/4"	91641	100	\$2.19
HC4	3/4" - 1 3/4"	91796	50	\$2.39
HC5	2 1/2" - 3 1/2"	52247	50	\$2.99

Don't see the fittings you need?  
The EasyPro Water Feature catalog has a huge selection of plumbing fittings and accessories. Request a copy on our website [www.easypro.com](http://www.easypro.com) or call us toll free at 800-448-3873



## Aeration Accessory Kit

This kit has 140 of the most commonly used fittings for installing aeration systems including connectors, adapters, stainless clamps and more. Each kit also has a nut driver, tubing cutter and Teflon tape all in a convenient storage case.

Part #	Description	Stocking Code	Ship Weight	List Price
PATK	Aeration accessory kit	3204829	8 lbs.	\$286.09





**5 Year  
Warranty**

## Quick Sink Self-Weighted Diffusers

Same great membrane diffuser performance now in a self-sinking design

- Self-weighted base with powder coated finish
- Sch. 80 PVC air manifold check valve
- Includes inlet air fittings for 3/8", 1/2" or 5/8" tubing; tubing clamps and strain relief
- Built in check valve prevents backflow of water up air line

**Snap Code  
for Video**

**See the QS  
Diffusers in  
action here!**



*Shown assembled  
with strain relief  
included for durability*




**Self-weighted design eliminates need for gravel  
and reduces installation time!**

Part #	Description	Recommended Airflow (cfm)	Stocking Code	Ship Weight	List Price
QS1	Self-weighted single diffuser	.8 - 3	9112499	9 lbs.	\$149.99
QS2	Self-weighted dual diffuser	1.6 - 6	1153742	11 lbs.	\$204.99



## Air Diffuser Manifolds *Self-weighted design for easy installation!*

- Polyethylene underlay keeps diffuser from settling into pond bottom
- Available with self-weighted RAD650W diffusers or AS650 alumina air diffusers
- Includes check valve to prevent water from filling air line when not in use, strain relief barb fitting for tubing connection, underlay and clamp




### Manifolds with Membrane Diffusers

Part #	Number of Diffusers	Recommended Airflow (cfm)	Tubing Connection	Size of Underlay	Stocking Code	Ship Weight	List Price
DM2	2	.8 - 3.4	3/8", 1/2" & 5/8"	11 1/4" x 20"	371246	9 lbs.	\$94.99
DM4	4	1.6 - 6.8	3/8", 1/2" & 5/8"	22 1/2" x 22 1/2"	7110998	11 lbs.	\$147.99
DM6	6	2.4 - 10.2	3/8", 1/2" & 5/8"	22 1/2" x 22 1/2"	8142494	14 lbs.	\$189.99

### Manifolds with Alumina Air Diffusers

DM2S	2	1.0 - 1.4	3/8", 1/2" & 5/8"	11 1/4" x 20"	882491	8 lbs.	\$109.99
DM4S	4	2.0 - 2.8	3/8", 1/2" & 5/8"	22 1/2" x 22 1/2"	5134995	9 lbs.	\$179.99
DM6S	6	3.0 - 4.2	3/8", 1/2" & 5/8"	22 1/2" x 22 1/2"	4172497	10 lbs.	\$229.99



## Membrane Diffusers

A great alternative to air stones in many aeration applications

- Hundreds of "I" slots that open as air pressure builds inside of the diffuser
- Center of the membrane does not have slots and acts as a check valve when air flow stops
- Diffusers have a 3/4" male thread inlet and are 10" in diameter
- Uniform bubble distribution with up to 3 cfm air flow

Part #	Case Quantity	Stocking Code	Ship Weight	List Price
MD3	20	538478	2 lbs.	\$51.29



## Tubular Diffusers

- Diffusers are 24" long, 2 1/2" in diameter and have over 8000 bubble producing slots
- Self weighted – unique open ended design allows diffuser to be self-weighted
- Incredibly durable – will provide years of service
- 3/4" female threaded connection, built-in check valve

Part #	Recommended Airflow (cfm)	Case Quantity	Stocking Code	Ship Weight	List Price
TMD24	3.5 - 7	6	260747	6 lbs.	\$80.99



## Rubber Membrane Air Diffusers

Incredibly strong. Ideal for pond aeration, circulation and destratifying applications

- Unlike air stones these diffusers are easy to clean
- In testing they produce a slightly larger air bubble than air stones which translates into less oxygen transfer into the water, so for fish holding tanks, raceways, fish production ponds, etc. we recommend staying with the air stones below
- Barbed inlets have multiple size barbs, simply cut to fit tubing
- Excellent for ponds and water gardens since they actually produce more circulation and water movement

6" weighted diffuser now available  
Part #RAD650W

Part #	Length	Inlet Air Fitting	Recommend Airflow (cfm)	Maximum Airflow (cfm)	Case Quantity	Stocking Code	Ship Weight	List Price
RAD4	4"	1/4" - 3/8"	.2	1.1	12	610347	1 lb.	\$13.79
RAD6	6"	1/4" - 3/8"	.4	1.7	12	513794	1 lb.	\$18.39
RAD650	6"	1/2" mpt	.4	1.7	12	813792	1 lb.	\$18.39
RAD650W	6"	1/2" mpt weighted	.4	1.7	12	117392	2 lbs.	\$23.19
RAD8	8"	3/8" - 1/2"	.7	2.5	12	617025	1 lb.	\$22.69
RAD850	8"	1/2" mpt	.7	2.5	12	717024	1 lb.	\$22.69
RAD12	12"	3/8" - 1/2"	.9	3.5	6	426846	2 lbs.	\$35.79
RAD1250	12"	1/2" mpt	.9	3.5	6	226848	2 lbs.	\$35.79



## Pro-Glass Alumina Air Stones

Alumina Air Stones – three times stronger than white silica air stones!

- Creates finer bubbles for increased aeration efficiency with no increase in pressure
- Inlet fittings are set into the body of the diffuser, making them much less likely to break or twist loose
- Higher density means self weighting
- More resistant to ozone

The Best Choice for aquaculture applications!



Manufactured for EasyPro in the USA

Contact us for volume pricing

Part #	Dimensions	Fitting Size	Recommended Airflow (cfm)	Stocking Code	Ship Weight	List Price
AS15	1 1/2" x 1 1/2" x 1 1/2"	3/16" barb	.20	48692	1 lb.	\$11.99
AS325	1 1/2" x 1 1/2" x 3"	1/4" barb	.30	611961	1 lb.	\$16.49
AS337	1 1/2" x 1 1/2" x 3"	3/8" barb	.30	913043	2 lbs.	\$17.99
AS637	1 1/2" x 1 1/2" x 6"	3/8" barb	.5	814134	2 lbs.	\$19.49
AS650	1 1/2" x 1 1/2" x 6"	1/2" npt	.5	714136	2 lbs.	\$19.49
AS937	1 1/2" x 1 1/2" x 9"	3/8" barb	.75	224645	2 lbs.	\$33.99
AS950	1 1/2" x 1 1/2" x 9"	1/2" npt	.75	624647	2 lbs.	\$33.99
AS1237	1 1/2" x 1 1/2" x 12"	3/8" barb	1.0	326099	3 lbs.	\$35.99
AS1250	1 1/2" x 1 1/2" x 12"	1/2" npt	1.0	526092	3 lbs.	\$35.99



EasyPro offers a variety of weatherproof enclosures to protect aeration compressors from the elements. Without protection the life of any air system will be greatly reduced.

## Mock Rock™ Landscape Boulders

These Mock Rock™ Boulders are ideal for concealing air pumps, water pumps, pond filters, UVs, lighting transformers and other equipment.

- Commercial grade construction stands up to the elements, will not fade or crack, recycled material
- All rocks come standard with one vent, additional vents can be ordered if needed



### Three Sizes

**DMBR:** Measures 19" long x 14" wide x 12" high, includes one 3" vent

**DLB1:** Measures 30" long x 23" wide x 18" high, includes one 3" vent

**DLB2†:** Measures 56" long x 42" wide x 30" high, includes one 4" vent  
†ships motor freight

Part #	Color	Recommended For	Stocking Code	Ship Weight	List Price
DMBR*	Brown	Linear compressors, CMC3-ML80	879492	4 lbs.	\$105.99
DLB1F*	Gray	Compressors up to PA66, small pond filters	3118492	6 lbs.	\$157.99
DLB1R*	Brown	Compressors up to PA66, small pond filters	0118494	6 lbs.	\$157.99
DLB2F†	Gray	PA75+ or multiple compressors	1322278	28 lbs.	\$429.69
DLB2R†	Brown	PA75+ or multiple compressors	9322276	28 lbs.	\$429.69
DLB3S	—	Additional 3" louvered vent installed	313346	1 lb.	\$17.79
DLB4S	—	Additional 4" screened vent installed	222275	1 lb.	\$29.69

†DLB2F and DLB2R rocks ship motor freight




## Roto-Molded Cabinets

This polyethylene cabinet is an economical alternative to the steel cabinets

Designed to hold air compressors up to the RV33 (1/4 hp rotary vane) in size. The small foot print makes it easy to hide!


- Ideal for housing all linear compressors, DC22 (PA10), DC12 (PA12), SRC25 (PA34), SRC50 (PA66) and RV33 (PA50)
- Roto-molded in a tan color which blends well into existing landscape
- Built in louvers allow fresh air into cabinet, an optional cooling fan is recommended for large compressors or in hot locations, fan comes installed in opposite hole with louver



SC25F1



SC25SU



Part #	Description	Stocking Code	Ship Weight	List Price
SC25	Cabinet, 15"w x 25"l x 15"h	2179992	22 lbs.	\$239.99
SC25F1	Cabinet with 115v fan installed	3224997	24 lbs.	\$299.99
SC25F2	Cabinet with 230v fan installed	9232498	24 lbs.	\$309.99
SC25SU	Sound proofing for SC25 (installed)	265248	-	\$86.99





## Post Mounted Lockable Cabinets

### Top and front wall open for easy access and service

- 11½" w x 18" l x 11 ½" t - will hold all linear compressors and the DC12, DC22, SRC25, SRC50 compressors
- 18 gauge galvanized steel with powder coat finish
- Three 1¼" knock outs for airlines plus one for power source
- All cabinets come complete with mounting bracket, cooling fan and electrical box
- Also available with a raised base for use on the ground when pole mounting is not an option
- 5' power cord pre-wired to plug cabinet into GFCI protected outlet
- 115v 13 amp max. / 230v 15 amp max.



SC18



Sound proofing option available — high quality acoustical foam reduces motor sound considerably



Part #	Description	Stocking Code	Ship Weight	List Price
<b>SC18</b>	Pole mount cabinet with 115v fan	8314992	19 lbs.	\$419.99
<b>SC182</b>	Pole mount cabinet with 230v fan	6322494	19 lbs.	\$429.99
<b>SC18G</b>	Ground mount cabinet with 115v fan	9322491	22 lbs.	\$429.99
<b>SC18G2</b>	Ground mount cabinet with 230v fan	3329995	22 lbs.	\$439.99
<b>SC18SU</b>	Sound proofing upgrade (installed)	257749	-	\$76.99



SC18G

## Lockable Steel Cabinets

### Standard Cabinet

- 16½" w x 22" l x 19" t - will hold all compressors up to RV100 or multiple smaller units with stainless steel lock to protect against vandalism
- Includes compressor mounting base to keep compressor up off floor
- 14 gauge galvanized steel with powder coat paint finish
- Tapered lid - makes front wall shorter allowing easier access to compressor
- Has six 1¼" knockouts for airlines and one knockout for incoming power
- Optional fans recommended on any compressors operating in hot climates and on 3/4 hp and larger in all climates



SC22D1 with optional SC22SU sound proofing



SC22

Now with  
6 foot  
power cord!

### Deluxe Cabinet

- Standard cabinet above with cooling fan and electrical box installed
- Cooling fan kits include fan, guard, power cord and hardware
- 6' power cord pre-wired to plug cabinet into GFCI protected outlet
- 115v 15 amp max. / 230v 15 amp max.



SC22D1

Part #	Description	Stocking Code	Ship Weight	List Price
<b>SC22</b>	Standard locking cabinet	7419994	50 lbs.	\$559.99
<b>SC22D1</b>	Deluxe cabinet with electric & 115v fan installed	6524992	53 lbs.	\$699.99
<b>SC22D2</b>	Deluxe cabinet with electric & 230v fan installed	3532493	53 lbs.	\$709.99
<b>SC22SU</b>	Sound proofing for SC22 cabinet (installed)	289998	-	\$119.99





## Large Lockable Steel Cabinets

### Features

These larger cabinets are ideal for lake aeration projects where multiple compressors are used or for applications needing one compressor and a liquid dosing pump.

- 16 gauge galvanized steel with powder coat finish
- 24" w x 28" l x 20" t, includes two motor mounting plates
- Deluxe cabinets include electrical box and dual high volume cooling fan installed
- Locking hinges hold lid open during service and maintenance
- Order equipment pad for dusty applications (bottom air intake on cabinets) or soft/mucky sites to support the weight of the cabinet

SC28N cabinets are engineered to hold two 1 hp compressors with up to 12 airlines!

SC28N with optional sound proof package and equipment pad



SC28N with optional SMBASE33 equipment pad



SC28ND1  
Inside detail with  
115v dual cooling fans

Part #	Description	Stocking Code	Ship Weight	List Price
SC28N	Large locking cabinet	4727497	85 lbs.	\$969.99
SC28ND1	Deluxe large cabinet with electric & 115v dual cooling fans installed	2899996	94 lbs.	\$1199.99
SC28ND2	Deluxe large cabinet with electric & 230v dual cooling fans installed	9899993	94 lbs.	\$1199.99
SC28NFK1	Dual cooling fan kit** for SC28N cabinet, 115v	8103492	5 lbs.	\$137.99
SC28NFK2	Dual cooling fan kit** for SC28N cabinet, 230v	2104997	5 lbs.	\$139.99
SC28SU	Sound proofing for SC28N cabinet (installed)	1104998	2 lbs.	\$139.99
SMBASE33	Optional equipment pad, 32" x 32" x 3" thick	876499	18 lbs.	\$89.99

\*\*Fan kits above include fans, guards, power cords and mounting hardware for SC28N cabinet



Large Cabinets Ship Motor Freight

## Lockable Steel Cabinet Accessories

Part #	Description	Stocking Code	Ship Weight	List Price
SCFK1	Cooling fan kit* for SC18, SC22 cabinet, 115v	150998	2 lbs.	\$67.99
SCFK2	Cooling fan kit* for SC18, SC22 cabinet, 230v	752492	2 lbs.	\$69.99
*Fan kits above include fan, guard, power cord and mounting hardware				
SCELK1	Electrical component kit† for SC22, 115v	520999	1 lb.	\$27.99
SCELK2	Electrical component kit† for SC22, 230v	926243	1 lb.	\$34.99
SCFAN1	Replacement fan for SC18, SC22, SC25, SC28N - 115v	532924	2 lbs.	\$43.89
SCFAN2	Replacement fan for SC18, SC22, SC25, SC28N - 230v	836521	2 lbs.	\$48.69
SCFANG	Replacement fan guard for SC18, SC22, SC25, SC28N	25326	1 lb.	\$7.09
SC28ELK1	Electrical component kit† for SC28, 115v	959995	2 lbs.	\$79.99
SC28ELK2	Electrical component kit† for SC28, 230v	389999	2 lbs.	\$119.99

†All electrical kits include outlet, pvc and mounting hardware. No power cord included.

### Pre-2020 Replacement Parts for SC28

SC28FK1	Cooling fan kit** for SC28 cabinet, 115v	8157492	5 lbs.	\$209.99
SC28FK2	Cooling fan kit** for SC28 cabinet, 230v	2164997	5 lbs.	\$219.99

\*\*Fan kits above include fan, power cord and mounting hardware for SC28 cabinet



Electrical Outlet



SCFAN1 Replacement Fan Only



SCFANG Replacement Fan Guard

SCCF1 Replacement Fan





## Surface Aeration

EasyPro offers a wide variety of fountains and surface aerators. Our volume allows us to sell the best fountains at the lowest prices. A variety of patterns, sizes (ranging from 1/3 to 25 hp) and light packages for night time displays, assures we have a fountain for most every application. Shop and compare – we offer the best selection and lowest prices in the industry.

Surface fountains are a popular choice when decorative looks are desired. Golf courses, parks, office buildings and housing developments are all common places you see fountains used.

Many different spray patterns are available creating aesthetically pleasing looks while creating circulation and aeration. Since fountains float on the surface, circulation does not reach all the way to the bottom in deep applications which reduces their effectiveness.

Fountains create good water movement at the pond's surface and are helpful in keeping pollen, duckweed, watermeal and other surface debris under control.



Surface aeration is available in several styles ranging from high volume to highly decorative. Since water is heavy, the more decorative the spray pattern is the less volume of water is pumped. Here is a brief look at each style of surface aeration:



### High Volume

These units focus on moving the maximum amount of water and not on decorative looks. Fish farms, waste water treatment ponds, retention ponds and other applications requiring maximum water movement with high oxygen transfer will benefit the most from this design. While not the prettiest to look at, these units are by far the best bang for the dollar when water quality management is needed.



### Medium Volume

A modified version of the high volume units above, these fountains use a nozzle to guide the water into a "V" shaped display. Some volume is sacrificed to achieve the higher spray, but overall, decent water movement is produced. A good compromise between high volume and decorative units. These units are a good choice for ponds requiring water quality improvement but also a visually attractive display.



### Decorative

For ponds requiring maximum visual appeal. Instead of a high volume propeller, decorative fountains use an impeller to build pressure and then force the water out through various nozzles to create a tall, visually appealing fountain. These units pump minimal water and create minimal circulation so they should be viewed as mostly decorative. Office buildings, condo associations, parks, zoos are the most common applications. We strongly recommend the use of a diffused aeration system in conjunction with a decorative fountain if water quality management is needed.



## Finally the Perfect Fountain for Small Earthen Ponds!



### STARBURST MINI FLOATING POND FOUNTAIN

Designed for earthen ponds as small as 15' in diameter and features built-in, super bright lights and super easy installation.

- Powered by an energy-efficient asynchronous mag drive pump
- Six super bright, cool white LED lights embedded in float
- Spray pattern: 2.5' tall x 6' diameter
- Float diameter: 15"
- Minimum required pond depth: 18"
- Wattage: Fountain 110 watts, Lights 5 watts
- 30' Cord
- One year limited warranty



*Beautiful* BY DAY  
*Even Better* AT NIGHT



**2.5' tall x 6' diameter**  
Recommended for ponds larger than 15' in diameter

Part #	Description	Stocking Code	Ship Weight	List Price
MWF36	Starburst Mini Fountain	4470997	13 lbs.	\$627.99



## AquaFloat™ Floating Fountain Head

Build Your Own Fountain!

- Build your own fountain by simply hooking a pump to this head
- Ideal for use with existing lawn sprinkling pump
- The fountain head has a 24" diameter high density float and a decorative float cover
- The spray nozzle threads on/off for easy cleaning
- Inlet connection is 2" female threads



24"

### Fountain Performance Chart

Rocket Nozzle			Wide Umbrella Nozzle		
Spray Pattern	gpm	Ft. of Head	Spray Pattern	gpm	Ft. of Head
6'h x 3'd	40	10'	4'h x 15'd	62	11'
8'h x 3'd	45	13'	6'h x 20'd	77	14'
10'h x 3'd	51	15'	8'h x 24'd	82	19'
12'h x 3'd	55	16'			
14'h x 3'd	61	20'			
16'h x 3'd	65	23'			

Ft. of head column is the amount of pressure the nozzle requires.

Select a pump that will deliver the gpm @ ft. of head shown



Rocket Nozzle




Wide Umbrella Nozzle



Narrow Umbrella Nozzle

Part #	Description	Stocking Code	Ship Weight	List Price
ACF1N	Fountain head w/rocket nozzle	6168748	14 lbs.	\$224.99
ACF2N	Fountain head w/wide umbrella nozzle	9168747	14 lbs.	\$224.99
ACF3N	Fountain head w/narrow umbrella nozzle	3168746	14 lbs.	\$224.99
ACFRN	Rocket nozzle only	544991	3 lbs.	\$59.99
ACFWU	Wide umbrella nozzle only	444994	3 lbs.	\$59.99
ACFNU	Narrow umbrella nozzle only	144992	3 lbs.	\$59.99



## AquaFountain™ 1/2 hp & 1 hp Fountains

Beautiful • Reliable • Affordable



Rocket Nozzle



Wide Umbrella Nozzle



Narrow Umbrella Nozzle

For over 25 years AquaFountains have proven themselves to be beautiful, reliable and affordable!

- Long lasting, energy efficient motor designed for continuous duty operation, with built in thermal and over current protection
- Floats are made from high density foam and protected by a decorative float cover
- Intake screens are aluminum and prevent leaves, algae, sticks, etc. from plugging pump
- 30" minimum operating depth
- 115v units come with timer and GFI; 230v units include timer only, purchase GFI locally
- Pre-assembled and ready to install

See pages 62-64 for AquaShine™ light kits that turn your fountain into a beautiful night time display

2 Year Warranty



Fountains include rocket and umbrella nozzles. Purchase narrow umbrella separately below.

GFI with timer included on all 115v models  
230v units now include timer only panel, without GFI



GFI

Part #	hp	Power Cord Length/Gauge	Voltage /Amps	Rocket Spray Dimensions	Wide Umbrella Dimensions	Stocking Code	Ship Weight	List Price
<b>1/2 hp, 115v</b>								
AF50	1/2	100'/12 ga.	115/7.0	8' H x 2' dia.	6' H x 15' dia.	41301993	59 lbs.	\$1679.99
AF5015	1/2	150'/12 ga.	115/7.0	8' H x 2' dia.	6' H x 15' dia.	81472495	67 lbs.	\$1899.99
AF5020	1/2	200'/10 ga.	115/7.0	8' H x 2' dia.	6' H x 15' dia.	11937492	102 lbs.	\$2499.99
<b>1 hp, 115v</b>								
AF100	1	100'/12 ga.	115/11.0	16' H x 5' dia.	8' H x 26' dia.	71549997	82 lbs.	\$1999.99
AF10015	1	150'/10 ga.	115/11.0	16' H x 5' dia.	8' H x 26' dia.	21952993	110 lbs.	\$2519.99
AF10020	1	200'/10 ga.	115/11.0	16' H x 5' dia.	8' H x 26' dia.	32169997	125 lbs.	\$2799.99
<b>1 hp, 230v</b>								
AF1002*	1	100'/12 ga.	230/5.5	16' H x 5' dia.	8' H x 26' dia.	81549996	78 lbs.	\$1999.99
AF100215*	1	150'/12 ga.	230/5.5	16' H x 5' dia.	8' H x 26' dia.	21666244	90 lbs.	\$2149.99
AF100220*	1	200'/12 ga.	230/5.5	16' H x 5' dia.	8' H x 26' dia.	51782493	98 lbs.	\$2299.99
AF100225*	1	250'/12 ga.	230/5.5	16' H x 5' dia.	8' H x 26' dia.	91937491	106 lbs.	\$2499.99
SCFNU	Narrow umbrella nozzle only					544992	3 lbs.	\$59.99

\*230 volt fountains only have timer. GFI must be purchased locally.

Are you ready for the best value in fountain lighting?



## AquaShine™ Fountain Light Kits

**2 Light Kits**  
for Fountains  
up to 3/4 hp



Digital Timer/Controller & Remote Control\*

Quick Connect Power Cable  
Choose 100', 150' or 200'



Hardware Pack

2 x 1 Splitter



x2  
2 Stainless Steel LED Lights  
with 2' Pigtails and 2 Brackets

**3 Light Kits**  
for Fountains  
up to 2 hp



Digital Timer/Controller & Remote Control\*

Quick Connect Power Cable  
Choose 100', 150' or 200'



Hardware Pack

3 x 1 Splitter



x3  
3 Stainless Steel LED Lights  
with 2' Pigtails and 3 Brackets

**4 Light Kits**  
for Fountains  
up to 3 hp



Digital Timer/Controller & Remote Control\*

Quick Connect Power Cable  
Choose 100', 150' or 200'



Hardware Pack

4 x 1 Splitter




x4  
4 Stainless Steel LED Lights  
with 2' Pigtails and 4 Brackets

**6 Light Kits**  
for 3 hp to 5 hp  
Fountains



Digital Timer/Controller & Remote Control\*

Quick Connect Power Cable  
Choose 100', 150' or 200'



Hardware Pack

1 - 2 x 1 Splitter  
2 - 3 x 1 Splitters



x6  
6 Stainless Steel LED Lights  
with 2' Pigtails and 6 Brackets

\*Remote Control not included in Warm White Fountain Light (WFL) kits

Now that we've got your attention, check out pages 63-64! >>>

### Power Cords for AquaShine™ Light Kits

Quick Connect ends allow for easy cord replacement and allow existing light systems to be lengthened. (400' maximum)

LKC5100  
5 pin cord for  
RGBW Color  
Changing Lights



Part #	Description	Length	Quick Connect Pins	Stocking Code	Ship Weight	List Price
LKC5100	100' Power cord for RGBW color changing lights	100'	5	2244128	12 lbs.	\$314.99
LKC5150	150' Power cord for RGBW color changing lights	150'	5	1368125	18 lbs.	\$474.99
LKC5200	200' Power cord for RGBW color changing lights	200'	5	5488241	23 lbs.	\$629.99
LKC2100	100' Power cord for warm white lights	100'	2	7154993	12 lbs.	\$199.99
LKC2150	150' Power cord for warm white lights	150'	2	1213129	18 lbs.	\$274.99
LKC2200	200' Power cord for warm white lights	200'	2	5278991	23 lbs.	\$359.99



### Digital Controllers for AquaShine™ Lights

RGBC4M

Warm White - 2 pin

Part #	Max Lights	Stocking Code	Ship Weight	List Price
WLC4	4	9131741	3 lbs.	\$169.99
WLC6	6	1205375	3 lbs.	\$264.99

RGB Color Changing - 5 pin

Part #	Max Lights	Stocking Code	Ship Weight	List Price
RGBC4M	4	1201499	8 lbs.	\$259.99
RGBC6M	6	5294491	11 lbs.	\$379.99





## AquaShine™ LED Fountain Lights

### Stainless Steel Color Changing LED Light Kits

Brilliant color changing lights are sure to make your fountain dazzle long after the sun goes down!

- Stainless steel 17 watt lights have both true warm white diodes and color changing diodes
- Quick connect plugs on controller, cables and lights for easy assembly. Each light has a 2' pigtail.
- Stainless steel mounting brackets and hardware
- Weather resistant digital timer/controller with remote control makes selecting a color and adjusting the brightness easy.
- Remote control works up to 1000' away!
- All power cords, splitters and lights can be changed or replaced easily using modular quick connect components
- Red, green, blue, warm white, lavender, cyan and yellow-green solid colors plus several pre-programmed sequences with additional colors.
- 2, 3, 4 and 6 light kits available.

**Three year warranty on lights**  
**One year warranty on controller and cord**



Shown with EasyPro AquaFountain & Narrow Umbrella Nozzle sold on page 65

See page 62 for "What's in a Kit", additional power cords and digital controllers



Shown on the Kasco 1 hp Fountain

**2, 3, 4 and 6 Light Kits designed for use with**  
**Kasco 1/2-5 hp Fountains - pages 65-67**  
**EasyPro Aqua Fountains - page 61**  
**EasyPro Floating Fountain Heads - page 60**  
*Works well with most common fountains. Slight on-site hardware modification may be needed.*

Part #	Description	Power Cord	Stocking Code	Ship Weight	List Price
<b>Two Light Kits for fountains up to 3/4 hp</b>					
<b>RGB2-100</b>	2 RGBW LED Light Kit for fountains up to 3/4 hp	100'	4914498	16, 12 lbs.	\$1179.99
<b>RGB2-150</b>	2 RGBW LED Light Kit for fountains up to 3/4 hp	150'	71038493	16, 18 lbs.	\$1339.99
<b>RGB2-200</b>	2 RGBW LED Light Kit for fountains up to 3/4 hp	200'	21162496	16, 23 lbs.	\$1499.99
<b>Three Light Kits for fountains up to 2 hp</b>					
<b>RGB3-100</b>	3 RGBW LED Light Kit for fountains up to 2 hp	100'	51131491	18, 12 lbs.	\$1459.99
<b>RGB3-150</b>	3 RGBW LED Light Kit for fountains up to 2 hp	150'	11263245	18, 18 lbs.	\$1629.99
<b>RGB3-200</b>	3 RGBW LED Light Kit for fountains up to 2 hp	200'	71371743	18, 23 lbs.	\$1769.99
<b>Four Light Kits for fountains up to 2 hp</b>					
<b>RGB4-100</b>	4 RGBW LED Light Kit for fountains up to 2 hp	100'	21356248	20, 12 lbs.	\$1749.99
<b>RGB4-150</b>	4 RGBW LED Light Kit for fountains up to 2 hp	150'	51472491	20, 18 lbs.	\$1899.99
<b>RGB4-200</b>	4 RGBW LED Light Kit for fountains up to 2 hp	200'	11596495	20, 23 lbs.	\$2059.99
<b>Six Light Kits for fountains up to 5 hp - fit Kasco one piece floats</b>					
<b>RGB6N-100</b>	6 RGBW LED Light Kit for fountains up to 5 hp	100'	21983998	31, 12 lbs.	\$2559.99
<b>RGB6N-150</b>	6 RGBW LED Light Kit for fountains up to 5 hp	150'	52092491	31, 18 lbs.	\$2699.99
<b>RGB6N-200</b>	6 RGBW LED Light Kit for fountains up to 5 hp	200'	12262995	31, 23 lbs.	\$2919.99



## AquaShine™ LED Fountain Lights

### Stainless Steel Warm White LED Light Kits

Radiant warm white LED fountain light kits that bring your fountain to life!

- Stainless steel 11 watt lights with warm white diodes
- Quick connect plugs on controller, cables and lights for easy assembly. Each light has a 2' pigtail.
- Stainless steel mounting brackets and hardware
- Weather resistant digital timer/controller with built-in voltage regulator can be used with cords up to 300'.
- All power cords, splitters and lights can be changed or replaced easily using modular quick connect components
- 2, 3, 4 and 6 light kits available.

**Three year warranty on lights.**  
**One year warranty on controller and cord.**



2 Light Kit  
Shown on EasyPro  
1 hp AquaFountain



3 Light Kit  
Shown on Kasco  
1 hp Fountain



Shown above with  
EasyPro AquaFountain  
& Narrow Umbrella  
Nozzle.

Shown on right  
with EasyPro Aqua  
Fountain & Rocket  
Nozzle.

AquaFountains sold  
on page 61.



**2, 3, 4 and 6 Light Kits designed for use with**  
**Kasco 1/2-5 hp Fountains - pages 65-67**  
**EasyPro Aqua Fountains - page 61**  
**EasyPro Floating Fountain Heads - page 60**  
*Works well with most common fountains.*  
*Slight on-site hardware modification may be needed.*

- These kits replace our previous SLK fountain lights and feature a number of upgrades.

See page 62 for "What's in a Kit", additional power cords and digital controllers

Part #	Description	Power Cord	Stocking Code	Ship Weight	List Price
<b>Two Light Kits for Fountains up to 3/4 hp</b>					
WFL2-100	2 Warm White LED Light Kit for fountains up to 3/4 hp	100'	4674248	11, 12 lbs.	\$869.99
WFL2-150	2 Warm White LED Light Kit for fountains up to 3/4 hp	150'	7743993	11, 18 lbs.	\$959.99
WFL2-200	2 Warm White LED Light Kit for fountains up to 3/4 hp	200'	2813742	11, 23 lbs.	\$1049.99
<b>Three Light Kits for Fountains up to 2 hp</b>					
WFL3-100	3 Warm White LED Light Kit for fountains up to 2 hp	100'	5852491	14, 12 lbs.	\$1099.99
WFL3-150	3 Warm White LED Light Kit for fountains up to 2 hp	150'	1929995	14, 18 lbs.	\$1199.99
WFL3-200	3 Warm White LED Light Kit for fountains up to 2 hp	200'	71007493	14, 23 lbs.	\$1299.99
<b>Four Light Kits for Fountains up to 2 hp</b>					
WFL4-100	4 Warm White LED Light Kit for fountains up to 2 hp	100'	21046243	16, 12 lbs.	\$1349.99
WFL4-150	4 Warm White LED Light Kit for fountains up to 2 hp	150'	51123741	16, 18 lbs.	\$1449.99
WFL4-200	4 Warm White LED Light Kit for fountains up to 2 hp	200'	11201245	16, 23 lbs.	\$1549.99
<b>Six Light Kits for Fountains up to 5 hp - fit Kasco one piece floats</b>					
WFL6N-100	6 Warm White LED Light Kit for fountains up to 5 hp	100'	71526747	23, 12 lbs.	\$1969.99
WFL6N-150	6 Warm White LED Light Kit for fountains up to 5 hp	150'	81573241	23, 18 lbs.	\$2029.99
WFL6N-200	6 Warm White LED Light Kit for fountains up to 5 hp	200'	81627494	23, 23 lbs.	\$2099.99



**New!**

# Kasco® 1/2 to 5 hp VFX Aerating Fountains

These Kasco fountains combine decorative good looks along with high oxygen transfer, making them the perfect choice for surface aeration. Kasco fountains are easy to install and energy efficient.

- Outstanding oxygen transfer rates, aesthetically pleasing patterns and low overall operating costs — each unit is fully self contained and floats in place in your pond or lake
- They come complete with motor assembly, float, bottom screen, mooring ropes, power cord and control panel (includes a weatherproof enclosure, GFI protection, a timer for fountain and a photo eye for lights)
- New one piece float on 2 & 5 hp fountains



VFX2400  
Float style varies by hp size



Part #	Description	Cord Length	Voltage	Amps	Minimum Water Depth	Approx. gpm	Warranty	Stocking Code	*Ship Weight (lbs.)	List Price
<b>1/2 hp - 5' high x 15' diameter spray pattern</b>										
VFX2400	1/2 hp fountain	100'	115	5.6	15"	89	2 Years	21475184	36, 21*	\$1799.00
VFX2400-150	1/2 hp fountain	150'	115	5.6	15"	89	2 Years	41918802	28, 24, 21*	\$2340.00
<b>3/4 hp - 5.5' high x 21' diameter spray pattern</b>										
VFX3400	3/4 hp fountain	100'	115	7.3	18"	111	2 Years	61554727	41, 21*	\$1896.00
VFX3400-150	3/4 hp fountain	150'	115	7.3	18"	111	2 Years	72007366	32, 24, 21*	\$2448.00
VFX3400H	3/4 hp fountain	100'	230	3.7	18"	111	2 Years	32682229	45, 8, 17*	\$3271.00
VFX3400H-150	3/4 hp fountain**	150'	230	3.7	18"	111	2 Years	93185703	31, 24, 8, 17*	\$3885.00
<b>1 hp - 8' high x 26' diameter spray pattern</b>										
VFX4400	1 hp fountain**	100'	115	11.3	19"	186	2 Years	62165623	34, 17, 21*	\$2641.00
VFX4400-150	1 hp fountain**	150'	115	11.3	19"	186	2 Years	32720766	34, 40, 21*	\$3318.00
VFX4400-200	1 hp fountain**	200'	115	11.3	19"	186	2 Years	33035646	34, 52, 21*	\$3702.00
VFX4400H	1 hp fountain	100'	230	5.7	19"	186	2 Years	52984801	50, 8, 17*	\$3640.00
VFX4400H-150	1 hp fountain**	150'	230	5.7	19"	186	2 Years	13521905	35, 24, 8, 17*	\$4295.00
VFX4400H-200	1 hp fountain**	200'	230	5.7	19"	186	2 Years	13695745	35, 31, 8, 17*	\$4507.00
<b>2 hp - 8' high x 32' diameter spray pattern. Also available with three phase motors. Call for details.</b>										
VFX8400H	2 hp fountain**	100'	230	11	20"	336	3 Years	54926569	56, 17, 8, 11, 26*	\$6008.00
VFX8400H-150	2 hp fountain**	150'	230	11	20"	336	3 Years	95054485	56, 24, 8, 11, 26*	\$6164.00
VFX8400H-200	2 hp fountain**	200'	230	11	20"	336	3 Years	95189785	56, 31, 8, 11, 26*	\$6329.00
<b>5 hp - 9' high x 34' diameter spray pattern. Also available with three phase motors. Call for details.</b>										
VFX5.1H	5 hp fountain**	100'	230	20	26"	800	3 Years	66329584	86, 26, 8, 11, 40*	\$7719.00
VFX5.1H-150	5 hp fountain**	150'	230	20	26"	800	3 Years	46978206	86, 48, 8, 11, 40*	\$8510.00
VFX5.1H-200	5 hp fountain**	200'	230	20	26"	800	3 Years	47479226	86, 60, 8, 11, 40*	\$9121.00

\*Dimensional rates apply on floats \*\*Power cord includes quick disconnect  
Note: All 5 hp Kasco units and units with 150'+ cords ship factory direct.

See pages 62-64 and page 70 for light kits to turn your fountain into a beautiful night time display





## Kasco® J Series Decorative Fountains



### Kasco 2, 3, 5 hp units redesigned for 2021!

- Increased flow for dramatically cleaner and defined patterns without increased amp draw
- New Balsam 3-tier pattern
- One piece, tapered float for easier assembly and improved look at the surface
- Twist and lock nozzles for easy pattern changes
- Float pairs perfectly with snap-on clips in Kasco light kits. See light kits on pages 62-64 and page 70.
- Now five year warranty on 3 and 5 hp units



Pattern	3/4 hp Ht. x Dia.	1 hp Ht. x Dia.	2 hp Ht. x Dia.	3 hp Ht. x Dia.	5 hp Ht. x Dia.
<b>Willow</b>	6.5' x 21'	9' x 31'	-	-	-
<b>Sequoia</b>	13' x 8'	18' x 11'	-	-	-
<b>Cypress</b>	7' x 17'	9' x 28'	-	-	-
<b>Linden</b>	9' x 29'	12' x 31'	15.5' x 38'	20.5' x 38'	24.5' x 46'
<b>Birch</b>	7' x 5'	11' x 8'	11' x 10'	16' x 12'	24' x 14'
<b>Balsam</b>	-	-	14' x 32'	19' x 34'	18' x 34'
<b>Spruce</b>	-	-	21' x 10'	26' x 12'	31' x 12'
<b>Redwood</b>	-	-	22' x 6'	27' x 6'	32' x 6'

### Kasco Premium Nozzles for J Series Fountains



These nozzles can be purchased separately. Will need to specify year of fountain. Call to order.



## J Series Decorative Fountains

3/4 to 5 hp — You get multiple spray nozzles with each fountain, allows you to change the look of your fountain as desired. See pages 63, 64 and 70 for light kits.

**Kasco**  
Authorized Service Center

EasyPro can handle all Kasco fountain warranty and non-warranty repairs in-house

### Features

- Multiple spray patterns with each J Series fountain
- Fountains come complete with motor, float, nozzles, power cord, control panel (with timer/GFI) and mooring ropes
- Operate in as little as 18-26 inches of water (depends on hp)
- All fountains may be shipped small parcel for convenience

### J Series Warranties

- 3/4 and 1 hp : two year warranty
- 2 hp: three year warranty
- 3 and 5 hp: five year warranty



JF4400  
Float style varies by hp size

Part #	Description	Cord Length	Voltage	Amps***	Minimum Water Depth	Warranty	Stocking Code	*Ship Weight (lbs.)	List Price
<b>3/4 hp J Series Fountains</b>									
JF3400	3/4 hp fountain	100'	115	6.7	18"	2 Years	21750704	42, 21*	\$2135.00
JF3400-150	3/4 hp fountain	150'	115	6.7	18"	2 Years	42206622	34, 24, 21*	\$2691.00
JF3400-200	3/4 hp fountain	200'	115	6.7	18"	2 Years	42410802	34, 31, 21*	\$2940.00
JF3400H	3/4 hp fountain	100'	230	3.3	18"	2 Years	62872467	42, 8, 18*	\$3503.00
JF3400H-150	3/4 hp fountain	150'	230	3.3	18"	2 Years	73379226	34, 24, 8, 18*	\$4121.00
JF3400H-200	3/4 hp fountain	200'	230	3.3	18"	2 Years	33539949	34, 31, 8, 18*	\$4317.00
<b>1 hp J Series Fountains</b>									
JF4400	1 hp fountain	100'	115	10.7	19"	2 Years	62457547	37, 17, 21*	\$2997.00
JF4400-150	1 hp fountain	150'	115	10.7	19"	2 Years	72997106	37, 40, 21*	\$3655.00
JF4400-200	1 hp fountain	200'	115	10.7	19"	2 Years	33289029	37, 52, 21*	\$4011.00
JF4400H	1 hp fountain	100'	230	5.3	19"	2 Years	53309521	45, 8, 18*	\$4036.00
JF4400H-150	1 hp fountain**	150'	230	5.3	19"	2 Years	13866305	37, 24, 8, 18*	\$4715.00
JF4400H-200	1 hp fountain**	200'	230	5.3	19"	2 Years	14042605	37, 31, 8, 18*	\$4930.00
<b>2 hp J Series Fountains - Also available with three phase motors. Call for details.</b>									
JF8400H	2 hp fountain**	100'	230	10	20"	3 Years	64968383	59, 17, 8, 10, 26*	\$6059.00
JF8400H-150	2 hp fountain**	150'	230	10	20"	3 Years	35069246	59, 24, 8, 10, 26*	\$6182.00
JF8400H-200	2 hp fountain**	200'	230	10	20"	3 Years	35206187	59, 31, 8, 10, 26*	\$6349.00
<b>3 hp J Series Fountains - Also available with three phase motors. Call for details.</b>									
JF3.1H	3 hp fountain**	100'	230	13.4	24"	5 Years	65743283	68, 17, 8, 10, 34*	\$7004.00
JF3.1H-150	3 hp fountain**	150'	230	13.4	24"	5 Years	35879406	68, 24, 8, 10, 34*	\$7170.00
JF3.1H-200	3 hp fountain**	200'	230	13.4	24"	5 Years	36428806	68, 60, 8, 10, 34*	\$7840.00
<b>5 hp J Series Fountains - Also available with three phase motors. Call for details.</b>									
JF5.1H	5 hp fountain**	100'	230	20	26"	5 Years	56719909	88, 26, 8, 11, 40*	\$8195.00
JF5.1H-150	5 hp fountain**	150'	230	20	26"	5 Years	97506285	88, 48, 8, 11, 40*	\$9154.00
JF5.1H-200	5 hp fountain**	200'	230	20	26"	5 Years	98091765	88, 60, 8, 11, 40*	\$9868.00

\*Dimensional rates apply on floats \*\*Power cord includes quick disconnect  
Note: All 3 hp and 5 hp Kasco units and units with 150+ cords ship factory direct.  
\*\*\*Amp draw may vary up to 10% depending on nozzle used

## Kasco Surface Aerators

### Summary

- 50' power cord standard, longer lengths available
- Designed for continuous duty operation in fresh or salt water
- Thermal overload protection with automatic reset
- Easy to install/remove, making it great for portable emergency operation
- Warranties: two years on 1/2 - 1 hp, three years on 2 - 5 hp
- Operates in as little as 15" of water
- Control panel not included, see page 70



Part #	Description	Voltage/Amps	Approx. gpm	Minimum Operating Depth	Stocking Code	*Ship Weight (lbs.)	List Price
AF2400	1/2 hp aerator	115/5.0	600	15"	1986463	31, 20*	\$1203.00
AF3400	3/4 hp aerator	115/6.7	800	18"	41054521	35, 20*	\$1286.00
AF3400H	3/4 hp aerator	230/3.4	800	18"	71102906	36, 20*	\$1345.00
AF4400	1 hp aerator	115/11.3	1200	19"	61289868	45, 20*	\$1573.00
AF4400H	1 hp aerator	230/5.7	1200	19"	21306269	41, 20*	\$1593.00
AF8400H	2 hp aerator	230/11	1400	20"	52756842	53, 50*	\$3362.00
AF3.1H	3 hp aerator	230/13.4	2500	24"	53436625	71, 59*	\$4191.00
AF5.1H	5 hp aerator**	230/20	4500	26"	64441948	80, 26, 59*	\$5417.00

\*Dimensional rates apply on floats \*\*5 hp includes 100' power cord with quick disconnect



## Kasco AquatiClear

**Aquaticlear is a water circulator, reimagined!**  
This clog-resistant circulator produces continuous water movement to keep docks, marinas, canals, shorelines and other areas free from algae, floating debris and foul odors.

- Unique designs allows floating debris to slip off the guard rather than wrap around the motor shaft or prop
- Easily mount with Horizontal Float Kit or Universal Float Kit
- 50' power cord standard. Longer cord lengths available.
- Two year warranty



KAC2400

KAC3400

KAC4400

Use with Dock Mount (KACDM) sold below or Flotation Kit (KFK) sold on page 69



KACDM



KFK (sold on page 69)

Part #	Description	Voltage/Amps	Thrust	Minimum Operating Depth	Stocking Code	Ship Weight	List Price
KAC2400	Kasco 1/2 hp AquatiClear	115/5.4	30 lbs.	30"	3853621	30 lbs.	\$1041.00
KAC3400	Kasco 3/4 hp AquatiClear	115/6.6	36 lbs.	30"	2926601	34 lbs.	\$1130.00
KAC3400H	Kasco 3/4 hp AquatiClear	230/3.3	36 lbs.	30"	6964327	35 lbs.	\$1176.00
KAC4400	Kasco 1 hp AquatiClear	115/9.1	41 lbs.	30"	81051246	37 lbs.	\$1282.00
KAC4400H	Kasco 1 hp AquatiClear	230/4.5	41 lbs.	30"	91088962	37 lbs.	\$1328.00
KACDM	Dock Mount Kit for AquatiClear (1" pipe supplied locally)			—	8299305	15 lbs.	\$3362.00





## Kasco De-icer Water Agitators

### Prevent costly ice damage!

Kasco de-icers are designed to prevent the formation of damaging ice around docks and boats. Thousands of these units are being used in marinas, harbors, waterfront developments and recreational ponds to prevent costly ice damage. De-icers come complete with power cord and two 20' suspension ropes.

**Time and temperature control** – save money in reduced electrical usage! The controller (C20), designed exclusively for Kasco, will only operate when both the timer and thermostat are activated, unlike regular timers which run the motor every day at a set time. This controller will only operate when the temperature requires it. A temperature only controller (C10) is available that operates motor whenever freezing conditions exist.

Kasco de-icers can be used with the optional flotation kits (KFK) to create horizontal circulation. These circulators are excellent for de-icing applications but also have proven very effective for summertime use in preventing stagnant water.

Used in marinas, bays or lake coves, irregular shaped ponds and other similar applications; these circulators are a cost effective way to improve water quality.

A 1/2 hp circulator can effectively circulate water in a one acre pond twelve feet deep. Circulators are an ideal choice for shallow bodies of water where diffused air systems do not work.

### Ideal for fresh or saltwater use



25' power cords standard on 115v de-icers and circulators.










230v units have 50' cord.

Longer cords available.



Use with Dock Mount (KDM) or Flotation Kit (KFK) sold below



Part #	Description	Amps/Volts	Stocking Code	Ship Weight	List Price
<b>KD12</b>	De-icer, 1/2 hp	5.0/115v	7756702	25 lbs.	\$890.24 
<b>KD34</b>	De-icer, 3/4 hp	6.7/115v	2824926	35 lbs.	\$970.49 
<b>KD34H</b>	De-icer, 3/4 hp	3.35/230v	4855842	35 lbs.	\$1006.87 
<b>KD44</b>	De-icer, 1 hp	11.3/115v	9917697	45 lbs.	\$1079.63 
<b>KD44H</b>	De-icer, 1 hp	5.7/230v	6957701	45 lbs.	\$1126.71 
<b>C10</b>	Temperature only controller	—	3109685	3 lbs.	\$133.75 
<b>C20</b>	Time and temperature controller	—	5258834	4 lbs.	\$315.65 
<b>KDM</b>	Dock mount hardware (1" pipe supplied locally)	—	3251387	14 lbs.	\$306.56 
<b>KFK</b>	Flotation kit for circulators/de-icers	—	8450203	19 lbs.	\$529.65 



## Kasco Fountain Lighting Packages

Kasco offers several high quality LED lighting packages to complement their line of fountains. A well lit fountain display at night is a sure way to attract attention.

- **RGB Color Lights** — Color changing LED lights in sealed composite fixtures feature nine colors with adjustable brightness, three automatic sequencing modes or rhythmic sequencing following your music. **Now includes snap on clips.**
- **KL3C11/KL6C11 Lights** — Industrial grade composite LED light kits, uses 11 watts per fixture and includes color choices of white, blue, red, yellow or green. Includes disconnect on cords. **Now includes snap on clips.**
- **KL3S19/KL6S19 Lights** — These bright stainless steel LED light kits use 19 watts per fixture and come in white only. This series of lights is certified to UL and CSA standards. Order with or without quick-disconnect cords (see chart below). Includes colored lens caps.

All LED light kits include fixtures, mounting brackets and 100' power cord. Longer cord lengths available, call for pricing.



Part #	Description	Includes Disconnect	Warranty	Stocking Code	Ship Weight	List Price
<b>KL3RGB</b>	Three light LED kit for 1 hp and smaller	Yes	2 Years	61316102	22 lbs.	\$1605.00
<b>KL6RGB</b>	Six light LED kit for 2 hp & 3 hp	Yes	2 Years	52438682	49 lbs.	\$2974.00
<b>KL3C11</b>	Three light LED kit for 1 hp and smaller	Yes	2 Years	4835585	14 lbs.	\$1019.00
<b>KL6C11</b>	Six light LED kit for 2 hp and larger	Yes	2 Years	61585063	30 lbs.	\$1933.00
<b>KL3S19</b>	Stainless steel three light LED kit	No	3 Years	21692481	27 lbs.	\$2064.00
<b>KL3S19Q</b>	Stainless steel three light LED kit	Yes	3 Years	31928645	29 lbs.	\$2352.00
<b>KL6S19</b>	Stainless steel six light LED kit	No	3 Years	73026627	54 lbs.	\$3691.00
<b>KL6S19Q</b>	Stainless steel six light LED kit	Yes	3 Years	13262783	56 lbs.	\$3979.00

## Kasco Replacement Power Cords and Control Panels

### Power Cords - No Quick Disconnect

Part #	Length	Gauge Cable	Voltage	Fits Kasco Models	Stocking Code	Ship Weight	List Price
<b>KC25</b>	25'	16	115v	1/2, 3/4 hp deicers, aerators	178906	4 lbs.	\$92.82
<b>KC50</b>	50'	16	115v	1/2, 3/4 hp deicers, aerators, fountains	3134614	6 lbs.	\$158.36
<b>KC501</b>	50'	14	115v	1 hp deicers, aerators, fountains	6119609	7 lbs.	\$140.71
<b>KC502</b>	50'	14	230v	3/4, 1, 2 hp deicers, aerators, fountains	4167455	7 lbs.	\$197.00
<b>KC100</b>	100'	14	115v	1/2, 3/4 hp deicers, aerators, fountains	1289856	15 lbs.	\$341.00
<b>KC1002</b>	100'	14	230v	3/4, 1 hp deicers, aerators, fountains	3309237	15 lbs.	\$363.80



### The power cords below are for use on 1 hp and larger fountains

These fountains all have a quick disconnect cord. A 30" stub cord with first half of quick disconnect is included with fountain. The following prices are for second half of the quick disconnect with length of cable shown. Power cords up to 400' available - please inquire.

### Power Cords - With Quick Disconnect

Part #	Length	Gauge Cable	Voltage	Fits Kasco Models	Stocking Code	Ship Weight	List Price
<b>KC100A</b>	100'	12	115v	1 hp - 115v units	4444755	17 lbs.	\$523.23
<b>KC100B</b>	100'	12	230v	2, 3, 5 hp - 230v units	6529332	17 lbs.	\$622.74
<b>KC150D</b>	150'	12	230v	1, 2, 3 hp - 230v units	9732152	24 lbs.	\$861.35
<b>KC150E</b>	150'	10	115v	1 hp - 115v, 5 hp (no plug) units	61087767	38 lbs.	\$1279.72

KC100A



### Replacement Power Cord Stubs - connects to motor, 34" long stub cord with first half of quick disconnect plug

Part #	Length	Gauge Cable	Voltage	Fits Kasco Models	Stocking Code	Ship Weight	List Price
<b>KCS1</b>	34"	14	115v	115v units	2113017	2 lbs.	\$132.95
<b>KCS2</b>	34"	14	230v	230v units (up to 3 hp)	3113016	2 lbs.	\$132.95
<b>KCS3</b>	34"	12	230v	5 hp units	1228289	2 lbs.	\$268.57

### Control Panels - with timer and photo eye

Part #	Description	Stocking Code	Ship Weight	List Price
<b>C25</b>	15 amp panel with 115 V GFCI, timer and photo eye	1284286	3 lbs.	\$346.68
<b>C85</b>	20 amp panel with 230 V GFCI, 115 volt outlet, timer and photo eye	81571422	10 lbs.	\$1916.37



C25



# scott aerator



**5 Year  
Unconditional  
Warranty**  
on oil-less motors

## Display Fountains

A great choice for ponds needing aeration and decorative looks!

- High quality, American made fountains will keep your water sparkling clean while providing healthy aeration
- Most environmentally friendly system on the market
- Large flow rate does a fantastic job moving unwanted debris off of the surface
- Oil free, stainless steel submersible motor
- Industry leading, five year motor warranty
- Designed for 24 hour continuous operation
- Salt water approved
- Easy to install
- Does not include timer or GFI, see GF13 on bottom of this page
- Designed to be left in water year-round - even in freezing climates



Light kits available on page 71



Part #	hp	Amps/ Volts	Spray Dimensions h x w	Minimum Pond Depth	Power Cord*	Stocking Code	Ship Weight	List Price
SAF03	1/3	9/115	5' x 18'	32"	70'	51308973	14, 41 lbs.	\$1688.99
SAF05	1/2	10/115	6½' x 22'	32"	70'	21394227	14, 44 lbs.	\$1798.99
SAF07	3/4	7/230	6½' x 23'	32"	70'	71626723	14, 46 lbs.	\$2098.99
SAF10	1	10.6/230	7' x 25'	36"	100'	41781724	21, 49 lbs.	\$2298.99
SAF20	2	11.5/230	11' x 25'	42"	100'	92792295	21, 72, 3 lbs.	\$3988.99
SAF30	3	14/230	12' x 30'	38"	100'	13212296	21, 82, 3 lbs.	\$4588.99

\*Longer cord lengths available

Part #	Description	Stocking Code	Ship Weight	List Price
GF13	Control panel with 115v GFCI & timer	3164394	3 lbs.	\$219.19



GF13






**New!**



**Cambridge**  
Multi-tiered classic spray pattern  
up to 35' high and 40' wide



**Gusher**  
Adjustable vertical column  
spraying up to 50' high



**Skyward**  
Cone-shaped pattern  
up to 50' high x 60' wide

## Triad Fountain Three fountains in one!

A spectacular focal point to your outdoor paradise while simultaneously vastly improving the health of your pond. Three distinct brass nozzles are included and all can be easily changed in minutes — no tools are required!

- Choose from the more traditional geyser style of the "Gusher" nozzle, or a more elegant, cascading pattern such as the "Cambridge" and "Skyward" nozzles.
- All three nozzles provide a dynamic, aesthetically pleasing addition to your pond or lakescape while also helping maintain water clarity and oxygen levels and promoting an overall healthy aquatic environment.
- Manufactured utilizing a stainless steel, oil-free, submersible motor and pump, making it the most environmentally friendly fountain on the market.
- Designed to withstand subzero conditions without damage! No winterization is required.
- Includes 100 feet of submersible, 12-gauge cable. Longer lengths are also available.
- Designed for use in fresh or salt water.



TF152 with  
Skyward Nozzle

### SPRAY PATTERN DIMENSIONS (H x D)

hp	Cambridge	Gusher	Skyward
1	25' x 35'	35' x 2'	30' x 40'
1½	30' x 40'	30' x 2'	40' x 50'
3	35' x 40'	50' x 2'	50' x 60'



**5 Year  
Unconditional  
Warranty**  
on oil-less motors

Part #	hp	Amps/ Volts	Minimum Pond Depth	Stocking Code	Ship Weight	List Price
TF10	1	11.5/115	44"	72324235	65 lbs.	\$2999.00
TF102	1	8.2/230	44"	52324237	81 lbs.	\$2999.00
TF152	1½	10.6/230	54"	23254231	113 lbs.	\$4199.00
TF302	3	14/230	60"	34649232	215 lbs.	\$5999.00

**WARRANTY:** All Scott Aerator motors are unconditionally warranted for five years against motor defects in materials or workmanship, under normal operation conditions. All other product components are warranted for one year from date of purchase.



## The Great Lakes Fountain Five Fountains in ONE!



Add a spectacular focal point to your outdoor paradise! The Great Lakes Fountain includes five individually distinct brass nozzles that can be changed in minutes without tools! It will give you the ultimate range of display choices for an aesthetically pleasing addition to your pond or lake.



Rosewood



Gusher



Tudor



Baystone



Millbrook

### Features

- 3/4 and 1 hp, 60 Hz, single phase motors, both in 115 and 230 volts
- Designed for use in fresh or salt water
- Submersible 100' in length, 12-gauge electric cable included - longer lengths available
- Approved for use in salt water
- Manufactured in the USA
- Components withstand sub-zero conditions without damage

### Worry-free Winterizing

Scott Aerator Company has engineered all its water features to eliminate the need for costly, time-consuming winterizing products and procedures. Just leave your fountain in the water, turn off its power supply and forget about it all winter.

**All components will withstand sub-zero conditions without damage.**



### SPRAY PATTERN DIMENSIONS (H x D)

hp	Gusher	Rosewood	Baystone	Millbrook	Tudor
3/4	30' x 3'	25' x 35'	10' x 25'	12' x 25'	10' x 35'
1	35' x 3'	30' x 40'	14' x 30'	15' x 30'	12' x 40'

Part #	hp	Amps/ Volts	gpm Flow	Minimum Pond Depth	Stocking Code	Ship Weight	List Price
GLF75	3/4	10.9/115	65	34"	72014225	14, 41 lbs.	\$2598.99
GLF752	3/4	6.8/230	65	34"	52014227	14, 44 lbs.	\$2598.99
GLF100	1	11.5/115	75	34"	22324221	14, 46 lbs.	\$2998.99
GLF1002	1	8.2/230	75	34"	32324222	21, 49 lbs.	\$2998.99



### Create a dazzling display

Enhance your Great Lakes Fountain by adding one of the fountain lighting systems from Scott Aerator found on page 74.



Gusher

**WARRANTY:** All Scott Aerator motors are unconditionally warranted for five years against motor defects in materials or workmanship, under normal operation conditions. All other product components are warranted for one year from date of purchase.



**New!**



## Amherst Fountain

Add beauty to your water feature while contributing to a healthy aquatic environment through oxygen transfer and water circulation.

- Classic, stately spray pattern provides a very distinct separation of all three tiers, capped by an impressive column reaching heights of over 35 feet.
- Utilizes a stainless steel, oil-free submersible motor - environmentally friendly
- The Amherst Fountain is proudly manufactured in the USA and carries an unconditional, 5-year motor warranty.
- Designed to withstand subzero conditions without damage! No winterization is required.
- Includes 100 feet of submersible, 12-gauge cable. Longer lengths are also available.
- Approved for use in saltwater



Part #	hp	Amps/ Volts	Minimum Pond Depth	Stocking Code	Ship Weight	List Price
AMF10	1	11.5/115	44"	52440483	73 lbs.	\$3149.00
AMF102	1	8.2/230	44"	22440487	87 lbs.	\$3149.00
AMF152	1½	10.6/230	54"	73409233	113 lbs.	\$4399.00
AMF302	3	14/230	60"	44649234	215 lbs.	\$5999.00



**WARRANTY:** All Scott Aerator motors are unconditionally warranted for five years against motor defects in materials or workmanship, under normal operation conditions. All other product components are warranted for one year from date of purchase.

## scott aerator Display Fountain Lighting

Illuminate your fountain with these quality systems in warm white or color changing RGB options!

- All kits include stainless steel mounting hardware and an all-weather transformer with fully programmable digital timer.
- 100' power cords standard. Longer cords available.

### Night Glo

- Stainless lights, 9 watts each, 1230 lumens
- 2800K warm white
- 12 ga power cord with quick disconnect end for easy installation or removal

### Color Changing RGB


- Stainless lights, 15 watts each
- Long range remote control works up to 1000' away, allowing you to change colors and dim lights.
- Red, white, blue and green solid colors, plus several rotating patterns with additional colors



Warm White



Color Changing RGB



Part #	Description	Cord Length	Stocking Code	Ship Weight	List Price
SA2WW-10	Night Glo 2 light warm white LED set	100'	1824189	28 lbs.	\$999.00
SA4WW-10	Night Glo 4 light warm white LED set	100'	71262486	36 lbs.	\$1629.00
SA2RGB-10	Color changing 2 light RGB LED set	100'	51088188	28 lbs.	\$1319.00
SA4RGB-10	Color changing 4 light RGB LED set	100'	71566686	36 lbs.	\$1899.00






## scott Aerator AquaSweep Muck Blaster

Move algae, debris, muck, and silt with Aquasweep!

Improve water quality while safely removing sediment buildup. AquaSweep products can keep your waterfront, dock area or canal clean from algae, trash and decaying surface debris, and forcefully blast muck, silt and decaying leaves off the bottom. AquaSweep has been the top debris and muck mover in the industry since it launched back in 1994!

- Fully adjusts in any direction — ideal for eliminating problems above and below the water.
- Manually adjust in any direction or use with optional oscillator (below)
- High-velocity water propulsion pushes debris away from swimming areas, docks or boat lifts.
- 50' long cord with a rugged, marine-grade, water-resistant plug (longer lengths available)
- Includes dock mount plate, pole & yoke assembly. Designed to reach depths up to 7'
- Saltwater compatible
- Unconditional 5-year motor warranty



Part #	Description	Approx. Flow	Stocking Code	Ship Weight	List Price
SAQS05	AquaSweep, 1/2 hp 115v motor	400 gpm	71161734	55 lbs.	\$1499.00
SAQS07	AquaSweep, 3/4 hp 115v motor	450 gpm	51394236	57 lbs.	\$1799.00
SAQS10	AquaSweep, 1 hp 115v motor	500 gpm	31549233	59 lbs.	\$1999.00



## AquaSweep Oscillator 360

Unlock the potential of AquaSweep with the Oscillator 360!

Use this programmable oscillator to turn your AquaSweep automatically! Program the unit to cover from 20 degrees up to a full 360 degrees of your beach or dock area. Preset to rotate 20 degrees every 20 minutes. Comes with two year warranty.

- Comes complete with stainless steel mounting plate
- Stainless steel pole and yoke assembly designed to reach depths up to 7'
- Includes 50' power cord
- Two year motor warranty

### Maximize Your Coverage Area

#### Lake Bottom Coverage

- 1/2 HP Up to 50 feet in one direction (100 foot diameter)
- 3/4 HP Up to 60 feet in one direction (120 foot diameter)
- 1 HP Up to 75 feet in one direction (150 foot diameter)

#### Surface Water Flow

- 1/2 HP Up to 100 feet in one direction (200 foot diameter)
- 3/4 HP Up to 150 feet in one direction (300 foot diameter)
- 1 HP Up to 200 feet in one direction (400 foot diameter)



Part #	Description	Stocking Code	Ship Weight	List Price
SAQ20	Aquasweep Oscillator 360 upgrade	5809096	24 lbs.	\$898.99



**New!**



## BEARON AQUATICS

ICE EATERS | OLYMPUS FOUNTAINS | POWER HOUSE AERATION

**Bearon Aquatics ( formerly Powerhouse ) has been in business for more than 40 years and is a well-established manufacturer of De-icers, Fountains and Aerators. Superior construction in all aspects of their units means years of trouble free operation. Performance for all units is verified by an independent testing firm and are among the highest performing units per horsepower of any manufacturer!**



### Surface Aerators

Bearon Surface Aerators have the highest flow rates in their class! Ideal for retention ponds, aquaculture operations and those wanting the highest amount of water turn over possible. While not as decorative as a fountain, these units pump more water per horsepower making them ideal for water management applications.

- Ideal for aquaculture and wastewater applications
- Lightweight, easy to install and simple to operate
- Propeller designed for maximum thrust
- High pumping volume de-gasses the water of nitrogen, carbon dioxide and hydrogen sulfide while raising oxygen level
- Average oxygen transfer rate up to 2.956 lb. O<sub>2</sub> per hour
- 304 stainless steel construction
- Heavy duty ABD float
- Three year warranty



BSA25-50



BSWK



BSA50 - BSA100

Part #	Description	Power Cord*	Amps/ Volts	Approx. gpm	Minimum Depth	Stocking Code	Ship Weight	List Price
<b>BSA25-50</b>	1/4 hp Surface Aerator	50'	2.6/115	300	14"	51096003	42, 15 lbs.	\$1370.00
<b>BSA50-50</b>	1/2 hp Surface Aerator	50'	6.0/115	884	21"	21260007	44, 21 lbs.	\$1575.00
<b>BSA50-100</b>	1/2 hp Surface Aerator	100'	6.0/115	884	21"	71348003	44, 21 lbs.	\$1685.00
<b>BSA75-50</b>	3/4 hp Surface Aerator	50'	7.0/115	1050	36"	31460004	45, 21 lbs.	\$1825.00
<b>BSA75-100</b>	3/4 hp Surface Aerator	100'	7.0/115	1050	36"	91548005	45, 21 lbs.	\$1935.00
<b>BSA752-50</b>	3/4 hp Surface Aerator	50'	3.5/230	1050	36"	81460006	45, 21 lbs.	\$1825.00
<b>BSA752-100</b>	3/4 hp Surface Aerator	100'	3.5/230	1050	36"	51548004	45, 21 lbs.	\$1935.00
<b>BSA100-50</b>	1 hp Surface Aerator	50'	8.2/115	1150	36"	11540005	46, 21 lbs.	\$1925.00
<b>BSA100-100</b>	1 hp Surface Aerator	100'	8.2/115	1150	36"	11640006	46, 21 lbs.	\$2050.00
<b>BSA1002-50</b>	1 hp Surface Aerator	50'	4.1/230	1150	36"	71540008	46, 21 lbs.	\$1925.00
<b>BSA1002-100</b>	1 hp Surface Aerator	100'	4.1/230	1150	36"	61640002	46, 21 lbs.	\$2050.00
<b>BSWK</b>	Sacrificial anode/electrolysis kit (required for salt water applications)					141816	2 lbs.	\$52.26

\*Longer cord lengths available





**New!**

**POWER HOUSE AERATION**



**BEARON AQUATICS**

ICE EATERS | OLYMPUS FOUNTAINS | POWER HOUSE AERATION

## Aerating Display Fountains

These decorative fountains are an excellent choice when reliability, value and performance are needed!

- Excellent for shallow water applications, as low as 14" with 1/2 hp models
- Lightweight and easy to install
- Quick disconnect power cord
- 304 stainless and bronze construction for maximum durability
- Three year warranty



### 1/2 hp Fountains

- Motors made in the USA
- 14" operating depth
- 106 gpm flow rate
- Spray dimensions: 4' high x 15' diameter

### 1 hp Fountains

- Motors made in the USA
- 18" operating depth
- 130 gpm flow rate
- Spray dimensions: 6' high x 21' diameter

Part #	Description	Power Cord*	Amps/ Volts	Approx. gpm	Minimum Depth	Stocking Code	Ship Weight	List Price
<b>BVF50-50</b>	1/2 hp Fountain	50'	5.0/115	106	14"	51340003	44, 21 lbs.	\$1,675.00
<b>BVF50-100</b>	1/2 hp Fountain	100'	5.0/115	106	14"	71440003	49, 21 lbs.	\$1,800.00
<b>BVF100-50</b>	1 hp Fountain	50'	7.5/115	130	18"	11580005	44, 21 lbs.	\$1,975.00
<b>BVF100-100</b>	1 hp Fountain	100'	7.5/115	130	18"	11676006	49, 21 lbs.	\$2,095.00
<b>BVF100-150</b>	1 hp Fountain	150'	7.5/115	130	18"	71760008	54, 21 lbs.	\$2,200.00
<b>BVF1002-50</b>	1 hp Fountain	50'	3.7/230	130	18"	61580002	44, 21 lbs.	\$1,975.00
<b>BVF1002-100</b>	1 hp Fountain	100'	3.7/230	130	18"	61676002	49, 21 lbs.	\$2,095.00
<b>BVF1002-150</b>	1 hp Fountain	150'	3.7/230	130	18"	61760002	54, 21 lbs.	\$2,200.00



## Lighting Packages for Bearon Surface Aerators and Display Fountains

- Cool White Light Kits Include: 18 watt LED fixtures with mounting ring. 115 volt light kit plugs directly into your outlet
- RGBW light kits include: 18 watt LED fixtures, mounting ring, controller with timer & remote. Plugs into your 115 volt outlet.

Part #	Description	Power Cord*	Stocking Code	Ship Weight	List Price
<b>VFSA2W-50</b>	2 light kit, cool white, Surface Aerators & Display Fountains	50'	5640003	25 lbs.	\$800.00
<b>VFSA2W-100</b>	2 light kit, cool white, Surface Aerators & Display Fountains	100'	7740003	29 lbs.	\$925.00
<b>VFSA2W-150</b>	2 light kit, cool white, Surface Aerators & Display Fountains	150'	1820005	34 lbs.	\$1025.00
<b>VFSA2RGB-100</b>	2 light kit, RGBW, Surface Aerators & Display Fountains	100'	11220006	29 lbs.	\$1525.00
<b>VFSA2RGB-150</b>	2 light kit, RGBW, Surface Aerators & Display Fountains	150'	71340008	34 lbs.	\$1675.00









**New!**



## BEARON AQUATICS

ICE EATERS | OLYMPUS FOUNTAINS | POWER HOUSE AERATION



Olympus Fountains come in a variety of hp sizes and spray patterns. The following three nozzles are included with each unit:

- 1/3, 1/2, 1 hp: Artemis, Hermes, Orion
- 1.5, 3 hp: Artemis, Zeus, Orion

You can change out any of the above included nozzles for other nozzles shown above for no charge. Each fountain includes three nozzles. If you prefer a different nozzle than what is included, please specify which nozzle you wish to remove and which one you prefer in its place from the chart at right. Changes must be noted clearly at time of ordering.

Pattern	1/3 hp Ht. x Dia. C:	1/2 hp Ht. x Dia. C:	1 hp Ht. x Dia. C:	1½ hp Ht. x Dia. C:	3 hp Ht. x Dia. C:
Artemis	5' x 30' C: 10'	7' x 30' C: 11'	8' x 35' C: 12'	11' x 45' C: 18'	13' x 45' C: 20'
Hermes	11' x 5'	13' x 5'	15' x 5'	22' x 5'	-
Zeus	-	-	-	13' x 10'	17' x 12'
Orion	7' x 30'	8' x 30'	8' x 40'	11' x 50'	11' x 30'
Poseidon	9' x 30' C: 11'	7' x 30' C: 11'	8' x 35' C: 11'	12' x 45' C: 21'	24' x 14'
Athena	8' x 30' C: 11'	10' x 40' C: 13'	10' x 40' C: 13'	12' x 45' C: 20'	13' x 45' C: 20'
Eros	7' x 15' C: 8.5'	-	-	-	-
Pontus	-	-	-	12' x 22' C: 16'	14' x 20' C: 25'

### LIGHTING KITS FOR OLYMPUS FOUNTAINS AVAILABLE ON PAGE 80





## BEARON AQUATICS

ICE EATERS | OLYMPUS FOUNTAINS | POWER HOUSE AERATION

**New!**

### Olympus Fountains

Olympus fountains are available in a variety of hp sizes and various spray nozzles to fit most any application. Lighting systems are available as well for extended viewing after daylight fades!

#### Features

- All fountains are fully assembled and ready to install!
- Excellent for shallow water applications
- Operates in as little as 18" of water
- Each fountain price includes three spray nozzles
- Quick disconnect power cords make service easy
- Motors are UL / CSA Recognized and CE Certified
- Olympus Fountain Lighting available on page 80
- Three year warranty




Shown with lighting package installed

Part #	Description	Cord Length	Voltage	Amps*	Minimum Depth	Stocking Code	*Ship Weight (lbs.)	List Price
BOF33-50	1/3 hp Olympus Fountain, 3 nozzles	50'	115	7.8	18"	23020004	66 lbs	\$3775.00
BOF33-100	1/3 hp Olympus Fountain, 3 nozzles	100'	115	7.8	18"	43120002	77 lbs.	\$3900.00
BOF50-50	1/2 hp Olympus Fountain, 3 nozzles	50'	115	7.8	18"	43380002	125 lbs.	\$4225.00
BOF50-100	1/2 hp Olympus Fountain, 3 nozzles	100'	115	7.8	18"	63480007	135 lbs.	\$4350.00
BOF10-100	1 hp Olympus Fountain, 3 nozzles	100'	115	8.9	18"	73840006	135 lbs.	\$4800.00
BOF10-150	1 hp Olympus Fountain, 3 nozzles	150'	115	8.9	19"	13980005	150 lbs.	\$4975.00
BOF102-100	1 hp Olympus Fountain, 3 nozzles	100'	230	4.5	20"	33840006	135 lbs.	\$4800.00
BOF102-150	1 hp Olympus Fountain, 3 nozzles	150'	230	4.5	20"	33980007	150 lbs.	\$4975.00
BOF102-200	1 hp Olympus Fountain, 3 nozzles	200'	230	4.5	24"	64120003	165 lbs.	\$5150.00
BOF152-100	1½ hp Olympus Fountain, 3 nozzles	100'	230	9.8	24"	35060006	165 lbs.	\$6325.00
BOF152-150	1½ hp Olympus Fountain, 3 nozzles	150'	230	9.8	24"	35200006	175 lbs.	\$6500.00
BOF152-200	1½ hp Olympus Fountain, 3 nozzles	200'	230	9.8	26"	55340009	185 lbs.	\$6675.00
BOF302-100	3 hp Olympus Fountain, 3 nozzles	100'	230	16.5	26"	96480005	220 lbs.	\$8100.00
BOF302-150	3 hp Olympus Fountain, 3 nozzles	150'	230	16.5	26"	96720005	230 lbs.	\$8400.00
BOF302-200	3 hp Olympus Fountain, 3 nozzles	200'	230	16.5	26"	96980005	240 lbs	\$8725.00

\*Amp draw may vary depending on nozzle used



**LIGHTING KITS FOR OLYMPUS FOUNTAINS AVAILABLE ON PAGE 80**



**New!**



## BEARON AQUATICS

ICE EATERS | OLYMPUS FOUNTAINS | POWER HOUSE AERATION

### Olympus Horizontal Fountain Assembly

Fixed base (not floating) fountain for use in shallow pools

- Available in 1/2 hp. or 1 hp sizes
- Minimum water depth: 10"
- Maximum water depth (with extension): 32"
- Includes three nozzles of your choice: (specify when ordering) Poseidon, Orion, Artemis, Hermes, Athena (shown on page 78)
- Lighting options available - Please inquire

Please note that the Olympus lighting packages shown below are not compatible with this Fountain.



Part #	Description	Cord Length	Voltage	Amps*	Minimum Depth	Stocking Code	*Ship Weight (lbs.)	List Price
<b>FBF50-25</b>	1/2 hp shallow water fountain	25'	115	7.8	10"	22852004	66 lbs	\$3565.00
<b>FBF502-25</b>	1/2 hp shallow water fountain	25'	230	3.9	10"	42852002	77 lbs.	\$3565.00
<b>FBF50-50</b>	1/2 hp shallow water fountain	50'	115	7.8	10"	42980002	125 lbs.	\$3725.00
<b>FBF502-50</b>	1/2 hp shallow water fountain	50'	230	3.9	10"	62980007	135 lbs.	\$3725.00
<b>FBF10-50</b>	1 hp shallow water fountain	50'	115	8.9	10"	73360006	135 lbs.	\$4200.00
<b>FBF102-50</b>	1 hp shallow water fountain	50'	230	4.5	10"	13360005	150 lbs.	\$4200.00



### Olympus Fountain Light Kits

How do you take an Olympic Fountain to next-level-awesome? Light it up, of course!

- These lights are compatible with Olympus Fountains on pages 78-79
- Stainless steel fixtures

Please note: These lights are not compatible with the Olympus Horizontal Fountain (above)

**Cool White Light Kits Include:**

- 18 watt LED fixtures
  - Mounting ring
- Plugs directly into any 115 volt GFCI outlet

**RGB Color Changing Light Kits Include:**

- 18 watt LED fixtures
  - Mounting ring
  - Controller with timer & remote
- Controller plugs directly into any 115 volt GFCI outlet.  
Remote works up to 1000' away



Part #	Description	Power Cord*	Stocking Code	Ship Weight	List Price
<b>OF2W-100</b>	2 light kit, cool white for Olympus Fountains up to 1 hp	100'	5748003	13 lbs.	\$935.00
<b>OF2W-150</b>	2 light kit, cool white for Olympus Fountains up to 1 hp	150'	7820003	18 lbs.	\$1025.00
<b>OF2W-200</b>	2 light kit, cool white for Olympus Fountains up to 1 hp	200'	1880005	23 lbs.	\$1100.00
<b>OF2RGB-100</b>	2 light kit, RGBW for Olympus Fountains up to 1 hp	100'	5120003	13 lbs.	\$1500.00
<b>OF2RGB-150</b>	2 light kit, RGBW for Olympus Fountains up to 1 hp	150'	7128003	18 lbs.	\$1600.00
<b>OF2RGB-200</b>	2 light kit, RGBW for Olympus Fountains up to 1 hp	200'	11440005	23 lbs.	\$1800.00
<b>OF3RGB-100</b>	3 light kit, RGBW for Olympus Fountains - 1.5 hp	100'	11468006	23 lbs.	\$1835.00
<b>OF3RGB-150</b>	3 light kit, RGBW for Olympus Fountains - 1.5 hp	150'	71548008	29 lbs.	\$1935.00
<b>OF3RGB-200</b>	3 light kit, RGBW for Olympus Fountains - 1.5 hp	200'	71720008	33 lbs.	\$2150.00
<b>OF4RGB-100</b>	4 light kit, RGBW for Olympus Fountains - 3 hp	100'	71740008	23 lbs.	\$2175.00
<b>OF4RGB-150</b>	4 light kit, RGBW for Olympus Fountains - 3 hp	150'	71860008	29 lbs.	\$2325.00
<b>OF4RGB-200</b>	4 light kit, RGBW for Olympus Fountains - 3 hp	200'	71980008	33 lbs.	\$2475.00







**BEARON AQUATICS**

ICE EATERS | OLYMPUS FOUNTAINS | POWER HOUSE AERATION

**New!**

With over 40 years of experience and the only patented deicer design, Bearon Aquatics energy efficient ICE EATERS are your best protection against ice damage to boats, docks and piers!

## ICE EATER De-Icer

Engineered and independently tested to move more water than any other deicer on the market today!

- Completely assembled for quick and easy installation. Two (25') mooring ropes included
- Available in (4) sizes for deicing up to 80' diameter areas with a single unit
- Quick disconnect power cords for easy service and maintenance
- All units include sacrificial anode for use in both fresh and salt water applications
- Models below are 115V. All models available in 230v power for same cost. Please inquire.
- Longer power cords available up to 150' for 115v models and up to 400' for 230v models
- Optional thermostat controller turns on ICE EATER only when needed. Ideal money saving option especially for unattended installations.



BIE100-25- 1 hp

Part #	Description	Power Cord	115 volt Amps	Approx. gpm	Avg. Open Diameter*	Stocking Code	Ship Weight	List Price
<b>BIE25-25</b>	1/4 hp ICE EATER	25'	2.5	330	20'	5852003	30 lbs.	\$1065.00
<b>BIE25-50</b>	1/4 hp ICE EATER	50'	2.5	330	20'	7888003	34 lbs.	\$1110.00
<b>BIE50-25</b>	1/2 hp ICE EATER	25'	5.0	1172	40'	1876005	36 lbs.	\$1095.00
<b>BIE50-50</b>	1/2 hp ICE EATER	50'	5.0	1172	40'	1908006	40 lbs.	\$1135.00
<b>BIE75-25</b>	3/4 hp ICE EATER	25'	6.3	1275	60'	7800008	41 lbs.	\$1000.00
<b>BIE75-50</b>	3/4 hp ICE EATER	50'	6.3	1275	60'	6820002	43 lbs.	\$1025.00
<b>BIE100-25</b>	1 hp ICE EATER	25'	7.0	1379	80'	6868002	44 lbs.	\$1085.00
<b>BIE1002-50</b>	1 hp ICE EATER	50'	7.0	1379	80'	6884002	46 lbs.	\$1105.00

\*Open diameter is based on average winter conditions. Prolonged / extreme cold will reduce diameter size while mild conditions will increase diameter size.



## Ice Eater Accessories

Part #	Description	Stocking Code	Ship Weight	List Price
<b>BIET80</b>	0-80° Thermostat	5104007	4 lbs.	\$130.00
<b>SDM</b>	Dock Mount for 1/4 hp ICE EATER	5240002	15 lbs.	\$300.00
<b>LDM</b>	Dock Mount for 1/2 - 1 hp ICE EATER	5240002	15 lbs.	\$300.00
<b>SWST</b>	Shallow Water Stand	5360006	63 lbs.	\$450.00



BIET80



SDM



SWST

**New!**



ASF05



ASF10



## Aerify Solar Fountain

**Perfect for shallow or remote ponds where aeration is needed.**

The Aerify Solar Fountains are high quality direct drive solar powered fountains designed for shallow or smaller ponds (up to one acre) where you need extra aeration while still getting the visual benefits of a fountain.

- Available in 1/2 hp and 1 hp models
- Proprietary prop designed to maximize GPM and oxygen transfer
- Operates in minimum of 18" (1/2 hp) and 24" (1 hp) of water
- Pumps up to 400 GPM for optimal aeration
- 100' power cord included (longer lengths available)
- Everything included except vertical and horizontal solar panel mounting poles

**Spray Pattern Dimensions (HxW):**

- 1/2 hp Carnival Nozzle: 3' x 6'
- 1 hp Carnival Nozzle: 4' x 10'

**Warranty:**

- 2 year warranty on fountain
- 15 year warranty on all solar panels

Part #	Description	Approx. gpm	36 volt Panels	# of Nozzles	Stocking Code	Ship Weight	List Price
ASF05	1/2 hp Aerify Solar Fountain	250	4	1	56196863	400 lbs.	\$7995.95
ASF10	1 hp Aerify Solar Fountain	400	6	1	78521863	540 lbs.	\$10,995.95



**New!**



DSF05 - Nozzle A



Diana



Galaxy



Nova



## Display (Palatial) Solar Fountain

**Perfect for shallow or remote ponds where you want a beautiful display fountain.**

The Palatial Solar Fountains are high quality direct drive solar powered fountains designed for shallow or smaller ponds (up to 3/4 acre) where you want the beauty of a fountain. With five nozzles to choose from, you can pick which style suits your pond the best.

- Available in 1/2 hp and 1 hp models
- Proprietary centrifugal designed for maximum display
- Operates in minimum of 18" (1/2 hp) and 24" (1 hp) of water
- 100' power cord included (longer lengths available)
- Five nozzles/patterns included in both 1/2 hp and 1 hp
- Everything included except vertical and horizontal solar panel mounting poles

**Warranty:**

- 2 year warranty on fountain
- 15 year warranty on all solar panels

**Spray Pattern Dimensions**

**1/2 hp Nozzles (HxW):**

- Nozzle A - 4' x 12'
- Nozzle A w/ Center Jet - 6' x 11'
- Nozzle B - 9' x 16'
- Nozzle B w/ Center Jet - 9' x 16'

**1 hp Nozzles (HxW):**

- Galaxy - 30' x 50'
- Nova - 25' x 2'
- Northstar - 16' x 32'
- Diana - 20' x 20'
- Solace - 14' x 18'

Part #	Description	Approx. gpm	36 volt Panels	# of Nozzles	Stocking Code	Ship Weight	List Price
DSF05	1/2 hp Display (Palatial) Solar Fountain	80	4	1	56196863	465 lbs.	\$7995.95
DSF10	1 hp Display (Palatial) Solar Fountain	80-108	6	1	78521863	615 lbs.	\$10,995.95





## 1/2 hp Legacy Fountain

The Legacy fountain is 1/2 hp and capable of four separate spray patterns (included). Ideally suited for small ponds and recreational areas desiring decorative looks.

**New!**



Standard Umbrella Nozzle  
4' x 12' Spray



High Umbrella Nozzle  
9' x 16' Spray



High Two Tier Nozzle  
9' x 16' Spray



Standard Two Tier Nozzle  
6' x 11' Spray

- Rotationally molded float measures only 24" x 24" x 3" thick, float is filled with expanded polystyrene foam
- A flow reduction disk is included, which can be inserted in the nozzle to cut the normal spray pattern dimensions in half, ideal for "dimensionally challenged" (small) ponds
- Powered by a 115v Franklin Super Stainless 1/2 hp water cooled motor, contains no oil
- Includes parts needed to make all four displays shown above
- Ships complete in one box — ideal for retail sales and do-it-yourselfers!
- Package includes 1/2 hp fountain, float, timer, GFI, nozzles and 100' power cord
- Lighting sold on page 84
- One year warranty

Part #	Minimum Operating Depth	Stocking Code	Ship Weight	List Price
LEG50*	18"	41695751	58 lbs.	\$1995.00



## 1-5 hp Centrifugal Pump Fountains

- These fountains use an impeller (instead of a propeller) to build higher pressures, which give greater spray heights
- Centrifugal pump fountains utilize a pump chamber where pressure is built, then sprayed through a nozzle
- All five of the spray nozzles shown can be used on these fountains
- Package includes pump, float, 100' power cord, control panel and one nozzle of your choice (specify when ordering). For additional nozzles, please inquire.
- Lighting sold on page 84
- Two year warranty on 1 hp units, three year warranty on 2-5 hp units

**New!**



Northstar Spray Pattern

**Dimensions**

- 1 hp (108gpm): 16' high x 32' dia.
- 2 hp (120gpm): 20' high x 36' dia.
- 3 hp (127gpm): 26' high x 42' dia.
- 5 hp (156gpm): 33' high x 50' dia.



Galaxy Spray Pattern

**Dimensions**

- 1 hp (95gpm): 30' high x 50' dia.
- 2 hp (116gpm): 32' high x 50' dia.
- 3 hp (120gpm): 32' high x 50' dia.
- 5 hp (136gpm): 39' high x 60' dia.



Diana Spray Pattern

**Dimensions**

- 1 hp (80gpm): 20' high x 20' dia.
- 2 hp (116gpm): 23' high x 23' dia.
- 3 hp (120gpm): 20' high x 20' dia.
- 5 hp (140gpm): 30' high x 30' dia.



Nova Spray Pattern

**Dimensions**

- 1 hp (108gpm): 25' high x 2' dia.
- 2 hp (116gpm): 28' high x 2' dia.
- 3 hp (130gpm): 33' high x 2' dia.
- 5 hp (156gpm): 36' high x 2' dia.



Solace Spray Pattern

**Dimensions**

- 1 hp (108gpm): 14' high x 18' dia.
- 2 hp (120gpm): 18' high x 22' dia.
- 3 hp (127gpm): 20' high x 28' dia.
- 5 hp (156gpm): 24' high x 30' dia.

Part #	Description	hp	Amps @ 230v	Stocking Code	Ship Weight	List Price
AFC10	Centrifugal Pump Fountain 1 hp	1	9.8	43378759	110 lbs.	\$3975.00
AFC20	Centrifugal Pump Fountain 2hp	2	13	64925757	115 lbs	\$5795.00
AFC30	Centrifugal Pump Fountain 3hp	3	17	35690753	126 lbs.	\$6695.00
AFC50	Centrifugal Pump Fountain 5 hp	5	27.5	87050755	147 lbs.	\$8295.00



**New!**



## High-Velocity Aquarian Propeller Fountain

**Aeration** The high-velocity Aquarian propeller fountain pumps an immense column of water, creating constant aeration and re-aeration in a circular manner. A continuous turnover prevents stratification to depths of up to 12 feet.

**De-Icing** During the winter months, keep water areas open around docks and piers or for ducks, waterfowl, fish, and livestock with the optional Sling Rope De-Icing Kit. The kit pulls warm water up to the surface creating an open circular area on lakes or ponds at a rate of eight feet diameter per foot of propeller depth.

- Rugged, stainless steel Franklin Electric submersible motor, UL778 recognized, water-cooled and lubricated
- Eco-friendly motor (no oil required)
- No seals or bearings to maintain
- 50' water resistant power cable. Longer lengths available in 50' increments.
- High-speed, foul resistant propeller. High shearwater spraying action. No lazy spray or bubbles.
- Computer designed diffuser engineered to break up the water column for the best oxygen transfer rate.
- **Can be converted to a de-icer with the optional Sling Rope De-Icing Kit!**
- Ground fault protection on single phase units
- Limited two-year warranty



*Air-O-Lator equipment is manufactured either to UL, CSA, or NEMA standards. All 1/2 horsepower units are designed to plug into an outlet; conduit wiring is permitted.*

Part #	Description	Amps/ Volts	gpm	Rec. Pond Size	Minimum Depth	Power Cord*	Stocking Code	Ship Weight	List Price
HVA05	1/2 hp Fountain	12/115	500	up to .7 acres	18"	50'	51185753	61 lbs.	\$1395.00
HVA052	1/2 hp Fountain	6/230	500	up to .7 acres	18"	50'	71185753	61 lbs.	\$1395.00
HVA102	1 hp Fountain	9.8/230	1475	up to 1.4 acres	24"	50'	11695755	69 lbs.	\$1995.00
SRDK	Sling Rope De-Icing Kit	—	—	—	—	—	125506	1 lb.	\$30.00

\* Longer cord lengths available in 50' increments



## Fountain Lighting

Optional lighting packages for Legacy and Centrifugal Fountains

- Stainless steel 17 watt lights have both true warm white diodes and color changing diodes
- Stainless steel mounting brackets and hardware



### Legacy Fountain Lighting

Part #	Description	Stocking Code	Ship Weight	List Price
AOLRGB-17	(2) fixtures, 17 watt RGBW light set, remote, 100' of cable	41270759	37 lbs.	\$1495.00

### Centrifugal Fountain Lighting

Part #	Description	Stocking Code	Ship Weight	List Price
AOLRGB-10	(4) fixtures, 10 watt, RGBW light set, bluetooth controller, 100' of cable	62758257	37 lbs	\$3245.00



## Complete Fish Systems are ideal for classrooms, aquaponics, hydroponics, retail fish sales and more!

Excellent filtration is the key to any fish system, which is why we use EasyPro® Pressurized Bead Filters for the best in mechanical and biological filtration.

### Updated Fish Systems for 2023!

#### Dramatically More Efficient

1.4 amps vs. 6.5 amps (RCS2N)

#### Much Quieter

Now with whisper-quiet, low RPM pumps

#### Lower Water Usage

Systems with backflush blowers use much less water during routine filter cleaning.

#### Easier to Install

Now includes pre-drilled drain holes

#### Faster Lead Times/ Consolidated Shipping

Systems ship complete from EasyPro

### The Fish System 1

This single tank set up requires less than 6' x 8' of space. Commonly used in retail stores and pond shops, but can also be found in many aquaculture classrooms.

#### System Includes:

- One PT6530 300 gallon fish tank 65" diameter x 30" deep
- One EX3600 EasyPro® 3600 gph external pump
- One PBF1800 EasyPro® Bead Filter rated for up to 60 pounds of fish
- All necessary fittings, valves, unions, pipe, etc.



#### System 1

Part #	Stocking Code	List Price
RCS2N	41666576	\$2192.09

#### System 1 with Backflush Blower

Part #	Stocking Code	List Price
RCS2BL	32142108	\$2797.19



### The Fish System 2

Dual 300 gallon tanks allow you to keep different species or sizes of fish in the same system. A best selling system due to its increased capacity with minimal additional cost to a single tank setup.

**Best Seller!**



#### System Includes:

- Two PT6530 300 gallon fish tanks
- One EX4500 EasyPro® 4500 gph external pump
- One PBF3600 EasyPro® Bead Filter rated for up to 150 lbs. of fish
- All necessary fittings, valves, unions, pipe, etc.

#### System 2

Part #	Stocking Code	List Price
RCS3N	72522351	\$3294.99

#### System 2 with Backflush Blower

Part #	Stocking Code	List Price
RCS3BL	12941545	\$3825.29



### Round, Flat Bottom Tanks

We've sold these tanks all over the United States and in Canada for a wide variety of applications including aquaculture production, koi display tanks, filtration tanks, holding tanks, etc. Tanks are nestable for reduced shipping cost. Does not contain bottom drain - use bulkhead fittings.

Part #	Diameter	Depth	Capacity	Stocking Code	List Price
PT6530	65"	30"	300 gallon	6585031	731.29





Mid Michigan Ponds (MI)



Outside Inc. (MI)



## EasyWeave Reinforced Woven Polyethylene Pond Liners

Ideal for lining large ponds — up to 75,000 square feet in one piece and custom made to your pond size

These EasyWeave polyethylene liners are engineered to offer great strength in a light weight liner material. The material is UV stabilized to offer years of worry free protection against the damaging rays of the sun. Unlike regular multi-layered liners which simply stack the layers of liner on top of each other, these liners are woven together — this gives the ultimate in strength. Because of the light weight and strength, these liners can be manufactured in sizes up to 75,000 square feet.

### Features

- Designed for easy installation and long life span
- Puncture, abrasion and chemically resistant construction
- High strength HDPE woven core that provides superior dimensional stability
- Outstanding UV, ozone and oxidation resistance
- Unlike PVC liners, which need 12" of soil over the entire liner, these liners do not require coverage other than around the edges — this lowers the overall installation cost dramatically!
- Custom made liners require approximately 10-14 days for manufacturing and delivery

45 mil EPDM Pond Liner and PVC Liners are also available. See our Pond & Water Feature Catalog for additional liner options.



20 year warranty when under water, 10 year warranty when exposed to direct sunlight

Pipe boots are available for sealing around incoming lines below water, contact us for details

### Liner Panel Size Parameters

Width: 12' width increment standard, 6' increment width available for additional \$150.00 • Length: Any desired length in 1' increments up to 300' long



Visit [easypro.com](http://easypro.com)

for video installations of liner, spec sheets, training and design tips

### Applications

- Aquaculture
- Pond liner
- Soil remediation
- Exposed applications
- Oil and gas
- Irrigation reservoirs and canals
- Water management
- Hydroponic farming
- Fracking

Part #	Thickness	Maximum Panel Size**	Maximum Pallet Size Liner	Square Feet Quantity	Stocking Code	Ship Weight per 1000 sq. ft.	List Price per sq. ft.
<b>WCP24</b>	24 mil	75,000	18,000'	1000' - 10000'	6398	80 lbs.	\$0.59
				10001' - 20000'	2371	80 lbs.	\$0.56
				20000' - 40000'	4345	80 lbs.	\$0.53
				40000'+	Call	80 lbs.	Call
<b>WCP30</b>	30 mil	65,000	16,000'	1000' - 10000'	9446	93 lbs.	\$0.61
				10001' - 20000'	5422	93 lbs.	\$0.58
				20001' - 40000'	5384	93 lbs.	\$0.55
				40000'+	Call	93 lbs.	Call

\*\*Liners over 16,000 sq. ft. come as large roll and ship on flat bed truck



Outside Inc. (MI)



## Pond Liner Underlayment

- 5 oz. non-woven geotextile fabric in two widths - 5' and 10', easy to match up to the EPDM liner sold in 5' widths
- Provides additional tear and puncture protection from roots, stones or any other sharp objects
- Provides enhanced soil stability and erosion control
- Can be used on top of liner as well to protect from punctures when adding gravel
- Full rolls are 360' long



5' & 10' wide rolls!  
Contact us for special pricing  
on ten rolls or more




Part #	Description	Stocking Code	Ship Weight	List Price
FPU	5' or 10' wide x any length	1233	—	\$0.35/sq. ft.
PLU5360	5' wide x 360' roll	2318317	65 lbs.	\$397.89 roll
PLU10360	10' wide x 360' roll	7586315	125 lbs.	\$732.89 roll

## Underliner Vent System

Helps to prevent uplifting or floating of pond liners caused by methane gasses in organic soils or high water tables

- Provides a strong, secure channel for ground water and gasses to freely flow through to designated exits (GE4EO end outlets)
- Prefabricated 6" strip consisting of a molded grid wrapped in geotextile fabric to permit a high flow of water into the molded grid while restraining soil particles
- Easy to install — no heavy equipment or skilled labor needed — Simply roll out in the deepest portion of your pond
- Comes in 150' long rolls, is 6" wide and 1" tall



GE4EO  
4" End Outlet




Ships from our warehouse — no minimum order!

Part #	Description	Stocking Code	Ship Weight	List Price Each
GE6150	Underliner Vent - 6"x150' roll	4350629	24 lbs.	\$424.99
GE4EO	4" End outlet	326568	3 lbs.	\$32.19



## Pond & Water Garden Thermometer

- Can be used as a floating thermometer (with cap on) or sinking (with cap off)
- Made from ABS plastic and shatterproof lens, reads in both F° and C°
- 3' cord included, twelve per case



P180

## Koi Medic Salinity Meter

- Very accurate, easy to use salinity meter
- Simply turn on and dip into pond, LCD will display salt content
- Includes protective case
- Auto shutoff, drop shock 6', 150 hour battery life, water resistant, low battery warning, 0.00 - 1.00% range 0.01 resolution, includes four 1.5v button cell batteries



KMS

## Eco pH+ Tester

- This simple to use tester gives fast, accurate pH readings, is water resistant and floats if dropped in pond
- Controlling pH levels will help balance water chemistry, enhance fish colors, promote spawning and control CO2 level
- Includes protective case
- Auto shutoff, drop shock, 150 hour battery life, water resistant, low battery warning



KPH

Four 1.5v button cell batteries included

Part #	Description	Case Quantity	Stocking Code	Ship Weight	List Price
P180	Pond & water garden thermometer	12	619724	1 lb.	\$26.29
KMS	Koi Medic salinity meter	—	5111992	2 lbs.	\$139.99
KPH	Eco pH+ tester	—	887992	1 lb.	\$109.99



## 5-in-1 Test Strips

- Tests for nitrate, nitrite, total hardness, total alkalinity and pH
- Fresh water use
- Water should be tested regularly to maintain good water quality
- 50 test strips in each bottle



Part #	Case Quantity	Stocking Code	Ship Weight	List Price
TS5	12	919498	1 lb.	\$25.99

## LaMotte

### Water Test Kit

Accurate, affordable and easy to use

LaMotte has grouped the most popular water tests into a convenient easy to carry package with nine test kits.



### 9 Test Kit tests for

Ammonia, Nitrite, pH, Alkalinity, Chloride, Hardness, Carbon Dioxide, Temperature, Dissolved Oxygen

Part #	Description	Stocking Code	Ship Weight	List Price
L363302	9 Test kit	4295037	6 lbs.	\$347.09



## YSI Meters

### Economy Oxygen Meter

The YSI DO200 is designed for quick, accurate oxygen and temperature readings!

- Hand held and easy to use
- Watertight IP67 housing
- Automatic temperature compensation
- Manual salinity compensation
- Low battery indicator with 500 hour battery life
- Screw on cap membranes with low stirring, fast response probe
- Choose a 12' (4 meter) or 30' (10 meter) cable, order separately



Part #	Description	Stocking Code	Ship Weight	List Price
<b>D200</b>	Model DO200 Oxy/Temp metric meter <b>w/o cable or probe</b>	6328494	3 lbs.	\$364.99
<b>D200-4</b>	Oxygen/Temp probe w/12' cable for DO200	7346493	2 lbs.	\$384.99
<b>D200-10</b>	Oxygen/Temp probe w/30' cable for DO200	3359994	3 lbs.	\$399.99

**We offer the lowest prices on all YSI products!  
Contact us for any item not shown!**

## Fish Shipping Bags

- Most commonly used for hauling live fish
- Bags are made from the finest materials
- Our standard bag is 18" x 34", 3 mil and guaranteed waterproof
- Available in 100 or 250 count box

**Save 5% on three or more boxes of OB250**

Part #	Description	Stocking Code	Ship Weight	List Price
<b>OB100</b>	100 count box	854825	12 lbs.	73.09
<b>OB250</b>	250 count box	3121428	31 lbs.	\$161.89



## Bander & Bands


Use this handy tool to quickly and securely close your fish shipping bags. For maximum holding power use two bands on each bag.

Part #	Description	Stocking Code	Ship Weight	List Price
<b>BBT</b>	Bag sealing tool	328905	2 lbs.	\$41.29
<b>BB</b>	Bands, 100 per bag	45381	1 lb.	\$7.69



## Game Fish Food

- High quality general purpose fish food designed for feeding trout, bluegill, catfish and other game fish in farm ponds and lakes
- Floating pellets available in 3.0 mm (1/8") for younger fish or 5.0 mm (3/16") for larger fish



Part #	Description	Stocking Code	Ship Weight	List Price
<b>FD18</b>	44 lb. bag 1/8"	939507	48 lbs.	\$52.99
<b>FD316</b>	44 lb. bag 3/16"	539501	48 lbs.	\$52.99





## A

### Aeration & Supplies

#### Aeration Kits

Linear .....	27, 51
Rocking Piston .....	28-33, 38-39
Rotary Vane .....	34-36, 39
Solar .....	42-43
Wind .....	40-41
Aeration, Submerged .....	23-43
Aeration, Surface .....	68, 71
Air Diffusers .....	54-55
Airline, Tubing .....	52
Airstones .....	55
Algaecides .....	14-16
AquaFloat .....	60
AquaFountain .....	61
Aquaculture Supplies .....	85, 88-89
Aquatic Weed Control .....	11-21
Aquatic Weed Rakes/Cutters .....	22

## B

Bacteria .....	5-7, 9
Bander & Bands .....	89
Barley Straw Pellets .....	10
Becker Windmills .....	40-41
Blowers, Regenerative .....	48

## C

Cabinets .....	56-58
Compressors, Linear .....	50
Compressors, Rocking Piston .....	44
Compressors, Rotary Vane .....	46
Compressors & Parts .....	45-47, 49

## D

De-icers .....	26, 69-71
Diaphragm Compressor .....	49-50
Diffused Aeration Kits .....	23, 43-51
Diffusers .....	54-55
Dyes .....	9, 12-13

## E

EasyWeave Pond Liner .....	86
----------------------------	----

## F

Fish Display Systems .....	85
Fish Food .....	89
Fish Shipping Bags .....	89
Fittings, Tubing .....	53
Floating Fountain Head .....	60
Fountain Light Kits .....	62-64, 77, 80, 84
Fountains .....	59-84

## G

Game Fish Food .....	89
----------------------	----

## H

Herbicides .....	18-21
Hose Clamps .....	53

## I

Identify Aquatic Weeds & Algae .....	11
--------------------------------------	----

## K

Koi Medic Salinity Meter .....	88
--------------------------------	----

## L

Lamotte Test Kit .....	88
Landscape Boulders .....	56
Liner, EasyWeave .....	86
Liner, Underlayment .....	87

## M

Membrane Diffuser Assembly .....	54
----------------------------------	----

## O

Ordering Information .....	91
----------------------------	----

## P

Pond Dyes .....	9, 12-13
Pressure Gauges .....	47
Pressure Relief Valves .....	47

## R

Rock Covers .....	56
-------------------	----

## S

Septic & Wastewater Treatment .....	10
Solar Aeration Kits .....	42-43
Splitters .....	53
Surface Aeration .....	68, 71-72

## T

Tank, Fish .....	85
Thermometer .....	88
Tubing, Airline .....	52
Tubing, Fittings .....	53

## U

Underliner Vent System .....	87
------------------------------	----

## V

Valve Assemblies, Remote Access .....	37
Valve Boxes .....	37
Valved Outlet Assemblies .....	47

## W

Water Testing .....	88-89
Windmills .....	40-41

## Y

YSI Meters .....	89
------------------	----



**Where to Buy** EasyPro Pond Products are available across the U.S. and Canada through our growing network of distributors and dealers. Purchasing EasyPro items through these local suppliers has become the easiest and most cost effective choice for landscape professionals and homeowners. Use the “Where to Buy” section on our website or contact us at 800-448-3873 and we can help you find an EasyPro supplier near you.



## Customer Service

**Technical Assistance** 2022 marked our 52nd year in the aquatics business. We feel it is better to spend time helping you properly select products now rather than spend time with you later helping to solve the problems (and expense) of incorrect products! You are welcome to contact us for free design assistance on pond, waterfall, aeration, filtration, etc. Whenever possible, please send us a diagram of your layout to provide us a visual reference. Fax your diagram to 231-834-5537 or email to quotes@easypro.com.

**Large Orders** If you are in need of a large quantity of an item (or items), please provide us a list of items and quantities needed so we can quote you prices.



**Ordering** For your convenience there is a PDF order form in your [resource portal](#) that may be filled out electronically and submitted by email or fax. Place orders in any of the following ways:

**Telephone** Orders by phone can be placed at 231-834-7720 or toll free at 800-448-3873; Monday to Friday; 8am to 5pm Eastern time.

**Fax** Orders by fax can be sent to 231-834-5537

**Email** orders to orders@easypro.com. This email is for orders only. For special project quote requests (ponds, Just-A-Falls, fountains, aeration, etc.) email to quotes@easypro.com. For any other questions, quotes or services, please call us at 800-448-3873.



**Shipping Information Items Less Than 150 Pounds** These items typically ship UPS or Fed-Ex. As shipping fees and calculations change frequently from carriers, we strive to provide economical, on time and secure delivery of product. From time to time additional carrier fees are charged for bulky items (filter material, pond kits, etc.), unpackaged goods (i.e. flex pipe, kink-free tubing, etc.), hazardous goods and other special considerations.

**Large and/or heavy items are shipped motor freight** Last year, we achieved another record by shipping more than **3 million pounds** of freight over truck lines. Because of our large volume, we have negotiated higher discounts with our truck lines from their standard rates. This makes us very competitive when shipping large orders. Motor freight companies charge a residential fee when delivering to a residence.

**Damaged Shipments Please inspect your shipment before signing for it!** Once you sign for your shipment, the carrier will not be liable for shortages or damage. You can refuse a damaged shipment or accept it with clear notification of damage on the bill of lading. Please call us immediately if you refuse a damaged order so we can accept it back from the carrier and reship your order.



**Returns All returns must have an RA#** (Return Authorization Number). This lets us know what is coming back and what to do with it (i.e. credit your account, replace product, etc.). A 10% restock fee will apply to returns unless it is our shipment error. Packages sent to us without an RA# written on them will be refused. All products, including warranty items, must be returned to us shipping prepaid. We will pay the shipping charges on warranty items back to you, but not from you to us. Product over 90 days old is not returnable for credit. Special orders, cut liner and used items are not returnable. **Obtain a Return Authorization (“RA”) number** by calling EasyPro at 800-448-3873 or via email at warranty@easypro.com.



## Payment Options

**Credit Cards** We accept VISA, MasterCard, Discover and American Express.



**Money Orders/Checks** Money orders or business checks are accepted as payment.

**Net 30 Account** Companies wishing to set up an account with us need to fill out our credit application. Schools, institutions and governmental agencies are pre-approved with use of a purchase order number. Interest will accrue on all invoices over 30 days. No orders will be shipped to customers with invoices over 60 days old until account is brought current.



**Hours Business Hours** Monday through Friday, 8:00 a.m. to 5:00 p.m. EST **Sales, marketing, shipping and office closed Saturdays and Sundays.**

**We will be closed for the following 2023 holidays**

Memorial Day — Saturday, May 27 and Monday, May 29

Independence Day (US) — Tuesday, July 4

Labor Day — Saturday, September 2 and Monday, September 4

Thanksgiving (US) - Thursday, November 23 and Friday, November 24

Christmas - Monday, December 25 through Monday, January 1



**Warranty** EasyPro honors all manufacturers’ warranties. Each manufacturer has their own warranty procedure. Some manufacturers allow us to determine warranty for them, while others handle their own warranties. Submersible pumps that have been run out of water, have been altered or have cuts to the power cord will not be covered by warranty. Also, any product not used for its intended purpose, altered, damaged, improperly maintained or neglected will not be covered. Submersible pumps cannot be taken apart, this voids warranty. Shipping costs to us (or to the manufacturer) are not covered by warranty, please insure package when shipping back to us. If product is covered by warranty we will pay shipping costs to ship new/repaired item back to you. Product returned to us for warranty that is deemed in working condition will be shipped back to you at your expense. Be sure your electrical supply is proper before returning pumps to us — each year we get numerous returns that are in good working order only to find the problem was in the electrical supply! A bench fee of \$25.00 will be charged for each pump returned to us that is not broken. Each year we test hundreds of pumps, many of which are fine. This fee covers time and materials used in testing pumps that are in good working order.

**A policy of continuous improvement is our goal, therefore products may change from those shown. All prices are subject to change without notice. We make every effort to maintain printed prices however, due to circumstances out of our control, they may change.**



4385 East 110th  
Grant, MI 49327

231-834-7720  
800-448-3873  
Fax: 231-834-5537

info@easypro.com  
www.easypro.com

Issued January 2023

**Catalog #53WL**

Current Resident or

## Two Specialized Catalogs!



We're proud to offer the largest selection of products in the industry. Whether a small water feature or a large lake, we have products for nearly every application.

We know your time is valuable. So you can focus on the products you need, we publish two catalogs.

- **The Pond & Water Feature catalog** contains products and information on ornamental ponds and water features.
- **The Lake & Pond Management catalog** contains all of our water treatments, fountains, aeration systems and aquaculture supplies.



Please contact us via phone or website to view or request copies of our catalogs!