

Resource Guide

Lake and Pond Management
Decorative Water Features
Water Gardening



Innovation, Quality, Experience

EasyPro had a modest beginning in 1970 as a small family owned fishery in Grant, Michigan. Still family owned and in the same location for five decades, we have grown into one of the largest manufacturers of pond, water feature and lake equipment in the country. Providing innovative products is an ongoing part of our business. With these products and years of experience, we seek to help customers imagine, create and enjoy their water features. This resource guide includes our main product base. Our complete line of products can be viewed at www.easypro.com.







Index Page #	Page #
Aeration - Lake & Pond20-22	Pump Vaults
Aeration - Water Gardens8	Scuppers - Vianti Falls 16
Basalt Fountains	Skimmers4
Basins 19	Spillways - Molded17
Fish Food9	Spillways - Vianti Falls 16
Fountains	Fountain Kits
Just-A-Falls 14-15	Tranquil Décor18-19
Lighting 10, 22	UV Clarifiers6
Pond Kits3	UV Clarifiers - Commercial Stainless 7
Pressurized Bead Filters7	Waterfall Filters5
Pressurized Filters6	Water Treatments - Lake 23
Pumps	Water Treatments - Water Garden9



EasyPro Pond Kits

Each of our kits include all necessary items to build a top quality feature, including: pump, liner, underlayment, skimmer, filter, plumbing and installation kit. Larger kits also include low voltage lighting.

Mini Pond Kits

PART #	POND SIZE	LINER SIZE	APPROX. GALLONS	PUMP GPH
ET66FB	6' x 6'	10' x 10'	400	1800
ET610FB	6' x 10'	10' x 14'	675	2700
ET811FB	8' x 11'	12' x 15'	1000	2700

Small Pond Kits

PART #	POND SIZE	LINER SIZE	APPROX. GALLONS	PUMP GPH
ES66FB	6' x 6'	10' x 10'	400	2200
ES611FB	6' x 11'	10' x 15'	750	2200
ES811FB	8' x 11'	12' x 15'	1000	2200
ES11AFB	11' x 11'	15' x 15'	1400	3100
ES16AFB	11' x 16'	15' x 20'	2000	3100

Medium Pond Kits

PART # POND SIZE LINER SIZE APPROX. GALLONS PUMP GPH EM1116FB 11' x 16' 15' x 20' 2000 4100 EM1616FB 16' x 16' 20' x 20' 2900 4100 EM1621FB 16' x 21' 20' x 25' 3800 5100 EM2121FB 21' x 21' 25' x 25' 4950 5100 EM2126FB 21' x 26' 25' x 30' 6150 5100					
EM1616FB 16' x 16' 20' x 20' 2900 4100 EM1621FB 16' x 21' 20' x 25' 3800 5100 EM2121FB 21' x 21' 25' x 25' 4950 5100	PART #	POND SIZE	LINER SIZE	APPROX. GALLONS	PUMP GPH
EM1621FB 16' x 21' 20' x 25' 3800 5100 EM2121FB 21' x 21' 25' x 25' 4950 5100	EM1116FB	11' x 16'	15' x 20'	2000	4100
EM2121FB 21' x 21' 25' x 25' 4950 5100	EM1616FB	16' x 16'	20' x 20'	2900	4100
	EM1621FB	16' x 21'	20' x 25'	3800	5100
EM2126FB 21' x 26' 25' x 30' 6150 5100	EM2121FB	21' x 21'	25' x 25'	4950	5100
	EM2126FB	21' x 26'	25' x 30'	6150	5100







See our website for larger kits — www.easypro.com



Cross Section of a Pond

EasyPro complete pond kits and components are easy to install. We make sure everything works together and is properly sized for your pond before it leaves our facility. You can be confident your EasyPro pond will be the star of your landscape.

Skimmers



 Front to back design — with the pump sitting behind the debris net not along side it

PART #	DESCRIPTION	SIZE (L X W X H)	WATER INLET	MAX. FLOW/GPH
PSA5000	Axiom Skimmer	29" x 19" x 21"	6"	5000
PSA7000	Axiom Skimmer	29" x 19" x 21"	8"	7000
PSA9000	Axiom Skimmer	33" x 19" x 23"	8"	9000
PSA11000	Axiom Skimmer	33" x 19" x 23"	10"	11000





PS1FB PS2FB **PSMFB**

Pro-Series Skimmers

- · Innovative design allows you to choose between a vertical filter pad or filter brushes
- Two chamber design eliminates cutting filter pads to fit
- Pumps can be inspected or removed without removing filter pad



See our website for more skimmer options — www.easypro.com

Eco-Series Skimmers

Filter Pad


option for PS1 & PS2

Skimmers

- · Patented design eliminates silicone or cutting liner
- · Skimmers install inside the liner eliminating leaks
- Ribbed design holds shape and allows dirt to hold skimmer in place when backfilled
- Each skimmer comes complete with molded debris basket, filter pad and lid (Tempo not
- Tempo is ideal for pre-formed ponds and retrofits



PS4E







3000

6000

18000



Waterfall Filters



AguaFalls Biological Waterfall Filters

- Easy to install, simply bolt lip to filter and you're done
- · AquaFalls filters are buried into the ground making them easy to hide
- Inlet holes on each side of the filter (except the mini AquaFalls). Use one and simply plug the other hole with plug (included) or use as drain
- Can be ordered with Matala filter pads
- Also available with termination strips for those who prefer to use real stone





Matala® filter pad option


Eco-Series Waterfall Filters

 These patented waterfall filter boxes are the easiest to install of any similar style filter on the market today; an excellent choice for the "do-it-yourselfer"



Biological filter media is included







WF60E WF29E





EasyPro Media



Bio-Blox Filter Media

One, ten or twenty five cu. ft. box or two cu. ft. pre-filled mesh bags

200 count box, one cubic foot or 4.5 cu. ft.

Ultimate Tube Media

• Order one, ten or 25 cu. ft.

Filter Floss Bio-Media

3000' roll (approximately six cu. ft.) or two cu. ft. pre-filled mesh bags



Bio-Blox



Bio-Balls



Ultimate Tube Media



Filter Floss

Pressurized Filters & UV Clarifiers



• Sturdy filter housings — can be buried up to cleaning ring for easy concealment

minimal investment.

• Optional built-in UV for crystal clear water

ECF25

- Dual filtration filter pads collect solid debris while bio-media provides excellent biological filtration
- Cleaning indicator spring loaded, shows when filter needs to be cleaned

ECF10

- Easy to clean filters are easy to disassemble
- Multi step connectors inlet/outlet fittings accept a variety of tubing sizes

	•	-	, ,	•
PART #	MAX POND SIZE	UV/ WATTS	INLET/OUTLET SIZES	RECOMMENDED MAX GPH FLOW
ECF10	1000 Gallons	No	¹ /2", ³ /4", 1"	600
ECF10U	1000 Gallons	Yes/7	¹ /2", ³ /4", 1 "	600
ECF25	2500 Gallons	No	³ / ₄ ", 1", 1 ¹ / ₄ ", 1 ¹ / ₂ "	1350
ECF25U	2500 Gallons	Yes/9	³ / ₄ ", 1", 1 ¹ / ₄ ", 1 ¹ / ₂ "	1350
ECF40	4000 Gallons	No	³ / ₄ ", 1", 1 ¹ / ₄ ", 1 ¹ / ₂ "	2000
ECF40U	4000 Gallons	Yes/13	³ / ₄ ", 1", 1 ¹ / ₄ ", 1 ¹ / ₂ "	2000

EasyPro UV clarifiers

ECF40

- · True quartz glass sleeve
- Multi-step connectors for ³/₄", 1", 1¹/₄" and 1¹/₂" tubing
- · Tough, impact resistant housings
- Threaded housing is 11/2" mpt for PVC connection
- · Weatherproof ballasts with 15' power cord
- Dual outlets use either side for easy plumbing layout



PART #	WATTS	MAX. FLOW GPH	MAX. POND SIZE
EPU18N	18	2100	4000 gallons
EPU36N	36	3900	7000 gallons

Submersible Pump/Filter/UV Combo

Combines pump, filter, UV and fountain into one complete unit. Ideal for small and pre-formed ponds.

- Includes three fountain nozzles and diverter valve
- · Eleven watt UV for crystal clear water
- 675 gph pump with 20' power cord, 48 watts
- · Mechanical and biological filtration media included
- Swivel joint for easy leveling of fountain nozzles
- For ponds up to 1250 gallons



Bead Filters & Commercial UV Clarifiers



Uses six position control head

Strong, heavy duty, polyethylene filter body

- Ultimate Tube Media included for maximum filtration and minimal back pressure
- Has clear section to monitor cleaning cycle
- Simple to set up and assemble, great filters for fish displays
- Free unions included for plumbing lines



Optional Upgrades:

 $\begin{array}{ll} \textbf{Air Blower} - \text{to agitate the} \\ \text{media prior to back-flush,} \\ \text{speeding up the process.} \end{array}$



PART #	MAX POND SIZE	DIAMETER X HEIGHT*	INLET/OUTLET SIZE	MAX GPM [†]
PBF1800	1800 Gallons	16" x 31"	11/2"	30
PBF3600	3600 Gallons	19" x 36"	1 ¹ /2"	50
PBF6000	6000 Gallons	24" x 43"	2"	70
PBF10000	10000 Gallons	31" x 51"	2"	90

^{*}Height is measured from floor to top of handle Thigher flow rates are possible but filter effectiveness is reduced

Deluxe Skid Mounted Filtration Systems Also Available

 We've combined a pressurized bead filter with external pump and UV clarifier into one completely plumbed, ready to install filter system






Commercial Stainless Steel UV Clarifiers

Dual inlets/outlets allow multiple plumbing options



EPUV75

- UV-C grade bulbs have 9000 hour life rating
 - 15' power cord
 - 2" PVC inlet/outlets includes union connections
 - Five year warranty on housing
 - Polished stainless interior reflector increases light reflection up to 35%



Water Garden Aeration



Installing an aeration system in your pond has many benefits including:

- Ensures adequate oxygen levels during hot summer months
- Maintains open water during winter months in freezing climates eliminating winter kill
- An energy efficient way to aerate, destratisfy and circulate water in water gardens and koi ponds



- Increased oxygen levels, which will help with decomposing organic material, result in a cleaner and healthier pond
- Reliable linear compressors have few moving parts and are less likely to need repair
- Easy to install compressors sit on shore connected by tubing to bottom air diffusers

Compact Reration Series Quiet, energy-efficient aeration and de-icing for pennies a day!

- Energy efficient, continuous duty compressor
- 2 year warranty
- · All units include adjustable air flow.
- Includes 25' roll(s) of vinyl tubing, air diffuser(s),





^{*}Fish load, filtration capacity and other factors affect actual maximum pond size

Provide some Koi Loving Care for your pond!

- Adequate oxygen levels and circulation during summer and de-icing capability during winter
- Kits available for wide range of water garden and koi ponds up to 30,000 gallons
- Quiet, energy efficient compressors with CUL and UL listing for outdoor use
- 3 year warranty
- Includes compressor, diffuser(s), connectors and QuickSink tubing

PART #	DESCRIPTION	APPROXIMATE POND SIZE*	ELECTRICAL USAGE	WARRANTY (YEARS)
LA1	Aeration Kit, Single Diffuser	1000-7500 Gallons	23 watts	3
LA2	Aeration Kit, Dual Diffusers	2000-15000 Gallons	36 watts	3
LA3	Aeration Kit, Triple Diffusers	3000-22500 Gallons	60 watts	3
LA4	Aeration Kit, Quad Diffusers	4000-30000 Gallons	70 watts	3

*Fish load, filtration capacity and other factors affect actual maximum pond size



Water Treatments & Fish Food



"All Season" Liquid Pond Bacteria



Works in water temperatures down to 45°F, one product for Spring, Summer and Fall

 Removes ammonia, nitrites, nitrates, phosphates & sludge

PART #	SIZE	
ASB16	16 oz.	
ASB32	32 oz.	
ASB128	128 oz.	

2 fl oz per 1,000 gallons

Liquid Barley Straw Extract



· All natural liquid formula — easier to use than pellets or bales



Keeps water clean and clear

PART #	SIZE
BSE16	16 oz.
BSE32	32 oz.
BSF128	128 07

2 fl oz per 1,000 gallons

Rock & Waterfall Cleaner

SI7F

2 lbs.

8 lbs.



- Quickly clean rocks, water features, fountains, statues, etc.
- Powdered formula with oxygen based cleaning

1 lb per 300-400 sq ft

Sludge Remover Bacteria, Dry



· One ounce water soluble packets



- · Extends filter life
- Great for ponds with gravel covered bottom

PART # SI7F SRB12 12 packets SRB24 24 packets

1 packet per 1000 gallons

EasyPro water treatments and fish foods are proudly Made in the USA



Max Color Fish Food

PART #

OXY2

OXY8

- High quality feed designed to provide a staple diet & enhance
 - vibrant colors
- · Fortified with spirulina and other marine ingredients to enhance natural coloration
- 3/16" floating pellet

	J .
PART #	SIZE
PC1	20 oz.
PC5	5 lb.
PC33	33 lb.

Max Growth & Color Fish Food

- A high performance diet designed for growing fish
- Fortified with spirulina and other marine ingredients for maximum color of koi and goldfish
- 1/8" floating pellet does not cloud water

PART #	SIZE
PG1	20 oz.
PG5	5 lb.
PG33	33 lb.

Cold Water Fish Food (Wheat Germ)

 Wheat based diet ideal for feeding during colder periods of the year



- · Low protein, low fat diet that is easily digested by fish during colder water temperatures
- 3/16" floating pellet with two year shelf life


PART #	SIZE
CWF1	20 oz.
CWF5	5 lb.

Underwater LED Lighting





- Wide spectrum of color options
- Epoxy filled. Use in or out of
- Sync with all your other Cabrio lights using a single remote control.
- 15' power cord with quick connect plugs









- Cast aluminum housing and removable base
- 3" tall x 15/8" diameter
- Equivalent of 20 watt halogen bulb
- Warm white



6 Watt LED Light

- Four colored lens with warm white bulb
- Bulb rated for 80,000 hours
- Equivalent of 35-50 watt halogen bulb
- 30' power cord



LED9WW

Stainless

steel housing with removable

base!

9 Watt Stainless LED Light

- Warm white bulb, 1230 lumens per fixture
- 6" tall x 43/4" diameter
- Also available in 2-light kit
- Durable stainless steel

PART #	DESCRIPTION	POWER CORD	WARRANTY
LED4WW	3 watt aluminum, warm white, LED light, 3" tall x 15/8" diameter	er 15'	2 years
LED6WP	6 watt plastic, warm white, LED light	30'	3 years
LED9WW	9 watt stainless steel, warm white, LED light	30'	5 years
LED8B3	LED Statuary 3-light kit, 13/8" diameter	6'	1 year



Submersible Mag Drive Pumps

- Epoxy filled 115v motors no oil, fish safe
- Flow restricter valve included with each fountain set free with all 120-1350 gph pumps
- · Threaded discharge ports on all pumps

PART #	GPH	WATTS	MAX. HEAD	POWER CORD	WARRANTY
EP120	120	9	4'	12'	3 Years
EP200	200	17	7'	12'	3 Years
EP400	400	20	10'	12'	3 Years
EP600	600	35	12'	16'	3 Years
EP850	850	60	12'	16'	3 Years
EP1050	1050	70	131/2'	16'	3 Years
EP1350	1350	90	15'	20'	3 Years





Components included with EP1350, fountains may vary

Select EasyPro mag drive pumps include fountain set. Fountains may vary.









Large Mag Drive Pumps

- Epoxy filled 115v motors no oil, fish safe
- · Very quiet, energy efficient
- EP1750 has 20' cord, 3/4" threaded outlet
- EP2200/EP3200N have 26' cord, 1" threated outlet.
- EP4700N/EP6700N/EP9700 have 30' power cord, 2" inlet/outlet.
- EP4700N/EP6700N/EP9700 can be run vertically or horizontally.

PART #	GPH	WATTS	MAX. HEAD	POWER CORD	WARRANTY
EP1750	1750	130	20'	20'	3 Years
EP2200	2200	190	20'	26'	3 Years
EP3200N	3200	260	20'	26'	3 Years
EP4700N	4700	500	26'	30'	2 Years
EP6700N	6700	530	26'	30'	2 Years
EP9700	9700	750	35'	30'	1 Year

Perfect for ponds and waterfalls!




TH Series Pumps



The "TH Series" of pumps has proven to be a great choice for ponds, waterfalls, fountains and similar applications. Thousands of these pumps are in use throughout North America in a wide variety of continuous duty applications. Compact design is ideal for use in skimmers. One of the industry's best selling pumps.

- Rugged motor designed for long life, continuous duty operation; motor housing is corrosion-resistant stainless steel
- Low maintenance pump casing is made from abrasion resistant, fiber reinforced plastic for maximum life
- Vortex design prevents clogging
- Built-in overload and overheat motor protection
- 2" female threaded outlet
- · Units with 50' and 100' power cords available






PART #	GPH	HP	AMPS/VOLTS	MAX. HEAD	POWER CORD	WARRANTY
TH150	3100	1/4	2.6-3.1/115	23'	20'	2 Years
TH1502	3100	1/4	1.3-1.5/230	23'	20'	2 Years
TH250	4100	1/3	3.0-4.2/115	30'	20'	2 Years
TH2502	4100	1/3	1.5-2.1/230	30'	20'	2 Years
TH400	5100	1/2	3.7-6.0/115	36'	20'	2 Years
TH4002	5100	1/2	1.8-3.0/230	36'	20'	2 Years
TH750	6000	1	6.0-9.9/115	46'	20'	2 Years
TH7502	6000	1	3.0-4.9/230	46'	20'	2 Years

High Volume Pumps



TM Low Head Series

- · Thermal overload protection
- Oil free design ideal for fish ponds
- Two year warranty
- Top quality double mechanical seals



TB High Head Series

- · Thermal overload protection, 230v
- Top quality double mechanical seals
- Two year warranty
- · For use with higher head pressure

EasyPro pumps stand out from the crowd in features, benefits and durability. With many models sized from small ponds to large falls, EasyPro offers a model for just about any need.

*The TM9500 and TM13500 are also available in 230v.


	Doyona operating			- Door omoronoy			
PART #	HP	MAX AMPS	VOLTAGE	MAX GPH	MAX GPM	POWER CORD	OUTLET SIZE
TM9500*	1	10.9	115	9500	158	30'	3"
TM13500*	1.5	12	115	13500	225	30'	3"
TM17500	2	10	230	17500	290	30'	3"
TB8000	1	11	115	8000	133	20'	3"
TB8002	1	5.5	230	8000	133	20'	3"
TB12000	2	9.7	230	12000	200	20'	3"
TB14500	3	14.5	230	14500	240	20'	3"

High head and high flow external pumps available, please visit our website



External Low Head Pumps

Continuous duty, weatherproof motors



PART#	WALIS	MAX AMPS	VOLTAGE	MAX GPH	MAX GPM	POWER CORD	OUTLET SIZE
EX3600	139	1.4	115	3600	60	8'	2"/11/2"
EX4500	252	2.7	115	4500	75	8'	11/2"
EX6100	366	3.1	115	6100	101	8'	11/2"
EX8800	449	4.4	115	8200	136	8'	2"
EXP3700	228	2.7	115	3700	61	8'	2"
EXP4900	310	3.3	115	4900	81	8'	2"
EXP6800	369	3.9	115	6800	113	8'	2"
EXP7800	504	5.0	115	7800	130	8'	2"

Just-A-Falls Kits



Each kit comes with everything you need to build beautiful streams and waterfalls. Please remember if one of these kits does not fit your needs, we can custom design a kit for you! Supply your layout and we will provide you a quote for materials needed to meet your requirements.

> the pressure of being buried under rock

· Slots cut in the sides allow water into pump • Intake tubes available to increase flow capacity,

Mini Just-A-Falls Kits

Includes: Eco-Series 12" wide spillway, 1800 gph direct drive pump, JAFT pump vault, Res-Cubes, liner, underlayment, flex PVC pipe, fittings, PVC glue and instructions.

PART #	STREAM LENGTH	LINER SIZE	BASIN SIZE	PUMP GPH
JAF9E	3'	7' x 10'	3' x 3' x 18"	1800
JAF10E	7'	7' x 15'	3' x 4' x 18'	1800



Retail Pump Vaults

- · Roto-molded for excellent strength
- Ideal for use with mag drive pumps
- JAFT can be used with JAFME extension, below
- IAFL can be used with IAFVF extension, below


JAI	L can be used with JAI	VE extension, below
PART #	DIMENSIONS (L X W X H)	MAX. FLOW GPH
JAFT	13" dia. x 14¹/₂" tall	3000
JAFL	20" dia. x 20" tall	10000





Larger diameter vault can be used with multiple mag drive pumps

Pro-Series Pump Vaults





- sold separately PART # DESCRIPTION DIMENSIONS (L X W X H) MAX. FLOW GPH 16" x 16" x 22" Small Pump Vault 7500 Small Vault Extension 12" tall
- JAFM JAFME 24" x 24" x 32" JAFV Large Pump Vault 18000 **JAFVE** Large Vault Extension 18¹/₂" tall





Just-A-Falls Kits





16' Stream with 5' x 5' x 2' Reservoir #JAF16W



28' Stream with 6' x 6' x 21/2' Reservoir #JAF28W

Buy a complete kit and save!

Just-A-Falls kits include everything you need to build a beautiful waterfall including:

- EPDM rubber liner
- Check valve assembly
- Underlayment
- · Waterfall spillway
- EasyPro pump vault
- Flexible PVC pipe
- Submersible pumpWIK installation kit
- Kits available with or without res-cubes. Res-cubes will reduce the reservoir size

needed as well as the amount of rock. The liner size is the same, leaving extra liner for a longer stream.



With an EasyPro Just-A-Falls kit not only are the necessary items included but they are also compatible. The illustration above is an example of a pondless waterfall using reservoir cubes.

Many sizes available with up to 30' streams, please see our website for details



Vianti Falls Kits



Stainless steel for maximum strength

- Internal baffle calms incoming water creating even, smooth flow over lip
- Available with standard 2" lip or 6" and 15" extended lip in several widths, call for details
- · LED light strips can be used on spillways
- Kits available from $11^1/2$ " to $35^1/2$ " widths, includes everything you need to install in your block wall
- All kit components available individually and up to 711/2" wide



Feature by Bogert Products (MN)

Complete Vianti Falls Kits with Basin

PART #	DESCRIPTION	PUMP INCLUDED	BASIN INCLUDED
HB11K	111/2" Vianti Falls Kit without Lights	EP850	RBH29
HB11KB	11¹/₂" Vianti Falls Kit with Blue Lights	EP850	RBH29
HB11KW	11¹/2" Vianti Falls Kit with White Lights	EP850	RBH29
HB23K	231/2" Vianti Falls Kit without Lights	EP1350	FWB48
HB23KB	23 ¹ /2" Vianti Falls Kit with Blue Lights	EP1350	FWB48
HB23KW	23 ¹ / ₂ " Vianti Falls Kit with White Lights	EP1350	FWB48
HB35K	35¹/2" Vianti Falls Kit without Lights	EP2200	FWB48
HB35KB	351/2" Vianti Falls Kit with Blue Lights	EP2200	FWB48
HB35KW	351/2" Vianti Falls Kit with White Lights	EP2200	FWB48

ADD "EX" TO THE END OF ANY VIANTI FALLS KIT ABOVE FOR A SYSTEM WITH A 6" EXTENDED SPILLWAY



he Original

& Still


The Best!

Feature by Outside, Inc., MI

EasyPro offers the largest selection of U.S. made waterfall spillways in the industry! The Eco-Series spillways are available in 12" to 48" widths while the patented Pro-Series modular system can be made in endless sizes and shapes. Waterfall spillways are the perfect choice for Just-A-Falls (pond-less) systems, signs, swimming pool features and other installations.


Waterfall Diffusers — made to last and faster to install than any other spillway available

- Extra strong vertical rib design creates nearly indestructible diffuser
- Can be used in multiples for wider applications
- Easy to conceal with low 31/2" profile design
- 16" or 23" copper attachment available separately



Eco-Series one piece waterfall spillways, ideal for creating pondless water features

- Easy installation liner attaches to spillway using the patented "Spliner Lock" system, no tools
- Dual inlets and 4" diffuser tube
- Water enters from either end (or both ends) and spreads out evenly across width of spillway



Pro-Series spillways — the first expandable waterfall spillway on the market

With straight, inward or outward curving sections you can custom design the shape of your feature.

- Easy bolt together assembly no drilling needed
- Dual bulkheads (included) allow incoming water from either or both ends
- Designed to sit inside the liner eliminating any concerns of leaking

PART #	DESCRIPTION	DIMENSIONS (L X W X H)	INLET SIZE/LOCATION
EWS18	18" Straight - Assembled	21" x 16" x 18"	2" Inlet/Both Ends
EWS34	34" Straight - Assembled	37" x 16" x 18"	2" Inlet/Both Ends
EWS50	50" Straight - Assembled	53" x 16" x 18"	3" Inlet/Both Ends
EWE16	16" Extension Straight	16" x 16" x 18"	_
EWI16	16" Extension Inward	24" x 16" x 18"	_
EW016	16" Extension Outward	24" x 16" x 18"	_
EWLR2	Left and Right 18" Endcaps	21" x 16" x 18"	2"/Both Ends
EWLR3	Left and Right 18" Endcaps	21" x 16" x 18"	3"/Both Ends



Patented

system, ECO-Series

Spliner

Lock

Tranquil Décor



Tranquil Décor Fountain Kits made with Déco-Crete



Smooth Vase terra HSV21RK brown HSV21TK 21" tall



Traditional Vase brown HDV20TK red HDV20CRK 20" tall



Bronze Resin Heron Fountain Kit BHS30K 30" tall



Greek Oil Jar Fountain HGR47K 47" tall x 27" wide

Fountain kits above include fountain, basin, pump and tubing. (Heron does not contain basin.) Many more kits and fountains available - see our website!

Self-Contained Fountains

Aged Copper Tipped

Vase Fountain

HTV17CAK

20" wide x 17" tall

Minor assembly needed.

Just add water, plug in & enjoy!



Itasca Bowl Fountain HSB31 31" tall x 40" wide Shelves inside for aquatic plants



Trinity Fountain HTF40 24" wide X 391/2" tall x 22" deep Planter and fountain all in one



Coventry Bowl Fountain HCB50 51" tall x 20" wide A beautiful statement piece

Tranquil Décor



Real Basalt Column Sets

Tranquil Décor

- Order individually or in complete kits with real basalt columns, basin, pump, valves and plumbing.
- Core drilled with 11/4" hole, last 11/2" is enlarged to hide light ring
- Due to natural characteristics of the basalts the size, weight and cut will vary



Natural Top 3 Pack HBS3CSL



Polished Top Trio HBR3CSL



Twisted Single HBT39K



Modern Trio HBM3PSL



Step Top Trio HST3CSL



Bamboo Basalt Set HBB39K



Ebony Trio HBC3PSL



Keyed Spillway Trio HBK3KSL





LED Statuary Light Kit

- Use to light up bubbling statuary, basalts, etc.
- Set of 3 LED lights with 3/4" barbed inlet fitting
- · Includes transformer

Basins

- Ideal for use with bubbling fountains, statuary and basalts
- Wide selection from 23"-58"
- · Sized from 15 to 80 gallons





	RBH23	RBH29	FBL40	
PART #	DESCRIPTION		CAPACITY	HEIGHT
RBH23	3 23" x 22" Redi-B	asin with lid	20 gallons	131/2"
RBH29	29" x 24" Redi-B	asin with lid	30 gallons	13 ¹ / ₂ "
FBL40	40" Eco basin w	/bench grating	30 gallons	113/4"
FBL48	48" Eco basin w	/bench grating	46 gallons	113/4"

Variety of sizes available, please see our website for more information










Lake & Large Pond Care

EasyPro is a major manufacturer of pond and lake aeration systems.


Thousands of aeration systems have been sold ranging from small backyard systems to large lake systems. Whatever your needs, we have the products and decades of experience to help you achieve your goals.






- Warm, typically oxygen-rich
- Recurrent surface scum
- Floating weed masses
- Zone of decreasing water temperature
- Zone of decreasing dissolved oxygen
- Zone completely void of oxygen
- Cold water temperature
- Accumulating organic muck
- Weeds prevalent
- · Unusable by all fish

De-stratified with Aeration




- Improved water clarity
- Reversed aging effects
- · Improved natural pond bacteria
- Less organic material accumulation
- Protection from fish kills
- An enhanced pond ecosystem
- Reduced surface scum build-up



Pond Aeration Shape & Depth


The shape and depth of a pond affect the number of diffusers needed. Irregular shaped ponds often require multiple diffusers to adequately aerate the entire water column. The diagrams below show how much surface area is aerated per diffuser.



The PA34 pond aerator would aerate only ¹/₈ of an acre if operated in 4' deep water, while aerating up to 1¹/₂ acres if operating in 16' - 20' of water.

Ponds that are irregular or odd shaped will also reduce size of aeration area — contact our technical assistance department for additional help.







Aeration Systems & Accessories





Deluxe Aeration Systems

EasyPro manufactures a wide variety of diffused aeration systems from simple basic systems up to complete deluxe systems.



tratus

Following are a few examples of each:

Basic Systems-

Basic aeration kits provide all the necessary components to aerate a pond. A compressor, tubing, diffuser(s) and fittings are sized to work together for a working aeration system in these basic kits. These kits will require additional weather protection for the compressor, but the kit as a whole provides a complete system.

PART #	DESCRIPTION	AERATES PONDS UP TO
PA10W	1/20th hp system with one diffuser, 50' Quick Sink tubing	1/4 acre
PA12W	1/8th hp system with one diffuser, 50' Quick Sink tubing	1/3 acre
PA34W	1/4 hp system with one diffuser, 100' Quick Sink tubing	1 acre
PA34-2	1/4 hp system with two diffusers, order tubing as needed	1.5 acres
PA65W	1/2 hp system with two diffusers, 200' Quick Sink tubing	2 acres
PA66W	1/2 hp system with three diffusers, 300' Quick Sink tubing	3 acres
PA86W	3/4 hp system with four diffusers 600' Quick Sink tubing	4 acres

Deluxe Systems—

Deluxe aeration kits provide all the components of the basic kits and include the mounting of the compressor in a deluxe cabinet. These systems are known as Sentinel Deluxe Aeration Systems. Sentinel systems are designed for convenience and reliability.

PART #	DESCRIPTION	AERATES PONDS UP TO
PA34D	1/4 hp Deluxe system with one diffuser, cabinet, 100' Quick Sink tubing	1 acres
PA34-2D	1/4 hp Deluxe system with two diffusers, cabinet	1.5 acres
PA65D	1/2 hp Deluxe system with two diffusers, cabinet, 200' Quick Sink tubing	2 acres
PA66D	1/2 hp Deluxe system with three diffusers, cabinet, 300' Quick Sink tubing	g 3 acres
PA86D	3/4 hp Deluxe system with four diffusers, cabinet, 600' Quick Sink tubing	4 acres

Customized Systems-

If one of the kits above does not fit your application, EasyPro can customize a system just for you. Using your street address, a customized system and aerial map can be made up using Google Earth to fit your exact needs. Even ponds without power near the bank can be aerated by locating the compressor wherever power is currently available and then using a Remote Valve Assembly. This assembly allows the compressor to be up to 2000' away from the pond bank and a single, larger supply line can be used to carry the air from the compressor to the valve assembly at the ponds edge.



Fountains



1/2 hp and 1 hp Aqua Fountains

- · Long lasting, energy efficient motor designed for continuous duty operation.
- · High density foam floats with decorative cover
- Rocket and wide umbrella nozzles included. Narrow umbrella nozzle sold separately
- 115 volt units come with timer and GFI panel
- 230 volt units include timer, purchase GFI locally
- · Color changing, underwater light kits feature stainless steel housings and mounting brackets. Kits include digital timer, power cable.

Brilliant LED RGB Color Changing Lights

Dimilant	LLD KOD COIOI CI	idinging Lights
PART #	DESCRIPTION	CORD LENGTHS
RGB2-100	RGB LED 2 Light Kit	100 ft.
RGB3-100	RGB LED 3 Light Kit	100 ft.

UNITS WITH LONGER CORDS AVAILABLE











Agua Fountains

, .quu	o a i i ca i i i	•			
PART #	HP	POWER CORD	VOLTAGE /AMPS	ROCKET SPRAY DIMENSIONS	WIDE UMBRELLA DIMENSIONS
AF50	1/2	100'/12 ga.	115/7.0	8' H x 2' Dia	6' H x 15' Dia
AF100	1	100'/12 ga.	115/11.0	16' H x 5' Dia	8' H x 26' Dia
AF1002	1	100'/12 ga.	230/5.5	16' H x 5' Dia	8' H x 26' Dia

UNITS WITH LONGER CORDS AVAILABLE

With over four decades of aeration experience, EasyPro can supply you with the knowledge and products to aerate nearly any application. Many different styles of aeration are available, including:



Linear & Diaphram **Systems**

For ponds under 1/4 acre - shallow water or smaller pond systems



Rocking Piston Systems

For ponds 1/4 to four acres - deep water or long run systems, powered by rocking piston compressors



Rotary Vane **Systems**

For ponds 1/2 to six acres - systems for larger ponds under 18' deep, powered by rotary vane compressors



Windmill & Solar **Aeration Systems**


For ponds up to four acres - windmills & solar, powered by Mother Nature

See our Lake & Pond Management Catalog for much more information

The use of beneficial pond bacteria has proven to be one of the best tools (along with aeration) a pond owner can use to maintain water quality. Beneficial bacteria are like mini vacuum cleaners working along the pond's bottom to consume and digest organic materials such as decayed leaves, grass clippings, dead algae/weeds, fish waste, etc. Left in the pond, these materials will contribute to future water quality problems.



Pond-Vive







For best results add Pond-Vive every two weeks when water temperatures are above 55°F


PART #	DESCRIPTION
PB5X	Ten Individual eight ounce water soluble packets
PB10X	Twenty eight ounce water soluble packets
PB25X	Fifty eight ounce water soluble packets
PB100XL	100 lb. fiber drum bulk bacteria (loose powder)

Sludge Remover Pellets

- A modified version of Pond-Vive, specifically designed to reduce sludge
- · Heavy pellets sink down into muck directly where they are applied
- One ounce of pellets covers approximately 200-250 square feet of shoreline or beach area

For best results add Sludge Remover every two weeks when water temperatures are above 55°F







Super Concentrated Water Clarifier

Helps clear murky, turbid water by attracting suspended particles together, settling them to the bottom.

 One gallon treats 250,000 gallons of pond water, mix with pond water and spray evenly over pond surface

WC128



Concentrated Pond Dye - Liquid

When disbursed, these dyes are non-staining and are fish, pet and wildlife safe.

· One quart treats one acre of water 4' deep (about 1 million gallons)

DESCRIPTION PART # **FCPD** Blue pond dye, quart size jug ECPDBK Black pond dye, quart size jug ECPDSB Serenity pond dye, quart size jug

Concentrated Pond Dve - Powder

When disbursed these dyes are non-staining and are fish, pet and wildlife safe.

- Three water soluble packets will treat one acre 4' deep
- · Bonus packet for touch-ups!

PART # DESCRIPTION PD4P Blue pond dye, 4 wsp pouch PD4PBK Black pond dye, 4 wsp pouch PD4PSB Serenity pond dye, 4 wsp pouch



MADE IN



Imagine.

Create.

Enjoy.

EasyPro is a full line manufacturer of top quality aquatic supplies. Let EasyPro help you "Imagine, Create, Enjoy" the world of water features.

For full product listing and helpful information, visit easypro.com







